
NANKO-T
EST PARTS &
CCESSORIES
NE
VER
ST
OP
Bike
Shop
Ride Your Bicycles
BMX
English version
MTB
MADNESS
Cycling
BIKE
SHOP
2026
STAY
EXREME
FOURIERS
富律業
PASSION
DRIVES
INNOVATION
LAMINAR
力敏纳
CYCLING CLUB
FOURIERS



PASSION DRIVES INNOVATION

FOURIERS BICYCLE COMPONENTS IS AN EXCEPTIONAL TAIWANESE MANUFACTURING COMPANY. BEHIND FOURIERS IS A FAMILY RM OF ENGINEERS AND RIDERS WITH A PASSION FOR BICYCLES AND MORE THAN 30 YEARS OF EXPERIENCE IN DEVELOPING AND MANUFACTURING HIGH-END BIKE COMPONENTS. FOURIERS WAS CREATED WITH THE INTENTION TO SHARE OUR EXPERIENCE AND PASSION WITH THE REST OF THE WORLD, IN THE HOPE THAT EVERYBODY CAN ENJOY THE SPORT.

QUALITY X SAFETY X PERFORMANCE

WE USE THE STRONGEST AND LIGHTEST MATERIALS FOR OUR COMPONENTS. DURABLE GRADES OF ALUMINUM, HIGHEST QUALITY CARBON FIBER, AND QUALITY PLASTIC IMPORTED FROM SWITZERLAND. FOURIERS IS A WORLD CLASS MANUFACTURER, AND WE RELY ON OUR SPONSORED RIDERS TO PROVE OUR ABILITY TO CONTINUOUSLY DEVELOPAND FABRICATE TOP TIER BICYCLE COMPONENTS.

We ride all bike types.
We invest in our people, machines and riders.
We discover new ideas and improve on others.
We engineer every product from sketch to manufacturing.
We refine existing products from good to excellent.

INDEX

04 | POWER METER
06 | FITTING SERIES
10 | ROAD HANDLEBAR
14 | INTEGRATED HANDLEBAR
16 | MTB HANDLEBAR
18 | SEATPOST
20 | STEM
22 | BRAKE SYSTEM
25 | BRAKE PADS
26 | DISC ROTOR & ADAPTER
28 | BB SYSTEM
29 | FIXED GEAR CHAINRING
30 | CHAINRING
34 | CHAIN CATCHER / CHAIN GUIDE
35 | CHAIN GUIDE
36 | ROLLER KIT
40 | THRU AXLE
46 | COMPUTER MOUNT
53 | TRIATHLON BAR
55 | TOP CAP
56 | HEADSET
60 | SEAT CLAMP
61 | ACCESSORIES
65 | TOOL
70 | MUDGUARD
71 | PROTECTION
72 | VALVE CAP & BOLT
74 | SOCKS
76 | BAR TAPE
82 | GRIP
84 | WATER BOTTLE
89 | CAGE
90 | PEDALS
98 | SADDLE



HIGHLY COMPATIBLE

AXLE： 29 / 30mm
CHAINRING： 34+50T / 36+52T / 39+53T / 42+54T / 42+55T
Compatible with SHIMANO® 11speed /12 speed chainring

WIDE RANGE OF OPTIONS

The Cranks are 150 to 175mm in length, and compatible with 11-specifications cranksets.





QUANTIFY YOUR OUTPUT TO EXCEED YOUR INNER POTENTIAL

CK-GRC (CARBON CRANKSET)
CK-GRC-PM (CARBON CRANKSET WITH SRM POWER METER)

The FOURIERS crankset adapts seamlessly to various crank and BB specifications, with SRM power meter compatibility to enrich your cycling experience.

MATERIAL： (Arm) Carbon
(Axle) AL2024-T6
(Chainring) CNC-made AL7075-T651
LENGTH OF AXLE： 29mm、30mm
LENGTH OF ARM：150、152.5、155、157.5、160、162.5、165、167.5、170、172.5、175mm
COLOR：Anodized black and S.B anodized black



ADP-FIT-CZ

The ADP-FIT-CZ allows you to turn a demo bike into a fitting one, so as to find the most appropriate length for the intended biker.



ADP-FIT-XYA

Each manufacture has their own ways when it comes to stem measurement. Use the ADP-FIT-XYA to convert the polar coordinate system into the standard coordinate system, and then refer to the chart to find the right measurement.



BESTSELLER

ADP-FIT-SA

Use the stem adjuster to provide fitting service for the biker on his or her own bike to determine the right stem length (50mm~150mm) and angle (±25 degrees).

Colors：Red, Gold

CONVENIENT FITTING TOOL TO SWIFTLY CONVERT COMPLICATED DATA INTO A SIMPLE CHART

7-01

STEM SET

CONTENTS：
SM-MB110-G0 (0°) 35, 45, 55, and 65mm
SM-RA010-7(±7°) 70 to 130mm
SM-RA010(±17°) 60 to 130mm



7-02

ADP-FIT-WR

Quick and easy to change position for trainer or fitting.
Angle adjustment from 0 to 12 degrees.

HEIGHT RANGE：80-290mm





BESTSELLER 7-03

ADP-FIT-RHB

Allows you to find the most appropriate handlebar width swiftly and effortlessly. Eases your physical fatigue for long-distance riding.

CLAMPING DIAMETER：31.8mm
SPEC：320mm-440mm
MATERIA：AL 6061-T6
DROP：120mm
REACH：75mm
FLARE: 5 deg
Note: For indoor adjustment only. Outdoor use is not permitted.





7-04

ADP-FIT-E220

Adjustable fitting stem. Can be used on Indoor Bike Trainer and bike trainers.

MATERIAL：AL6061-T6
ANGLE：±8°
CLAMP HEIGHT：50mm
C-C：205mm
STEM TUBE SIZE：Ø28.6mm
Note: For indoor adjustment only. Outdoor use is not permitted.







FITTING DEMO VIDEO



❶ Fitting Equipment



❷ Introduction To Fitting Auxiliary Tools

FITTING series

XY Reference Chart



Horizontal distance (x) = 90mm

型號	角度	高度差 (y) (mm)
SM-RA010-90L	+17°	42
SM-RA009-90L	+17°	42
SM-MB109-G7-90L	+7°	31
SM-RA010-90L	+7°	30
SM-RA001-90L	+8°	30
SM-RA002-90L	+6°	28
SM-RA002-90L	-6°	11
SM-RA010-90L	-7°	10
SM-MB109-G7-90L	-7°	9
SM-RA001-90L	-8°	9
SM-MB115-MT6-90L	-6°	3
SM-RA009-90L	-17°	-2
SM-RA010-90L	-17°	-4
SM-MB114-G17-90L	-17°	-16
SM-MB114-G25-90L	-25°	-30



STEP：
❶ Find the closest X-value data.
❷ Find the adjacent Y-value and choose the appropriate model.
❸ Use the spacer to reach the appropriate height (Y-value)

CORRECTION VALUE：
Whenever a 3mm-tall spacer is applied, the X-value lessens by 1mm.

Commercial stems are analyzed from the platform, and choose the appropriate Fouriers model.

Horizontal Distance(x) = 60mm

Item	Angle	Height Difference(y) (mm)
SM-RA010-60L	+17°	34
SM-RA010-60L	+7°	26
SM-RA010-60L	-7°	14
SM-RA010-60L	-17°	6

Horizontal Distance(x) = 70mm

Item	Angle	Height Difference(y) (mm)
SM-RA010-70L	+17°	37
SM-RA010-70L	+7°	27
SM-MB109-G7 - 70L	+7°	27
SM-MB109-G7 - 70L	-7°	13
SM-RA010-70L	-7°	13
SM-RA010-70L	-17°	3

Horizontal Distance(x) = 80mm

Item	Angle	Height Difference(y) (mm)
SM-RA010-80L	+17°	40
SM-RA009-80L	+17°	39
SM-MB109-G7-80L	+7°	30
SM-RA010-7-80L	+7°	29
SM-RA001-80L	+8°	29
SM-RA002-80L	+6°	27
SM-RA002-80L	-6°	12
SM-RA010-7-80L	-7°	11
SM-MB109-G7-80L	-7°	11
SM-RA001-80L	-8°	10
SM-MB115-MT6-80L	-6°	4
SM-RA009-80L	-17°	1
SM-RA010-80L	-17°	0
SM-MB114-G17-80L	-17°	-14
SM-MB114-G25-80L	-25°	-24

Horizontal Distance(x) = 90mm

Item	Angle	Height Difference(y) (mm)
SM-RA010-90L	+17°	42
SM-RA009-90L	+17°	42
SM-MB109-G7-90L	+7°	31
SM-RA010-90L	+7°	30
SM-RA001-90L	+8°	30
SM-RA002-90L	+6°	28
SM-RA002-90L	-6°	11
SM-RA010-90L	-7°	10
SM-MB109-G7-90L	-7°	9
SM-RA001-90L	-8°	9
SM-MB115-MT6-90L	-6°	3
SM-RA009-90L	-17°	-2
SM-RA010-90L	-17°	-4
SM-MB114-G17-90L	-17°	-16
SM-MB114-G25-90L	-25°	-30

Horizontal Distance(x) = 95mm		
Item	Angle	Height Difference(y) (mm)
SM-RA010-100L	+17°	46
SM-RA009-100L	-17°	-6

Horizontal Distance(x) = 100mm		
Item	Angle	Height Difference(y) (mm))
SM-RA009-100L	+17°	45
SM-RA001-100L	+8°	32
SM-MB109-G7-100L	+7°	31
SM-RA010-100L	+7°	31
SM-RA002-100L	+6°	29
SM-RA002-100L	-6°	10
SM-RA010-100L	-7°	9
SM-MB109-G7-100L	-7°	8
SM-RA001-100L	-8°	8
SM-MB115-MT6-100L	-6°	2
SM-RA009-100L	-17°	-6
SM-MB114-G17-100L	-17°	-21
SM-MB114-G25-100L	-25°	-33

Horizontal Distance(x) = 105mm		
Item	Angle	Height Difference(y) (mm)
SM-RA010-110L	+17°	49
SM-RA009-110L	-17°	-9

Horizontal Distance(x) = 110mm		
Item	Angle	Height Difference(y) (mm))
SM-RA009-110L	+17°	49
SM-RA001-110L	+8°	33
SM-RA010-110L	+7°	33
SM-MB109-G7-110L	+7°	32
SM-RA002-110L	+6°	30
SM-RA002-110L	-6°	9
SM-RA010-110L	-7°	7
SM-MB109-G7-110L	-7°	7
SM-RA001-110L	-8°	7
SM-MB115-MT6-110L	-6°	1
SM-RA009-110L	-17°	-9
SM-MB114-G17-110L	-17°	-23
SM-MB114-G25-110L	-25°	-38

Horizontal Distance(x) = 115mm		
Item	Angle	Height Difference(y) (mm)
SM-RA010-120L	+17°	52
SM-RA010-120L	-17°	-12

Horizontal Distance(x) = 120mm		
Item	Angle	Height Difference(y) (mm)
SM-RA009-120L	+17°	51
SM-RA001-120L	+8°	35
SM-RA010-120L	+7°	34
SM-RA002-120L	+6°	31
SM-RA002-120L	-6°	8
SM-RA010-120L	-7°	6
SM-RA001-120L	-8°	5
SM-MB115-MT6-120L	-6°	0
SM-RA009-120L	-17°	-11
SM-MB114-G17-120L	-17°	-26
SM-MB114-G25-120L	-25°	-43

Horizontal Distance(x) = 125mm		
Item	Angle	Height Difference(y) (mm)
SM-RA010-130L	+17°	55
SM-RA009-130L	-17°	-15

Horizontal Distance(x) = 130mm		
Item	Angle	Height Difference(y) (mm)
SM-RA009-130L	+17°	55
SM-RA001-130L	+8°	36
SM-RA010-130L	+7°	35
SM-RA002-130L	+6°	32
SM-RA002-130L	-6°	7
SM-RA010-130L	-7°	5
SM-RA001-130L	-8°	4
SM-RA009-130L	-17°	-16

Horizontal Distance(x) = 140mm		
Item	Angle	Height Difference(y) (mm)
SM-RA009-140L	+17°	58
SM-RA001-140L	+8°	37
SM-RA002-140L	+6°	34
SM-RA002-140L	-6°	6
SM-RA001-140L	-8°	3
SM-RA009-140L	-17°	-18

Find the right type of handlebar and width to ease your discomfort on the road.



Item	Materi-al	Inward	Spec	Drop	Reach	Rise	Width	Flare	Hood to hood	Drop to drop	Type
RA001	CARBON		31.8	130	80		400	2°	395	400	Anatomic Bend
							420		415	420	
							440		435	440	
RA002	CARBON		31.8	130	80		380	2°	375	380	Compact Bend
							400		395	400	
							420		415	420	
							440		435	440	
RA003	CARBON		35	128	78		400	2°	400	410	Compact Bend
							420		420	430	
							440		440	450	
RA009	6061		31.8	135	110		480	25°	480	600	Compact Bend
							500		500	620	
RA010	6061		31.8	130	80		380	12°	380	430	Compact Bend
							400		400	450	
							420		420	470	
							440		440	490	
RA011	6061		31.8	120	75	15	320 ♦	10°	320	350	Compact Bend
							340 ♦		340	370	
							360 ♦		360	390	
							380 ♦		380	410	
							400		400	430	
							420		420	450	
RA012	6061		31.8	120	75		320 ♦	10°	320	350	Compact Bend
							340 ♦		340	370	
							360 ♦		360	390	
							380 ♦		380	410	
							400		400	430	
							420		420	450	
RA013	6061	10°	31.8	115	75		360	10°	360	460	Compact Bend
		10°					380		380	480	
		10°					400		400	500	
		10°					420		420	520	
		10°					440		440	540	



LISTEN TO YOUR BODY,

and choose the handlebar that meets your needs.

MTB HANDLEBAR

Choose the right handlebar angles to enhance your manipulation power.



Item	Material	Spec	Back Sweep	Up Sweep	Rise	Eccentric	Width	Type
HB-MB001-N2	CARBON	Ø35	9°	5°	20 / 30	-	800	Riser Bar
HB-MB002-N2	CARBON	Ø31.8	9°	5°	20	-	800	Riser Bar
HB-MB003-N2	6066	Ø35	9°	5°	20	-	780	Riser Bar
HB-MB007-N5	7050	Ø31.8	9°	-	-	5	720	Eccentric Bar
HB-MB007-N5-A6	6061	Ø31.8	9°	-	-	5	740	Eccentric Bar
HB-MB008-N5	CARBON	Ø31.8	9°	-	-	5	750	Eccentric Bar
HB-MB009-N2	6061	Ø31.8	5°	-	-	-	680	Flat Bar
HB-MB010-N2-H	7050	Ø31.8	5°	-	-	-	720	Flat Bar
HB-MB011-N2	6061	Ø31.8	9°	5°	20 / 25 / 30	-	720 / 780	Riser Bar
HB-MB012-N2	7050	Ø31.8	9°	5°	20 / 25 / 30	-	780	Riser Bar





Design for Di2 cable hole

As the inner Di2 cable is getting prevalent, FOURIERS make change for all types of road bike handlebar, we drill the hole for Di2 inner cable to make the handlebar look more clean.

12-01

HB-RA001-N2

MATERIAL：Carbon fiber
SPEC：Ø31.8mm
WIDTH：400、420、440mm
DROP：130mm
REACH：80mm
BAR TYPE：Anatomic bend
WEIGHT：225g (W420mm)

EFBE Test Passed EFBE PRÜFTECHNIK
P1206089 / P1206090 / P1206091



12-02

HB-RA002-N2

MATERIAL：Carbon fiber
SPEC：Ø31.8mm
WIDTH：380、400、420、440mm
DROP：130mm
REACH：80mm
BAR TYPE：Compact bend
WEIGHT：225g (W420mm)

EFBE Test Passed EFBE PRÜFTECHNIK
P1206089 / P1206090 / P1206091



12-03

HB-RA003-N2

MATERIAL：Carbon fiber
SPEC：Ø35mm
WIDTH：400、420、440mm
DROP：128mm
REACH：78mm
AR TYPE：Compact bend
WEIGHT：240g (W420mm)

EFBE Test Passed EFBE PRÜFTECHNIK
P1206086 / P1206087 / P1206088



13-01

HB-RA013-A6-G

The handle angle is folded inward by 10 degrees with the lower handle turned outward by 10 degrees, regardless of the upper and lower handle with the new generation of 12-speed shift handle inward bending characteristics more in line with ergonomics. New handle angle design allows for more comfortable riding.

YouTube TikTok

MATERIAL：AL6061-T6
SPEC：Ø31.8
WIDTH: 360mm、380mm、400mm、420mm、440mm (C-C)
INWARD：10°
EXPANSION：10°
DROP：115 mm
REACH：75mm
BAR TYPE：Compact bend
WEIGHT：295g/pcs±10(W420mm)





BESTSELLER 13-02

HB-RA012-A6-T

Small size compression handlebar, suitable for riders of various body types and shoulder widths.

MATERIAL：AL6061-T6
SPEC：Ø31.8mm
WIDTH：320、340、360、380、400、420mm
DROP：120mm
REACH：75mm
BAR TYPE：Compact bend
WEIGHT：301g (W420mm)
COLOR：S.B Anodized Black



BESTSELLER 13-03

HB-RA011-A6-M

15mm rise for riders who are petite or have special needs.

MATERIAL：AL6061-T6
SPEC：Ø31.8mm
WIDTH：320、340、360、380、400、420mm
DROP：120mm
REACH：75mm
RISE：15mm
BAR TYPE：Compact bend
WEIGHT：302g (W420mm)
COLOR：S.B Anodized Black



13-04

HB-RA010-FL12-O

Enlarge the road bike handlebar drop outward for 12 degrees to enhance comfortability.

MATERIAL：AL6061-T6
SPEC：Ø31.8mm
WIDTH：380、400、420、440mm
DROP：130mm
REACH：80mm
BAR TYPE：Compact bend
WEIGHT：295g (W420mm)
COLOR：S.B Anodized Black



HB-RA014

FOURIERS road bike integrated handlebars, compatible with TOKEN® A-BOX headset.

MATERIAL：6061-T6
STEM LENGTH：70 / 90 / 110mm
STEM ANGLE：-10°
WIDTH (HOOD TO HOOD)/WIDTH(DROP TO DROP)：
about 380 / 413 ; 400 / 433 ; 420 / 453 ;440 / 473 ; 460 / 493 (mm)
STEERER TUBE：Ø28.6mm
FORK STACK HEIGHT：40mm
FLARE：12°
DROP：120mm
REACH：85mm
WEIGHT：About 530g (W: 400mm; Stem L: 90mm)
HEADSET COMPATIBLE WITH TOKEN® A-BOX
COMPATIBLE WITH FOURIERS_ HA-S010
COLOR：Black



Integrated extension mount and top cap.





15-01

HB-MB013

MATERIAL：AL6061-T6
SPEC：Stem length 35mm
WIDTH：800mm
For：Ø28.6mm Steer tube
RISE：20mm
BACK SWEEP：8°
UP SWEEP：5°
WEIGHT：420g
COLOR：Black



15-02

HB-MB014

MATERIAL：AL6061-T6
SPEC：Stem length 60mm
WIDTH：800mm
For：Ø28.6mm Steer tube
RISE：15mm
BACK SWEEP：8°
UP SWEEP：5°
WEIGHT：420g
COLOR：Black



15-03

HB-MB015

MATERIAL：AL6061-T6
SPEC：Stem length 90mm
WIDTH：800mm
RISE：55mm
For：Ø28.6 Steer tube
RISE：5mm
BACK SWEEP：8°
UP SWEEP：5 °
WEIGHT：440g
COLOR：Black



16-01

HB-MB001-N2

MATERIAL：Carbon fiber
SPEC：Ø35mm
WIDTH：800mm
RISE：20mm / 30mm
BACK SWEEP：9°
UP SWEEP：5°
WEIGHT：295g

EFBE Test Passed

P1306487 / P1306488 / P1306489



16-02

HB-MB002-N2

MATERIAL：Carbon fiber
SPEC：Ø31.8mm
WIDTH：800mm
RISE：20mm
BACK SWEEP：9°
UP SWEEP：5°
WEIGHT：280g

EFBE Test Passed

P1306490 / P1306491 / P1306492



BESTSELLER 16-03

HB-MB008-N5

MATERIAL：Carbon fiber
SPEC：Ø31.8mm
WIDTH：750mm
ECCENTRIC：5mm
BACK SWEEP：9°
WEIGHT：170g



16-04

HB-MB007-N5
HB-MB007-N5-A6

MATERIAL：AL7050-T73 / AL6061-T6
SPEC：Ø31.8mm
WIDTH：720mm (7050) / 740mm (6061)
ECCENTRIC：5mm
BACK SWEEP：9°
WEIGHT：235g (7050) / 330g (6061)
COLOR：S.B Anodized Black, Red, Gray

EFBE Test Passed

P1206022 / P1206023 / P1206024



17-01

HB-MB003-N2

MATERIAL：AL6066-T6
SPEC：Ø35mm
WIDTH：780mm
RISE：20mm
BACK SWEEP：9°
UP SWEEP：5°
WEIGHT：428g
COLOR： S.B Anodized Black, Silver, Red, Gold, Gray



EFBE Test Passed

P1206028 / P1206029 / P1206030

17-02

HB-MB009-N2

MATERIAL：AL6061-T6
SPEC：Ø31.8mm
WIDTH：680mm
BACK SWEEP：5°
WEIGHT：210g
COLOR：S.B Anodized Black, Red, Gold, Gray, Blue,Apple Green, Orange, Purple, Pink, Sky blue



17-03

HB-MB010-N2-H

MATERIAL：AL7050-T73
SPEC：Ø31.8mm
WIDTH：720mm
BACK SWEEP：5°
OVERLOAD：800kgs
WEIGHT：275g
COLOR：S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Pink, Sky Blue



17-04

HB-MB011-N2

MATERIAL：AL6061-T6
SPEC：Ø31.8mm
WIDTH：720、780mm
BACK SWEEP：9°
UP SWEEP：5°
RISE：20、25、30mm
WEIGHT：345g (720mm) / 375g (780mm)
COLOR： S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Pink, Sky Blue



WIDTH \ RISE	20mm	25mm	30mm
720mm	MULTIPLE COLOUR	-	-
780mm	BLACK	MULTIPLE COLOUR	BLACK

17-05

HB-MB012-N2

MATERIAL：7050-T73
SPEC：Ø31.8mm
WIDTH：780mm
BACK SWEEP：9°
UP SWEEP：5°
RISE：20、25、30mm
WEIGHT：375g
COLOR：S.B Anodized Black





NEW 18-01

SP-DX004

Lightweight design and Internal cable routing.

MATERIAL：(Tube)AL6066-T6
(Dropper lever) AL6061-T6
DIAMETER：Ø30.9
DROP：125mm
WEIGHT：530g





DROPPER LEVER

NEW 19-01

SP-DX005

Lightweight Aluminum Tube.

MATERIAL：(Clamp base) Steel
(Tube)AL6061-T6
SPEC：Ø31.8x610L
THICKNESSES：2.5T
WEIGHT：605g
COLOR：(Clamp base) Black
(Tube) S.B Anodized Black



19-02

SP-S001
SP-S001-DI2

The one-piece carbon seatpost, including carbon fibre rail seatpost clamp , not only allows the user to adjust the saddle easily, but also frees the saddle rail from deformation. This is EFBE certified.

MATERIAL：UD Carbon fiber, Carbon clamp
SPEC：Ø27.2、Ø30.9、Ø31.6mm
LENGTH：400mm
OFFSET：20mm
WEIGHT：240g (Ø31.6 / 400mm)
COLOR：UD glossy

EFBE Test Passed

P1206092 / P1206093
Passed 300kg Overload Test



19-03

SP-S003
SP-S003-DI2

The one-piece carbon seatpost, including carbon fibre rail seatpost clamp, not only allows the user to adjust the saddle easily, but also frees the saddle rail from deformation.

MATERIAL：UD Carbon tube, Carbon clamp
SPEC：Ø27.2、Ø30.9、Ø31.6mm
LENGTH：400mm
OFFSET：0mm
WEIGHT：235g (Ø31.6 / 400mm)
COLOR：UD glossy

P1206092 / P1206093
Passed 300kg Overload Test



19-04

SP-DX003

Aluminum tube with cold drawn process, easy of adjustment and lightweight and stiffness.

MATERIAL：AL7050-T73
SPEC：Ø34
LENGTH：630mm
OFFSET：0mm
WEIGHT：395g
COLOR：S.B Anodized Black



19-05

SP-DX001

The aluminum one-piece seatpost is CNC machined. The twobolts bottom clamp allows user to adjust the saddle angle easily.

MATERIAL：Fully CNC-machined AL6066-T6
SPEC：Ø27.2、Ø31.6mm
LENGTH：400mm
OFFSET：0mm
WEIGHT：320g (Ø31.6 / 400mm)
COLOR：S.B Anodized Black



19-06

SP-AG12

The 3D-forged aluminum seatpost comes with a two-bolts bottom clamp that allows user to adjust the saddle angle easily.

MATERIAL：3D forged one-piece
AL6061-T6
SPEC：Ø27.2、Ø30.9、Ø31.6mm
LENGTH：400mm
OFFSET：17mm
WEIGHT：345g (Ø31.6 / 400mm)
COLOR：S.B Anodized Black



20-01

SM-MB114-G17
SM-MB114-G25

The unique-geometry-design MTB stem is ideal for special bikes or adventure-craving bikers.

MATERIAL：AL6061-T6 full CNC made / Titanium bolts
HANDLEBAR CLAMP：Ø31.8mm
FORK TUBE：Ø28.6mm
FORK STACK HEIGHT：28mm
ANGLE：-17° / -25°
LENGTH：80 - 120mm
WEIGHT：206g (100mm)
COLOR：Anodized Black



20-02

SM-MB007

Especially suitable for enduro, it has a very short handlebar assembly distance and enhances the rider's control.

MATERIAL：Fully CNC-machined AL6066-T6 / Titanium bolts
HANDLEBAR CLAMP：Ø31.8mm
FORK TUBE：Ø28.6mm
FORK STACK HEIGHT：40mm
ANGLE：0°
LENGTH：45mm
WEIGHT：144g
COLOR： S.B Anodized Black



20-03

SM-MB113-G0

Especially suitable for cycling endurance races, it has a very short handlebar assembly distance and enhances the rider's control.

MATERIAL：Fully CNC-machined AL6061-T6 / Titanium bolts
HANDLEBAR CLAMP：Ø31.8mm
FORK TUBE：Ø28.6mm
FORK STACK HEIGHT：34.5mm
ANGLE：0°
LENGTH：35mm
WEIGHT：103g
COLOR：S.B Anodized Black



20-04

SM-MB001

Specifically designed for cycling endurance races. It features an extremely short handlebar mounting distance and an enlarged tube design, which improves the rider's handling and safety.

MATERIAL：Fully CNC-machined AL6066-T6
HANDLEBAR CLAMP：Ø35mm (With Ø31.8mm shim)
FORK TUBE：Ø31.8mm (With Ø28.6mm shim)
FORK STACK HEIGHT：40mm
ANGLE：0°
LENGTH：50mm
WEIGHT：205g
COLOR：Anodized Black





AC-A001 AC-A002

20-05

SM-DH001

The DH Direct Mount stem.

MATERIAL：Fully CNC-machined AL6066-T6
HANDLEBAR CLAMP：Ø35mm、Ø31.8mm
OFFSET HEIGHT：17.3mm
WEIGHT：92g
COLOR： S.B Anodized Black



20-06

SM-MB002

MATERIAL：Fully CNC-machined AL6066-T6
HANDLEBAR CLAMP：Ø35mm (With Ø31.8mm shim)
FORK TUBE：Ø31.8mm (With Ø28.6mm shim)
FORK STACK HEIGHT:：40mm
ANGLE：0°
LENGTH：40mm
WEIGHT：140g/set
COLOR：Anodized Black





AC-A001 AC-A002

20-07

SM-MB003

The DH Direct Mount stem.

MATERIAL：Fully CNC-machined AL6066-T6
HANDLEBAR CLAMP： Ø35mm (With Ø31.8mm shim)
CLAMP：25mm
WEIGHT：171g
COLOR：Anodized Black





AC-A002

21-01

SM-MB115-MT6

Integrate the cycling computer mount onto the MTB stem. Compatible with GARMIN ®, MIO®, Bryton®, WAHOO® and GIANT®.

MATERIAL：Fully CNC-machined AL6066-T6 / Titanium bolts
CLAMP：Ø31.8mm
FORK TUBE：Ø28.6mm
FORK STACK HEIGHT：35.5mm
ANGLE：-6°
LENGTH：80 - 120mm
WEIGHT：186g (100mm)
COLOR：Anodized Black
Comes with Garmin®, Mio®, Bryton® plastic holders only.
WAHOO®, GIANT® plastic holders are optional and available for purchase.



21-02

SM-RA001

Fully CNC-machined aluminum-6066 stem is light-weight and anti-corrosion with improved overall strength.Compatible to the OD2 system of Giant®.

MATERIAL：Fully CNC-machined AL6066-T6 / Titanium bolts
HANDLEBAR CLAMP：Ø35mm (With Ø31.8mm shim)
FORK TUBE：Ø31.8mm (With Ø28.6mm shim)
FORK STACK HEIGHT：40mm
ANGLE：±8°
LENGTH：80 - 140mm
WEIGHT：145g (100mm)
COLOR：Anodized Black



EFBE Test Passed

EFBE PRÜFTECHNIK

P1306487 / P1306488 / P1306489



AC-A001 AC-A002

21-03

SM-RA002

Extreme lightweight fully CNC machined stem.

MATERIAL：Fully CNC-machined AL6066-T6 / Titanium bolts
HANDLEBAR CLAMP：Ø31.8mm
FORK TUBE：Ø28.6mm
FORK STACK HEIGHT：40mm
ANGLE：±6°
LENGTH：80 - 140mm
WEIGHT：133g (100mm)
COLOR：Anodized Black



EFBE Test Passed

EFBE PRÜFTECHNIK

P1306490 / P1306491 / P1306492

21-04

SM-RA009

Fully CNC-machined aluminum-6066 stem is light-weight and anti-corrosion with improved overall strength. Specifically design with an ±17 degree of angle to better biker's manipulation on road. Compatible to the OD2 system of Giant®.

MATERIAL：Fully CNC-machined AL6066-T6 / Titanium bolts
HANDLEBAR CLAMP：Ø31.8mm
FORK TUBE：Ø31.8mm (With Ø28.6mm shim)
FORK STACK HEIGHT：40mm
ANGLE：±17°
LENGTH：70 - 140mm
WEIGHT：153g (100mm)
COLOR：Anodized Black





AC-A001

21-05

SM-RA010 (±17°)
SM-RA010-7 (±7°)

MATERIAL：3D forged AL6061-T6
HANDLEBAR CLAMP：Ø31.8mm
FORK TUBE：Ø28.6mm
FORK STACK HEIGHT：40mm
ANGLE：±7° / 70-130mm
±17° / 60-130mm
LENGTH：60 - 130mm
WEIGHT： 152g (100mm)
COLOR： S.B Anodized Black



21-06

SM-MB109-G7

MATERIAL：3D forged AL6061-T6
HANDLEBAR CLAMP： Ø31.8mm
FORK TUBE： Ø28.6mm
FORK STACK HEIGHT：40mm
ANGLE： ±7°
LENGTH：70 - 110mm
WEIGHT： 150g (100mm)
COLOR： S.B Anodized Black



21-07

SM-MB110-G0

MATERIAL：3D forged AL6061-T6
HANDLEBAR CLAMP： Ø31.8mm
FORK TUBE： Ø28.6mm
FORK STACK HEIGHT：40mm
ANGLE： ±0°
LENGTH：35、45、55、65mm
WEIGHT： 118g (45mm)
COLOR： S.B Anodized Black



22-01

BR-S008

Change from coil spring to linear spring balance adjustable.

MATERIAL：AL7075-T6 full CNC made
WEIGHT： 307g/bike(Included accessories)
COLOR： S.B Anodized Black



22-02

BR-S009

With oval pads hold design.
With AMISHA® dark blue brake shoes.

MATERIAL：AL6061-T6 full CNC made
WEIGHT： 259g/bike(Included accessories)
COLOR： S.B Anodized Black
OPTION： SWISS STOP® pads
CNC cas+5 holder for front
CNC cas-5 holder for rear
Non adjustable spring.







22-03

BR-DX001

Principle of lever is applied to enhance the braking force.The single axis design effectively lightens up the burden.The brake pad is of the SWISS STOP® aluminum-specifically pad, also available to upgrade to the SWISS STOP® carbon specific pad.

MATERIAL：Fully CNC-machined AL6066-T6
BRAKE SHOES： CNC cassette
BOLT： Main bolt Ti-64
DIMENSION：C-C 39-51mm
WEIGHT： 216.5g/bike(Included accessories)
COLOR： Anodized Black, Silver, Red,Gold, Gray





22-04

BR-S003

Principle of lever is applied to enhance the braking force.The single axis design effectively lightens up the burden.The brake pad is of the SWISS STOP® aluminum-specifically pad, also available to upgrade to the SWISS STOP® carbon specific pad.

MATERIAL：3D forged AL6061-T6
BRAKE SHOES：Forged cassette
BOLT：Main bolt Cr-Mo
DIMENSION：C-C 39-51mm
WEIGHT： 257.5g/bike(Included accessories)
COLOR： Anodized Black, Silver, Red,Gold, Gray





23-01

BR-DX005

Compatible with GIANT® PROPEL 2017 and older versions.
Direct mount aero V-brake / Linear spring adjustment system.
Quick width switch for different size of rim comes with SWISS STOP® brake shoes.

MATERIAL：Fully CNC-machined AL6066-T6
WEIGHT： 240.5g/bike(Included accessories)
COLOR： Anodized Black



rear wheel

front wheel

23-02

BR-S005

Compatible with GIANT® PROPEL 2017 and older versions.
Direct mount aero V-brake / Linear spring adjustment system.
Quick width switch for different size of rim comes with SWISS STOP® brake shoes.

MATERIAL：3D forged AL6061-T6
WEIGHT： 255.5g/bike(Included accessories)
COLOR： S.B Anodized Black



rear wheel



front wheel

23-03

BR-DX006

Compatible with GIANT® TRINITY Advanced PRO 0 / PRO 1 / PRO 2 system. Direct mount aero v-brake.Liner spring adjustment system. Use Swiss Stop brake pad for alloy wheel.

MATERIAL：Fully CNC-machined AL6066-T6
WEIGHT： 264g/bike (Included accessories)
COLOR： Anodized Black



rear wheel

front wheel

23-04

BR-E010

Rim brake pads.
Replacement pad cartridges.

FITS：SHIMANO® & SRAM® &Campagnolo®
COMPATIBILITY：Aluminum rim (red)
Carbon fiber rim (black)
* SHIMANO® & SRAM®
BR-E010-SH-A001
BR-E010-SH-C001
* Campagnolo®
BR-E010-CA-A001
BR-E010-CA-C001
WEIGHT： 13g/wheel




FOURIERS
LAMINAR
FOURIERS

25-01

BR-DPS-SH-06-S-SI

Heat Dissipation

Compatibility：
* SHIMANO®：
BR-M9000, BR-M9020, BR-M987, BR-M985, BR-M8100, BR-M8000, BR-M785, BR-M7100, BR-M7000, BR-M675, BR-M666, BR-M6100, BR-M6000, BR-M615, BR-S700, BR-RS785, BR-R785

MATERIAL：(Brake pads) Semi Metal
(Backing) Aluminum alloy
WEIGHT：17g/whee
PACKAGE：1wheel/set
COLOR：Black, Blue



25-02

BR-DPS-SH-07-S-SI

Heat Dissipation

Compatibility：
* SHIMANO®：
BR-M8110, BR-M7110, BR-R9270, BR-R8170, BR-R7170, BR-R9170, BR-R8070, BR-R7070, BR-4770, BR-RS805, BR-RS505, BR-RS405, BR-RS305, BR-U5000, BR-RX810, BR-RX400, BR-M9100, BR-M9110
* Tektro® HD-R310
* Rever® MCX1 Flat Mountunt

MATERIAL：(Brake pads) Semi Metal
(Backing) Aluminum alloy
WEIGHT：16g/wheel
PACKAGE：1wheel/set
COLOR：Black, Blue



25-03

BR-DPS-AV-04-XB

Compatible with disc brake：
*SRAM®
Level Ultimate Stealth 2P (C1), Level Silver Stealth 2P (C1), Level Ultimate (B1), Level TLM (B1), Level TL, Level T, Level; DB5, DB3, DB1; Avid® Elixir R, CR, CR Mag,1, 3, 5, 7, 9, X0; XX, XX World Cup; Red eTap AXS HRD 2-Piece (2019+); Force eTap AXS HRD; Rival eTap AXS HRD

MATERIAL：(Brake pads) Semi Metal
(Backing) Iron
WEIGHT：19g/wheel
PACKAGE：1wheel/set
COLOR：Black



25-04

BR-DPS-SH-04-S-F

Disc Pad Model select：
* SHIMANO®：
BR-M975, BR-M966, BR-M965, BR-M800, BR-M776, BR-M775, BR-M765, BR-M665, BR-M601, BR-M596, BR-M595, BR-M585, BR-M545, BR-M535, BR-R505, BR-T665, BR-T605

MATERIAL：Brake pads) Semi Metal
(Backing) Iron
WEIGHT：18g/wheel
PACKAGE：1wheel/set
COLOR：Black



25-05

BR-DPS-SH-02-S-F

Disc brake system for MTB：
* SHIMANO®：
BR-C501, BR-M575, BR-M525, BR-M495, BR-M486, BR-M485, BR-M475, BR-M465, BR-M447, BR-M446, BR-M445, BR-M416, BR-M416A, BR-M415, BR-M4050, BR-M3050, BR-M395, BR-M375, BR-M365, BR-M355, BR-M315, BR-T675, BR-T615, BR-TX805, BR-MT500, BR-MT410, BR-MT400, BR-MT200, BR-UR300
* TEKTRO® Orion、Auriga Pro、E-Comp、Auriga SUB、E-SUB 2013 D2、WS、Aquila

MATERIAL：(Brake pads) Semi Metal
(Backing) Iron
WEIGHT：22g/wheel
PACKAGE：1wheel/set
COLOR：Black



25-06

BR-DPS-SH-07-S-F

Compatibility：
* SHIMANO®：
BR-M8110, BR-M7110, BR-R9270, BR-R8170, BR-R7170, BR-R9170, BR-R8070, BR-R7070, BR-4770, BR-RS805, BR-RS505, BR-RS405, BR-RS305, BR-U5000, BR-RX810, BR-RX400
* Tektro® HD-R310
* Rever® MCX1 Flat Mount

MATERIAL：(Brake pads) Semi Metal
(Backing) Iron
WEIGHT：16g/wheel
PACKAGE：1wheel/set
COLOR：Black



A box of 20 sets of brake pads

Each type comes in a box of 20 brake pads.



Model
BR-DPS-SH-07-S-SI-SET
BR-DPS-SH-06-S-SI-SET
BR-DPS-AV-04-XB-SET
BR-DPS-SH-02-S-F-SET
BR-DPS-SH-04-S-F-SET
BR-DPS-SH-07-S-F-SET

26-01

BR-D001

Single-piece brake rotor, compatible with international standard 6-bolt attachment and comes with rotor screws.

MATERIAL：Stainless steel
OUTER DIAMETER：Ø140、Ø160、Ø180、Ø203mm
THICKNESS：1.8mm
WEIGHT：108g/pcs (Ø160mm)
COLOR：Stainless Steel Natural(Ø140)/Two-Tone:Black、Red、Gold、Blue、Green



26-02

BR-DSK001

The pellets on the disk hold up the stainless disk, providing with limited contact area and more air flow to dissipate heat effectively. Compatible with the international 6-holes IS mount.

MATERIAL：(Disc) Stainless steel
(Body) CNC-machined AL6061-T6
OD SIZE：Ø140、Ø160、Ø180、Ø203mm
THICKNESS：1.7mm
WEIGHT：136g/pcs (Ø180mm)
COLOR：Ti-coating
Comes with 6 white iron screws



26-03

ADP-DISC-SH

SHIMANO® center lock disc hub adapter. Change center lock disc hub to the international 6 bolt standard disc.

MATERIAL：(Disc) Stainless steel
(Body) CNC-machined AL6061-T6
WEIGHT：25g/set
COLOR：Anodized Black



26-04

ADP-DISC-SH-BF501

Center Lock System.
Front Ø15 x 100mm hub change to boost 110mm hub.

MATERIAL：(Body and lock ring) AL6061-T6
WEIGHT：35g/set
COLOR：Anodized Black



26-05

ADP-DISC-SH-BR301

Center Lock System.
Rear Ø12 x 142mm hub change to boost 148mm hub.

MATERIAL：(Body and lock ring)AL6061-T6
SPEC：6mm
WEIGHT：31g/set
COLOR：Anodized Black



26-06

ADP-DISC-BF501

Front Hub Adapter.As a booster to convert the Ø15 x 100mm hub into 110mm hub.

MATERIAL：AL6061-T6 full CNC made
SPEC:：5mm
WEIGHT：11g/set (without screws)
COLOR：Anodized Black



26-07

ADP-DISC-BR301

Rear Hub Adapter.As a booster to convert the Ø12 x 142mm hub into 148mm hub.

MATERIAL：AL6061-T6 full CNC made
HEIGHT：6mm
WEIGHT：11g/set (without screws)
COLOR：Anodized Black



27-01

ADP-SH1521

For SHIMANO® center-lock 15 / 20mm thru-axle disc system hub.

MATERIAL：CrMo heat treated
SPEC：OD Ø44 x ID Ø27
WEIGHT：21g
COLOR：Anodized Black



27-02

ADP-PM005

Caliper Adapter
Suitable for flat mount calipers dedicated front fork convert post mount calipers adapter.

MATERIAL：AL6061-T6
SPEC：160mm 160mm disc
WEIGHT：42g
COLOR：S.B Anodized Black



27-03

ADP-PM006

Caliper Adapter
Suitable for flat mount calipers special frame convert post mount calipers adapter.

MATERIAL：AL6061-T6
SPEC：140mm / 160mm / 180mm disc
WEIGHT：23g (160mm)
COLOR：S.B Anodized Black



FM140mm TO PM140mm



FM140mm TO PM160mm



FM160mm TO PM180mm

27-04

ADP-PM001

Adapter to mount larger disc brake rotor.Compatible with 74mm post mount caliper and post mount fork.

MATERIAL：AL6061-T6
POST MOUN：74mm
SPEC：140mm to 160mm / 160mm to 180mm disc
WEIGHT：11g/pcs
COLOR：S.B Anodized Black





27-05

ADP-PM002

Adapter to mount larger disc brake rotor. Compatible with 74mm post mount caliper and post mount fork.

MATERIAL：AL6061-T6
POST：74mm
SPEC：160mm to 203mm disc
WEIGHT：23g/pcs
COLOR：S.B Anodized Black





27-06

ADP-PM003

Disc Brake Adapter for front rotors.
Compatible with SHIMANO® front flat mount.

MATERIAL：AL6061-T6
SPEC：140mm & 160mm disc
WEIGHT：11g/pcs
COLOR：S.B Anodized Black



27-07

ADP-PM004

Disc Brake Adapter for 160mm rotors.
Compatible with SHIMANO® front flat mount.

MATERIAL：AL6061-T6
SPEC：160mm disc
WEIGHT：10g/pcs
COLOR：S.B Anodized Black



BOTTOM BRACKET TOOL				
Item	Color	Notch	BB OD	BB list
TL-BB-E56	Silver	12	54	Chris King® ThreadFit ™ T47, ThreadFit ™ 30, BBInfinite® T47 Enduro® BBright® TorqTite® Hambini T47 Rotor® T47 External 30 mm Rotor® BBright®, BB30, BB386EVO, and PF30 thread-together
		16	55.7	CeramicSpeed T47/86 Enduro® T47 (30mm and DUB® spindles) Enduro® BB30/30a TorqTite (30mm and DUB® spindles) Kogel T47 SRAM® T47 DUB® White Industries ™ T47 White Industries ™ PF30 Thread-Together
TL-BB-E50	Gold	12	50	Praxis® M30
		16	50	TOKEN® 30/386 Threaded、Fsa Maga EXO, Wheels Manufacturing ™ T47/ PF30
TL-BB-E48	Green	12	48.25	SRAM® DUB ™ , Race Face® Cinch ™ , Rotor® BSA30, Zipp® Vuma ™ , Hawk Racing ™ BB3086 ™
		16	46.35	BSA/ITA/BB30/T47X68 for Shimano®/SRAM® GXP/Campagnolo® UT, Shimano® BB80, BB5700, XT® BB70, BB51 , TOKEN 24/86 Campagnolo®, Chris King®, FSA® MegaExo®, SRAM®/Truvativ® GXP®, Race Face® X type, Surly®, Wheels®, Fulcrum®, Hope ™ , 16 notch Bafang® BBSH, BBS02 Mid Drive
TL-BB-E43	Gray	16	42.6	Shimano® BBR60, Shimano® MT-800
		16	41.9	Shimano® XTR® BB93, Dura-Ace® BB9000, Token®

28-01

TL-BB-E56 / TL-BB-E50 TL-BB-E48 / TL-BB-E43

BOTTOM BRACKET TOOL is made by high-precision CNC machine, which can provide better contact area and operation stability.It can be adapted to BBs of different specifications to prevent the tool from slipping during use.

YouTube rednote

APPLICABLE： Refer to the table above
MATERIAL：AL7075
WEIGHT： E56 109g / E50 91g / E48 82g / E43 66g
COLOR： E56: Silver/ E50: Gold/ E48: Green/ E43: Gray



E56 E50 E48 E43

28-02

TL-BB-A2224 / TL-BB-A2829 TL-BB-A2830

Support shafts of various specifications must be used together with TL-BB-E series tools to prevent the tools from slipping during use.

APPLICABLE： AL 6061-T6
WEIGHT： A2224: 59g / A2829: 120g / A2830: 126g
COLOR：A2224: Blue / A2829: Black / A2830: Red



A2224
A2829
A2830

28-03

TL-BB-SET

The BOTTOM BRACKET TOOL is made by high precision CNC machine to provide better contact area and stability of operation.It can suitable for different specifications of BB and prevent tool slippage druing use.

MATERIAL：AL7075/ AL6061-T6
SPEC：Bracket bottom tool (TL-BB-E56,50, 48, 43)
Support shaf (TLBB-A2224, 2829, 2830)







29-01

CR-S004-N2

Designed specifically for single speed hubs,this chainring is made of Cr-Mo steel and heat-treated to effectively extend its service life and provide high wear resistance.



MATERIAL：Cold forged Cr-Mo heat treated steel (ASM4140)+Heat treated (Harden+double temple)+N.E.N finished
TEETH：13T - 23T (1.37 x 24T (R) lock ring)
THICKNESS：3/32”（1.8mm)
HIGH：7mm
OPTION：Add 1.29 x 24T (L) lock ring, Surface ED finished
WEIGHT： 44g(16T)
・ApplicableVariable speed chain and single speed bike chain.



29-02

CR-S001

Compatible with a SHIMANO®-style freehub. To convert the geared bike into the single speed bike.



MATERIAL： Cold forged Cr-Mo steel (ASM 4140)+Heat treated (Harden+double temple)+N.E.N finish
TEETH：12T/15-23T
WEIGHT： 49.5g(16T)
With lock ring x 1pcs & 10mm x 1, 5mm x 2, 3mm x 3, 2mm x1 Spacer
・ ApplicableVariable speed chain and single speed bike chain.



29-03

CR-S002

Designed to mount to 6-bolt disc hubs. This converts your bike into a fixed gear using a special adapter to attach to SHIMANO® cassette hubs.

MATERIAL： Cold forged Cr-Mo steel (ASM 4140)+Heat treated (Harden+double temple)+N.E.N finish/Red body:Aluminum alloy
TEETH：16T-23T
WEIGHT： 56g(16T)
With lock ring x 1pcs & 10mm x 1, 5mm x 1, 3mm x 3 spacers
・ ApplicableVariable speed chain and single speed bike chain.





NEW 30-01



CR-CBE-M9250-HA

Narrow wide chainring for new SHIMANO XTR/XT DI2 12 speed direct mount crank. Fully CNC machined. Features a special water-drop mudremoval hole design for improved chainring and chain fit.

MATERIAL：High-strength aluminum alloy 7075-T651
SPEC：SHIMANO XTR, XT DI2 12-speed direct-lock system.
WEIGHT： 70g/pcs (36T)
COLOR： Hard Anodized Black

ITEM	COMPATIBLE CRANKSET	TEETH
CR-CBM-M9250-HA	SHIMANO®FC-M9200 SHIMANO®FC-M9220 SHIMANO®FC-M8200	32T ~ 42T

30-02



CR-TTP-HA

Narrow wide chainring for SRAM® T type crank.

MATERIAL：High-strength aluminum alloy 7075-T651
SPEC：SRAM® T type direct mount 8-bolt
WEIGHT： 66.5g (32T)
COLOR： Hard Anodized Black
OFFSET： 3mm for chainline 55mm

ITEM	COMPATIBLE CRANKSET	TEETH
CR-TTP-HA	SRAM® T type direct mount 8-bolt	32T ~ 40T

30-03



CR-CBE-M9871-HA

Compatible with SHIMANO® XTR, XT 12 speed. Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain. Additionally, there are CNC-cut teardrop-shaped holes in each tooth for mud removal.



MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：SHIMANO® XTR, XT system
WEIGHT： 94g/pcs (36T)
COLOR： Hard Anodized Black

ITEM	TEETH	TEETH
CR-CBE-M9871-HA	SHIMANO® XTR, XT system	30T ~ 42T

31-01



CR-CBE-94



CR-CBE-96



CR-CBE-104



CR-CBE-120

ITEM	COMPATIBLE CRANKSET	TEETH
CR-CBE-94	P.C.D Ø94mm	30 ~ 42T
CR-CBE-96	P.C.D Ø96mm	30 ~ 40T
CR-CBE-104	P.C.D Ø104mm	30 ~ 44T
CR-CBE-120	P.C.D Ø120mm	36 ~ 40T

CR-CBE-94 / CR-CBE-96
CR-CBE-104 / CR-CBE-120

Compatible with 11 and 12 speed systems. Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain.

MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：Ø94mm / Ø96mm / Ø104mm / Ø120mm
WEIGHT： 66g (Ø104mm-38T)
COLOR： S.B Anodized Black

ITEM	BOLT
CR-CBE-94.30~38T CR-CBE-96.30~38T CR-CBE-104.32~38T	
CR-CBE-96.40~42T CR-CBE-96.40T CR-CBE-104.40~44T	
CR-CBE-104.30T	
CR-CBE-120	

31-02



ITEM	COMPATIBLE CRANKSET	TEETH
CR-CBE-M8000	SHIMANO® XT-M8000	30 ~ 42T
CR-CBE-M9000	SHIMANO® XTR-M9000	30 ~ 42T

CR-CBE-M8000
CR-CBE-M9000

Compatible with 11 and 12 speed systems. Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain.

MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：Ø96mm
WEIGHT： 62g (36T)
COLOR： S.B Anodized Black

ITEM	BOLT
CR-CBE-M8000	
CR-CBE-M9000	

31-03



ITEM	COMPATIBLE CRANKSET	TEETH
CR-CBE-R5800	SHIMANO® FC- 5800	40T - 48T
CR-CBE-R6800	SHIMANO® FC- 6800	40T - 48T

CR-CBE-R5800
CR-CBE-R6800

Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the cooperation between the chainring and the chain.

MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：Ø110mm
WEIGHT： 90g (157/36T)、80g (OF3/36T)
COLOR： S.B Anodized Black

ITEM	BOLT
CR-CBE-R5800	
CR-CBE-R6800	



32-01

CR-CBE-R8000-HA

Compatible with 11 and 12 speed systems. Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain. The product is hard anodized for extra durability.This hole allows dirt to be removed.

MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：Ø110mm
WEIGHT：151g/pcs (56T)
COLOR：Hard Anodized Black

ITEM	COMPATIBLE CRANKSET	TEETH
CR-CBE-R8000-HA	SHIMANO® FC-8000	42T - 48T 54T - 58T

ITEM	BOLT
CR-CBE-R8000-HA	



32-02

CR-DX005

Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain. Additionally, there are CNC-cut teardrop-shaped holes in each tooth for mud removal.

MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：Ø110mm
WEIGHT：68g/pcs (38T)
COLOR：S.B Anodized Black, Red, Blue

ITEM	COMPATIBLE CRANKSET	TEETH
CR-DX005	P.C.D Ø110mm	38T ~ 42T

ITEM	BOLT
CR-DX005	



32-03

CR-DX006

Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain. Additionally, there are CNC-cut teardrop-shaped holes in each tooth for mud removal.

MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：Ø130mm
WEIGHT：47g/pcs (38T)
COLOR：S.B Anodized Black, Red, Blue

ITEM	COMPATIBLE CRANKSET	TEETH
CR-DX006	P.C.D Ø130mm	38T ~ 42T

ITEM	BOLT
CR-DX006	



CR-CBE-R92-HA
CR-CBE-R81-HA
CR-CBE-R71-HA



CR-CBE-HR92-HA
CR-CBE-HR81-HA
CR-CBE-HR71-HA

ITEM	COMPATIBLE CRANKSET	TEETH
CR-CBE-R92-HA CR-CBE-HR92-HA	SHIMANO® FC- R9200	56T - 66T
CR-CBE-R81-HA CR-CBE-HR81-HA	SHIMANO® FC- R8100	56T - 66T
CR-CBE-R71-HA CR-CBE-HR71-HA	SHIMANO® FC- R7100	56T - 66T

NEW 33-01

CR-CBE-R92-HA CR-CBE-HR92-HA
CR-CBE-R81-HA CR-CBE-HR81-HA
CR-CBE-R71-HA CR-CBE-HR71-HA

Narrow wide chainring for SHIMANO® 12 speed crank. With mud remove design on teeth shape. Fix SHIMANO® crankset with special bolt.

MATERIAL：High-strength aluminum alloy 7075-T651 full CNC made
P.C.D：Ø110MM
WEIGHT：386g (62T) / 369g (62T)
TEETH SPEC：56T / 58T / 60T / 62T / 64T / 66T
COLOR：Hard Anodized Black

ITEM	CR-CBE-R92-HA	CR-CBE-R81-HA	CR-CBE-R71-HA
BOLT			



33-02

CR-E-MOTO-HA

E motor chainring with mud remove design on teeth shape.

MATERIAL：High-strength aluminum alloy 7075-T651
P.C.D：Ø68mm-5 Hole
TEETH：58T / 60T / 62T / 64T
WEIGHT：339g (58T)
COLOR：Hard Anodized Black
FIT：420 chain



CR-RAFA-157-HA



CR-RAFA-OF3-HA

33-03

CR-RAFA-157-HA
CR-RAFA-OF3-HA

Compatible with 11 and 12 speed systems. Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain. The product is hard anodized for extra durability.This hole allows dirt to be removed.

MATERIAL：High-strength aluminum alloy 7075-T651
SPEC：RaceFace® CINCH system
WEIGHT：90g (157/36T) / 80g (OF3/36T)
COLOR：Hard Anodized Black

ITEM	COMPATIBLE CRANKSET	TEETH
CR-RAFA-OF3-HA	RaceFace® CINCH System + Boost 148 HUB	32T ~ 38T
CR-RAFA-157-HA	RaceFace® CINCH System + Super Boost 157 HUB	32T ~ 38T



CR-GXP12-157-HA



CR-GXP12-OF3-HA

33-04

CR-GXP12-157-HA
CR-GXP12-OF3-HA

Compatible with 11 and 12 speed systems. Narrow wide chainring produced by full CNC can effectively increase the contact area with the chain and effectively improve the matching degree between the chainring and the chain. The product is hard anodized for extra durability.This hole allows dirt to be removed.

MATERIAL：High-strength aluminum alloy 7075-T651
SPEC：SRAM® GXP system
WEIGHT：92g (157/36T)、85g (OF3/36T)
COLOR：Hard Anodized Black

ITEM	COMPATIBLE CRANKSET	TEETH
CR-GXP12-OF3-HA	SRAM® GXPCINCH system + Boost 148mm HUB	32T ~ 38T
CR-GXP12-157-HA	SRAM® GXPCINCH SYSTEM + SUPER BOOST 157MM HUB	32T ~ 44T



PREVENT A CHAIN DROP, PROTECT YOUR FRAME

34-01

AC-DX002-TM

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design with magnet for SRM Powermeter.

MATERIAL：Fully CNC-machined AL6061-T6
RANGE：34T-50T、36T-52T、39T-53T
WEIGHT： 15g/pcs (without bolt)
COLOR：Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Silver



34-02

AC-DX002-16-L

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding.

MATERIAL：Fully CNC-machined AL6061-T6
RANGE：34T-50T、36T-52T、39T-53T
WEIGHT： 11g/pcs (without bolt)
COLOR： Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Silver



34-03

CT-FD007-N2
CT-FD007-N5

Seat tube clamp chain guide, prevents the chain from dropping off the upper side.

MATERIAL：(Body)AL6061-T6 / (Cage) nylon
SPEC：Ø34.9mm (with Ø31.8mm shim)
WEIGHT： 54g/set (CT-FD007-N5) , 66g/set (CT-FD007-N2)
COLOR： (Body) S.B Anodized Black
(Cage) Black



CT-FD007-N5



CT-FD007-N2

34-04

CT-FD008-N5-T

Upper guide for single speed FD mount system frame.

MATERIAL：(Arm)AL6061-T6 / (Cage) nylon
SPEC： FD mount system
RANGE：42T-68T
WEIGHT： 25.5g/set
COLOR： (Arm) Anodized Black
(Cage) Black



34-05

CT-FD006-LD

A low-profile, E-type low direct mount chain guard for 1X drivetrains.Fully CNC machined body, with a nylon guide that is easy to adjust and quiet on your chain

MATERIAL：(Body)AL7075-T651 / (Cage) nylon
SPEC：28T-36T
WEIGHT： 20g/set
COLOR： (Body) Anodized Black
(Cage)Black



34-06

CT-FD008-T

For the single speed chainring system of the gravel bike. The lightweight and fully CNC-machined body effectively prevents chain droppings.

MATERIAL：(Arm)AL6061-T6 / (Cage) nylon
SPEC：FD mount system
RANGE：40-52T
WEIGHT： 27g/set
COLOR： (Arm) Anodized Black
(Cage) Black



ISCG 05



ISCG



35-01

CT-DX013

Suitable for high turning point frame, guide wheel inside the guide plate, can effectively reduce the chance of chain loss, with guard device.

MATERIAL：(Body)AL 6061-T6/ (Guide wheel) AL 7075-T651
Specification：ISCG-05
Number of teeth：28T-34T
COLOR： Anodized Black



35-02

CT-DX014

Suitable for high turning point frames, with guide wheels inside the chain guide to effectively reduce the chance of chain drop, with a guard device.

MATERIAL：(Body)AL6061-T6 / (Cage) nylon
Specification：ISCG-05
Number of teeth：28T-34T
COLOR： (Body) Anodized Black
(Cage) Black



35-03

CT-DX012

For MTB 1 X system drivetrain with bash guard.

MATERIAL：(Body)AL6061-T6 / (Cage) nylon
Specification：ISCG 05
Number of teeth：28-34T
COLOR： (Body) S.B Anodized Black
(Cage) Black



35-04

CT-CS001-500

A carbon long fiber body with nylon guide, this minimalist chainguide is a lightweight powerhouse for your 1X drivetrain. Easy to set up for 30T-36T chainrings.

MATERIAL：Carbon with nylon
SPEC：ISCG-05
RANGE：30T-36T
WEIGHT： 25g/set



35-05

CT-E1-DX005

A full protection option for your 1X drivetrain.Swiss plastic and AL6061 provide strength and solid impact protection for the most demanding terrain.

MATERIAL：(Body)AL6061-T6 / (Cage) nylon
SPEC：ISCG、ISCG-05
RANGE：32T-38T
WEIGHT： 220g/set
COLOR： (Body) S.B Anodized Black, Red
(Cage) Black



35-06

ADP-N001

Adapter for ISCG or ISCG05 to E-type.

MATERIAL：AL6061-T6
SPEC：Ø59.2mm (ISCG)
Ø73mm (ISCG-05)
WEIGHT： 16g/pcs (ISCG)
30g/pcs (ISCG-05)
COLOR： S.B Anodized Black



ISCG ISCG-05

FOURIERS® & SHIMANO®	System	DURA-ACE	ULTEGRA
	Model	R9250(DI2)	R8150(DI2)
	ITEM	RD-R9250	RD-R8150
	CT-DX007-HCA92-C-R1 (Composite Material)	MAX 34T	
	CT-DX007-HCA92N-R13 (Transparent)	MAX 34T	
	CT-DX007-HCA9218	MAX 34T	
	CT-DX007-HCA92	MAX 34T	
	CT-DX007-HCA81-C-R1 (Composite Materia)		MAX 34T
	CT-DX007-HCA81N-R13 (Transparent)		MAX 34T
	CT-DX007-HCA8118		MAX 34T
	CT-DX007-HCA81		MAX 34T

FOURIERS® & SHIMANO®	System	105	
	Model	R7150(DI2)	R7100
	ITEM	RD-R7150	RD-R7100
	CT-DX007-HCA71-C-R1 (Composite Material)		MAX 36T
	CT-DX007-HCA71N-R13 (Transparent)		MAX 36T
	CT-DX007-HCA7118		MAX 36T
	CT-DX007-HCA71		MAX 36T

NEW 36-01

CT-DX007-HCA9218

Compatible with SHIMANO® RD-R9250 rear derailleur (12-speed Di2 electronic shifting),SHIMANO® DURA-ACE series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley)AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT：80g
COLOR：(Cage) 3K Carbon Fiber /
S.B Anodized Black
(Pulley) Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green



NEW 36-03

CT-DX007-HCA8118

Compatible with SHIMANO® RD-R8150 rear derailleur (12-speed Di2 electronic shifting),SHIMANO® ULTEGRA series

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT：80g
COLOR：(Cage) 3K Carbon Fiber /
Sandblasted Anodized Black
(Pulley) Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green



NEW 36-05

CT-DX007-HCA7118

Compatible with SHIMANO® RD-R7150 rear derailleur (12-speed Di2 electronic shifting) and RD-R7100 (12-speed mechanical shifting), SHIMANO® 105 series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT：80g
COLOR：(Cage) 3K Carbon Fiber /
Sandblasted Anodized Black
(Pulley) Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green



36-02

CT-DX007-HCA92

Compatible with SHIMANO® RD-R9250 rear derailleur (12-speed Di2 electronic shifting),SHIMANO® DURA-ACE series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley)AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：72g
COLOR：(Cage) 3K Carbon Fiber /
Sandblasted Anodized Black
(Pulley) Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green

YouTube TikTok



36-04

CT-DX007-HCA81

Compatible with SHIMANO® RD-R8150 rear derailleur (12-speed Di2 electronic shifting),SHIMANO® ULTEGRA series.

MATERIAL：(Cage)Carbon /AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：72g
COLOR：(Cage) 3K Carbon Fiber /
Sandblasted Anodized Black
Pulley：Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green

YouTube TikTok



BESTSELLER 36-06

CT-DX007-HCA71

Compatible with SHIMANO® RD-R7150 rear derailleur (12-speed Di2 electronic shifting) and RD-R7100 (12-speed mechanical shifting), SHIMANO® 105 series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：72g
COLOR：(Cage) 3K Carbon Fiber /
Sandblasted Anodized Black
(Pulley) Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green

YouTube TikTok



NEW 37-01

CT-DX007-HCA92-C-R1

Compatible with SHIMANO® RD-R9250 rear derailleur (12-speed Di2 electronic shifting), SHIMANO® DURA-ACE series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) High-Strength Composite Material
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 72g



NEW 37-02

CT-DX007-HCA92N-R13

Compatible with SHIMANO® RD-R9250 rear derailleur (12-speed Di2 electronic shifting), SHIMANO® DURA-ACE series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) Transparent Nylon
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 72g



NEW 37-03

CT-DX007-HCA81-C-R1

Compatible with SHIMANO® RD-R8150 rear derailleur (12-speed Di2 electronic shifting), SHIMANO® ULTEGRA series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) High-Strength Composite Material
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 72g



NEW 37-04

CT-DX007-HCA81N-R13

Compatible with SHIMANO® RD-R8150 rear derailleur (12-speed Di2 electronic shifting), SHIMANO® ULTEGRA series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) Transparent Nylon
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 72g



NEW 37-05

CT-DX007-HCA71-C-R1

Compatible with SHIMANO® RD-R7150 rear derailleur (12-speed Di2 electronic shifting) and RD-R7100 (12-speed mechanical shifting), SHIMANO® 105 series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) High-Strength Composite Material
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 72g



NEW 37-06

CT-DX007-HCA71N-R13

Compatible with SHIMANO® RD-R7150 rear derailleur (12-speed Di2 electronic shifting) and RD-R7100 (12-speed mechanical shifting), SHIMANO® 105 series.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) Transparent Nylon
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 72g



FOURIERS® & SHIMANO®	System		DURA-ACE	DURA-ACE		
	Model	R9100		R9070(DI2)	R9000	
	ITEM	RD-R9150	RD-R9100	RD-R9070	RD-R9000	
	CT-DX007-HCA91	MAX 30T	MAX 30T			
	CT-DX007-H91-N1	MAX 30T	MAX 30T			
	CT-DX007-HCA-N1			MAX 30T	MAX 30T	
	CT-DX007-HCA8050					
	CT-DX007-H8050					
	CT-DX007-H7000					
	CT-DX007-E05-N1					

FOURIERS® & SRAM®				
	Model			
	ITEM	RED AXS E1	FORCE AXS E1	RIVAL AXS E1
	CT-DX017-SREC18-C-R1 (Composite Material)-E1	MAX 36T	MAX 36T	MAX 36T
	CT-DX017-SREC18N-R13 (Transparent)-E1	MAX 36T	MAX 36T	MAX 36T
	CT-DX017-SREC 1218-E1	MAX 36T	MAX 36T	MAX 36T

38-01

CT-DX007-HCA91

Compatible with SHIMANO® DURA-ACE RD-R9100-SS / RD-R9150, ULTEGRA RDR8000-SS / RD-R8000-GS rear derailleur.

MATERIAL：(Cage) Carbon / AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：75g
COLOR：(Cage) S.B Anodized Black / 3K Carbon
(Pulley) Anodize Black, Red, Gold



38-02

CT-DX007-H91-N1

Compatible with SHIMANO® DURA-ACE RD-R9100-SS / RD-R9150, ULTEGRA RDR8000-SS / RD-R8000-GS rear derailleur.

MATERIAL：(Cage) AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：83g
COLOR：(Cage) S.B Anodized Black
(Pulley) Anodize Black, Red, Gold



38-03

CT-DX007-HCA8050

Compatible with SHIMANO® ULTEGRA RDR8050-SS / RD-R8050-GS rear derailleur.

MATERIAL：(Cage) Carbon / AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：75g
COLOR：(Cage) S.B Anodized Black and 3K Carbon / (Pulley) Anodize Black, Red, Gold



38-04

CT-DX007-H8050

Compatible with SHIMANO® ULTEGRA RDR8050-SS / RD-R8050-GS rear derailleur.

MATERIAL：(Cage) AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：84g
COLOR：(Cage) S.B Anodized Black
(Pulley) Anodize Black, Red, Gold



38-05

CT-DX007-HCA-N1

Compatible with SHIMANO® DURA-ACE RD-R9000-SS, R-9070-SS, ULTEGRA RD- 6800-SS, RD-6800-GS rear derailleur.

MATERIAL：(Cage) Carbon / AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：67g
COLOR：(Cage) S.B Anodized Black and 3K Carbon / (Pulley) Anodize Black, Red, Gold



38-06

CT-DX007-H7000

Compatible with SHIMANO® 105 RD-R7000-SS, RD-R7000-GS rear derailleur.

MATERIAL：(Cage) AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT：79g
COLOR：(Cage) S.B Anodized Black
(Pulley) Anodize Black, Red



ULTEGRA								105			
R80050(DI2)		R8000		R6870(DI2)		R6800		R7000		R5800	
RD-R8050-SS	RD-R8050-GS	RD-R8000-SS	RD-R8000-GS	RD-R6800-SS	RS-6870-GS	RD-6800-SS	RS-6800-GS	RD-R7000-SS	RD-R7000-GS	RD-5800-SS	RD-5800-GS
MAX 30T	MAX 34T										
MAX 30T	MAX 34T										
				MAX 28T	MAX 32T	MAX 28T	MAX 32T				
MAX 30T	MAX 34T										
MAX 30T	MAX 34T										
								MAX 30T	MAX 34T		
										MAX 28T	MAX 32T

FOURIERS® & SRAM®				
	Model			
	ITEM	RED AXS	FORCE AXS	RIVAL AXS
	CT-DX017-SRDC	MAX 36T	MAX 36T	
	CT-DX017-SR-XS12	MAX 36T	MAX 36T	MAX 36T

39-01

CT-DX017-SREC

Compatible with SRAM® RED AXS E1 , FORCE AXS E1 and RIVAL AXS E1 road bike rear derailleurs. The 12T upper pulley wheel and 18T lower pulley wheel effectively increase the smoothness of the chain running across the pulley wheels.

MATERIAL：(Cage) Carbon / AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 73g
COLOR： (Cage) 3K Carbon Fiber / S.B.Anodized Black / (Pulley) Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green





39-02

CT-DX017-SRDC

Compatible with SRAM RED AXS® and FORCE AXS® rear derailleur.

MATERIAL：(Cage) Carbon / AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT： 58g
COLOR: (Cage) 3K Carbon Fiber / S.B.Anodized Black /(Pulley) Anodized Black, Red, Gold, Gray, Blue, Orange, Purple, Pink, Tiffany Green





NEW 39-03

CT-DX017-SREC18-C-R1

Compatible with SRAM® RED AXS E1 , FORCE AXS E1 and RIVAL AXS E1 road bike rear derailleurs. The 12T upper pulley wheel and 18T lower pulley wheel effectively increase the smoothness of the chain running across the pulley wheels.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) High-Strength Composite Material
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 64g



NEW 39-04

CT-DX017-SREC18N-R13

Compatible with SRAM® RED AXS E1 , FORCE AXS E1 and RIVAL AXS E1 road rear derailleurs.Features a 12T upper pulley and an 18T lower pulley, effectively improving chain engagement and overall drivetrain smoothness.

MATERIAL：(Cage) Carbon /AL6061-T6
(Pulley) Transparent Nylon
BEARING：Full Ceramic Bearing
TEETH：12T + 18T
WEIGHT： 64g



39-05

CT-DX017-SR-XS12

Compatible with SRAM® RED AXS, FORCE AXS and RIVAL AXS rear derailleur.

MATERIAL：(Cage) Carbon / AL6061-T6
(Pulley) AL7075-T651
BEARING：Full Ceramic Bearing
TEETH：12T + 16T
WEIGHT： 67g
COLOR： (Cage) S.B Anodized Black (Pulley) Anodize Black, Red, Gray







QR-S011



PATENTED, M675821, R.O.C



NEW 41-01

QR-S011

The ends of the thru-axle feature M5 internal threads, which can be used to secure light mounts/tubes, racks, or a rear derailleur protector (R2R). (This specification is for the thru-axle only and does not include the mount/tube, rack, or rear derailleur protector (R2R).)

MATERIAL：AXLE: AL6066-T6
SPEC: Refer to the table below the diagram
WEIGHT： 34.5g (116.8mm)
COLOR： Anodized Black



Model	AXLE length	Thread Pitch	Thread Length	Remark
G116.8	116.8mm	M12*1.5	12mm	Giant® Dedicated (Front)
G160.8	160.8mm	M12*1.5	12mm	Giant® Dedicated (Rear)
U170-1.5	165mm-170mm	M12*1.5	15mm	Universal Model 1 (Rear)
U170-1.0	165mm-170mm	M12*1.0	15mm	Universal Model 2 (Rear)
U165-1.5	160mm-165mm	M12*1.5	15mm	Universal Model 3 (Rear)
U165-1.0	160mm-165mm	M12*1.0	15mm	Universal Model 4 (Rear)
M162.5	162.5mm	M12*1.5	13mm	Merida® Dedicated (Rear)
S121.4	121.4mm	M12*1.0	12mm	Specialized® Dedicated (Front)
S165.5	165.5mm	M12*1.0	12mm	Specialized® Dedicated (Rear)
U125	120~125mm	M12*1.5	15mm	Universal Model (Front)

NEW 41-02

QR-S011-LH

The thru-axle is equipped with a light mounting tube/mount, and the ends of the axle feature M5 internal threads that can also be used to secure racks.

MATERIAL：(Axle) AL6066-T6
(Light Mount/Tube) AL6061-T6
SPEC: Refer to the table below the diagram
WEIGHT： 60g (116.8mm)
COLOR： Anodized Black



Model	AXLE length	Thread Pitch	Thread Length	Remark
G116.8	116.8mm	M12*1.5	12mm	Giant® Dedicated (Front)
S121.4	121.4mm	M12*1.0	12mm	Specialized® Dedicated (Front)
U125	120~125mm	M12*1.5	15mm	Universal Model (Front))

NEW 41-03

QR-S011-R2R

The thru-axle is paired with a rear derailleur protector, which guards the rear derailleur from lateral impact and reinforces the connection between the derailleur and the frame.



MATERIA：(Axle) AL6066-T6
(Protector) AL6061-T6
SPEC: Refer to the table below the diagram
WEIGHT： 96g (160.8mm)
COLOR： Anodized Black

Model	AXLE length	Thread Pitch	Thread Length	Remark
G160.8	160.8mm	M12*1.5	12mm	Giant® Dedicated (Rear)
U170-1.5	165mm-170mm	M12*1.5	15mm	Universal Model 1 (Rear)
U170-1.0	165mm-170mm	M12*1.0	15mm	Universal Model 2 (Rear)
U165-1.5	160mm-165mm	M12*1.5	15mm	Universal Model 3 (Rear)
U165-1.0	160mm-165mm	M12*1.0	15mm	Universal Model 4 (Rear)
M162.5	162.5mm	M12*1.5	13mm	Merida® Dedicated (Rear)
S165.5	165.5mm	M12*1.0	12mm	Specialized® Dedicated (Rear)

NEW 41-04

QR-S011-LR2R-G160.8

Suitable for direct mount rear derailleur protectors, this 160.8mm thru-axle, paired with the rear derailleur protector, protects the rear derailleur from lateral impacts and reinforces the connection between the derailleur and frame.

MATERIAL：(Axle) AL6066-T6
(Protector) AL6061-T6
SPEC: Axle Length 160.8mm, Thread Gauge M12*1.5, Thread Length 12mm
WEIGHT： 96g (160.8mm)
COLOR： Anodized Black



NEW 41-05

QR-S010-R2R

The front handle is detachable for convenient storage. The tip of the handle integrates a dual 4MM and 5MM Hex key. Additionally, the internal hex socket at the ends of the axle ensures extended service life and durability.



MATERIAL：(Axle) AL6066-T6
(Protector) AL6061-T6
Lever：Carbon Injection
WEIGHT： 106g (160.8mm)
COLOR： Anodized Black/Lever:Black

Model	AXLE length	Thread Pitch	Thread Length	Remark
G160.8	160.8mm	M12*1.5	12mm	Giant® Dedicated
CX162	162mm	M12*1.5	15mm	
PI 165	165mm	M12*1.5	15mm	

42-01

QR-UA-1421 (168mm)
QR-UA-1481 (176mm)

Thru axle with UDH hanger set.

MATERIAL：(Axle) AL 6066-T6
(Hanger) AL6066-T6 / Nylon12+Glass Fiber
SPEC：12mm axle / 142mm axle length (168mm) /148mm axle length (176mm)Thread pitch: M12*1.0
WEIGHT： 73.5g / 142mm axle length (168mm)
COLOR： Anodized Black



42-02

QR-S009-1421
QR-S009-1481

Thru axle with UDH hanger set.

MATERIAL：AL 6066-T6
SPEC：12mm axle / 142mm axle length (168mm) / 148mm axle length (176mm)Thread pitch: M12*1.0
WEIGHT： 46.5g / 142mm axle length (168mm)
COLOR： Anodized Black



42-03

ADP-HANGER

The Universal Derailleur Hanger for SRAM® UDH.

MATERIAL：AL 6066-T6 / NYLON
WEIGHT：27g
COLOR： Black





42-04

QR-S008-E

The CNC-machined AL7075-T6 thru-axle is lightweight with its slender waist . The spiral pattern at both ends drives out dirts when attached with a hub. The hexagonal hole enhance its durability.

MATERIAL：AL7075-T6
SPEC：Ø12mm axle / For 135, 142, 148, 150mm HUB
WEIGHT： 47.5g/set (148mm Without nut)
COLOR： Anodized Black



42-05

QR-S007-N2

The reinforced thru-axle is design for the road/mountain bike.Easy storage given its removable lever. The slender waist and its hexagonal-hole on both ends make lightweight and durable. The spiral pattern at both ends drives out dirts when attached with a hub.

MATERIAL：(Axle) AL6066-T6 / (Lever) Carbon with nylon
SPEC：Ø12mm axle / For 135, 142, 148, 150mm HUB
WEIGHT： 63g/set (148mm Without nut)
COLOR： (Axle) Anodized Black / (Lever) Black



Hub			AXLE length	Thread Pitch	Nut	Remark
MTB	135	SHIMANO®	168	M12 x 1.75	✓	
MTB	142	SHIMANO®	171	M12 x 1.5	✓	
MTB	148	SHIMANO®	177	M12 x 1.5	✓	
MTB	150	SHIMANO®	183	M12 x 1.75	✓	
ROAD	100	SHIMANO®	122	M12 x 1.5	x	
ROAD	100	SHIMANO®	118	M12 x 1.5	x	COMPATIBLE GIANT ROAD BIKE
ROAD	142	-	167	M12 x 1.5	x	
ROAD	142	SHIMANO®	160	M12 x 1.5	x	COMPATIBLE GIANT ROAD BIKE

BESTSELLER 43-01

QR-E003

QR-type chain hanger that prevents your bike from cracking.

YouTube rednote

MATERIAL：Plastic
SPEC：142、148、150mm
WEIGHT： 47.5g (148mm)
COLOR： Black







43-02

QR-WH012

The QR-type chain hanger that specifically designed to protect the chain from scratching your frame. The brush design cleans the dirt.

MATERIAL：(Lever) Aluminum alloy / (Axle) AL6061-T6 /(Washer) plastic
WEIGHT： 150g
COLOR： Anodized Black





43-03

QR-WH001

The thru-axle type chain hanger is for the rear wheel to protect your chain from scratching your frame on road. The brush design cleans the dirt. The screw-thread design at the end of the axle is apt for replacement.

YouTube TikTok

MATERIAL：(Axle) AL6061-T6 / (Roller) plastic
WEIGHT： 86g/set
COLOR： Anodized Black
Include M12x1.0, M12x1.5, M12x1.75 teeth nut





BESTSELLER 43-04

QR-DX001

Extreme lightweight quick releases. The titanium axle with alloy body and bonded lever render it lightweight and attractive.

MATERIAL：(Lever) Alloy with carbon fiber / (Axle) Titanium
EFFECTIVE DISTANCE：(F)100mm (R)130, 135mm
WEIGHT： 43g/set (ROAD BIKE), 46g/set (MTB)
COLOR： Anodized Black, Red, Gray, Apple Green, Dark Green ,Orange, Pink, Tiffany Green

For ROAD BIKE or MTB



43-05

QR-E001

Alloy lever made anodized finish/ Cr-Mo10B21 axle

MATERIAL：(Lever) Aluminum alloy / (Axle) Cr-Mo10B21
EFFECTIVE DISTANCE：(F)100mm (R)130mm、135mm
WEIGHT： 112g/set (ROAD BIKE), 115g/set (MTB)
COLOR： S.B Anodized Black, Silver

For ROAD BIKE or MTB




HA-S030
HA-GP03
HA-S020-GMSP
HA-WA002
HA-GP001
HA-GP002


HA-S027-TP
HA-S023-TT
HA-S028
HA-GP01-X2
HA-S022-4CA-N2
HA-S024-4CA-N2
HA-GP010
HA-S024-N
HA-S028-N



YouTube rednote

★ Compatible with all FOURIERS plastic base computer mounts

47-01

HA-GP001

Best computer mount solution when used aero handlebar with barbore Ø31.8 stem.Compatible with 2023 GIANT® Contact Aerolight Stem. Supports large cycling computer up to Garmin Edge® 1050.
Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.
Quick-change tray for enhanced convenience.

MATERIAL：(Cap)AL6061-T6
(Extension bracket) High-Strength Composite Material
WEIGHT：64g/set
COLOR：Black





HA-GP001-AEROLIGHT

P.A.T.
Taiwan No. 113206040 / 113206042
China No. 202421339745.6 / 202421339739.0



Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.



47-02

HA-GP002

Best computer mount solution when used aero handlebar with barbore Ø31.8 stem.Compatible with 2023 GIANT® Contact Aerolight Stem. Supports large cycling computer up to Garmin Edge® 1050.
Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.
Quick-change tray for enhanced convenience.

MATERIAL：(Cap)AL6061-T6
(Extension bracket) High-Strength Composite Material
WEIGHT：61.4g/set
COLOR：Black





HA-GP002-SL-R

P.A.T.
Taiwan No. 113206040 / 113206042
China No. 202421339745.6 / 202421339739.0



Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.



47-03

HA-GP010

Applicable to FOURIERS®HB-RA010(Ø31.8mm),also compatible with other brand products.
Supports large cycling computer up to Garmin Edge® 1050.
Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.
Quick-change tray for enhanced convenience.

MATERIAL：(Cap)AL6061-T6
(Extension bracket) High-Strength Composite Material
WEIGHT：55.5g/set
SCREW HOKE：Up to down(C-C):40mm/
Left to right(C-C):27mm
COLOR：Black





P.A.T.
Taiwan No. 113206040 / 113206042
China No. 202421339745.6 / 202421339739.0



Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.



Change freely, compatible with all major brands.



ADP-MOUNT-GIANT®
(GIANT NEOSTRACK®)



ADP-MOUNT-GARMIN®
(GARMIN Edge®)



ADP-MOUNT-MIO®
(MIO® Cyclo ™)



ADP-MOUNT-BRYTON®
(Bryton Rider ™)



ADP-MOUNT-WAHOO®
(WAHOO ELEMNT®)



ADP-MOUNT-HMD8
(HAMMERHEAD KAROO®)



ADP-MOUNT-GP07
(GoPro®)

48-01

HA-S024-N

Suitable for riser front cover screw distance 25mm-34mm.
Supports large cycling computer up to Garmin Edge® 1050.
Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.
Quick-change tray for enhanced convenience.

MATERIAL：(Base) AL6061-T6
(Extension bracket) High-Strength Composite Material
WEIGHT：46g/set
COLOR：Black





Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.







P.A.T.
Taiwan No. 113206040 / 113206042
China No. 202421339745.6 / 202421339739.0

YouTube TikTok

BESTSELLER 48-02

HA-S022-4CA-N2

For stem front cap. Comes with a detachable GoPro® adapter.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
Screw Center Distance：23 - 40mm
ANGLE ADJUSTABLE：±20°
WEIGHT：42g/set
COLOR：S.B Anodized Black





YouTube TikTok

BESTSELLER 48-03

HA-S024-4CA-N2

Specifically design for 2021 GIANT® TCR SL/SLR stem or 2018 GIANT® PROPEL STEM. Comes with a detachable GoPro® adapter.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
Screw Center Distance：27-30mm
WEIGHT：31g/set
COLOR：S.B Anodized Black







YouTube rednote

Change freely, compatible with all major brands.


ADP-MOUNT-GIANT®
(GIANT NEOSTRACK®)


ADP-MOUNT-GARMIN®
(GARMIN Edge®)


ADP-MOUNT-MIO®
(MIO® Cyclo ™)


ADP-MOUNT-BRYTON®
(Bryton Rider ™)


ADP-MOUNT-WAHOO®
(WAHOO ELEMNT®)


ADP-MOUNT-HMD8
(HAMMERHEAD KAROO®)


ADP-MOUNT-GP07
(GoPro®)

NEW 49-01

HA-S032-011

CNC precision machined bracket, with replaceable tray compatible with various brands of speedometers on the market.Accommodates faucet screw distances: 30mm–42mm, suitable for most stems on the market. Supports large cycling computer up to Garmin Edge® 1050.
Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.
Quick-change tray for enhanced convenience.

MATERIAL：(Base) AL6061-T6
(Extension bracket) High-Strength Composite Material
WEIGHT：46.5g
COLOR：Black







Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.



49-02

HA-S028-N

Computer mount for Integrated handlebar. Supports large cycling computer up to Garmin Edge® 1050.
Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.
Quick-change tray for enhanced convenience.

MATERIAL：(Base) AL6061-T6
(Extension bracket) High-Strength Composite Material
WEIGHT：41.5g/set
COLOR：Black



Adjustable extension arm angle.
Double-bolt fixed bracket for stability and reliability.





P.A.T.
Taiwan No. 113206040 / 113206042
China No. 202421339745.6 / 202421339739.0

49-03

HA-S028

Special designed for GIANT® Contact SLR. Integrated handlebar. Comes with a detachable GoPro® adapter.
Supports large cycling computer up to Garmin Edge® 1050.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
WEIGHT：46g/set
COLOR：S.B Anodized Black



BESTSELLER 49-04

HA-S039

Design for the Integrated handlebar. Comes with a detachable GoPro® adapter.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
SCREW (C-C)：8.5 - 45mm
WEIGHT：67g
COLOR：S.B Anodized Black



Change freely, compatible with all major brands.


ADP-MOUNT-GIANT®
(GIANT NEOSTRACK®)


ADP-MOUNT-GARMIN®
(GARMIN Edge®)


ADP-MOUNT-MIO®
(MIO® Cyclo ™)


ADP-MOUNT-BRYTON®
(Bryton Rider ™)


ADP-MOUNT-WAHOO®
(WAHOO ELEMNT®)


ADP-MOUNT-HMD8
(HAMMERHEAD KAROO®)


ADP-MOUNT-GP07
(GoPro®)

NEW 50-01

HA-S033

5mm washer-type computer mount.

MATERIAL：(Base/Extension arm) AL6061-T6
(Tray): High-Strength Composite Material
APPLICABLE SPEC： Suitable for 1-1/8" stem tube/fork steerer tube.
BASE LENGHT：50mm (center-to-center).
EXTENSION FUNTION：Can also be fitted with an additional extension mount for a further 64mm (center-to-center) length.
ANGLE ADJUSTMENT：djustable to even greater angles to suit different riding conditions or needs.
WEIGHT： 22g
COLOR： Black



50-02

HA-S030

Suitable for mountain bikes and off-road bikes with a diameter of Ø35mm. After installation, it is located above the stem.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
SPEC：Ø35mm
WEIGHT： 39g/set
COLOR： Black



BESTSELLER 50-03

HA-GAMPR12

For Ø31.8 handlebars. Comes with a detachable GoPro® adapter.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
WEIGHT： 56g/set
COLOR： S.B Anodized Black, Red, Gold, Gray, Blue,Apple Green, Orange, Purple, Pink, Tiffany Green



BESTSELLER 50-04

HA-GAMPR20

For Ø31.8 handlebars. Comes with a detachable GoPro® adapter. Supports large cycling computer up to Garmin Edge® 1050.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
WEIGHT： 61g/set
COLOR： S.B Anodized Black, Red, Gray



BESTSELLER 50-05

HA-S023-TT

For triathlon arm rest tube Ø22.2.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
WEIGHT： 48g/set
COLOR： S.B Anodized Black



50-06

HA-S026-3CA

Steerer tube type cycling computer mount.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
SPEC： Ø28.6
THICKNESS：7mm
ANGLE： -6°
WEIGHT： 19g/set
COLOR： S.B Anodized Black



BESTSELLER 50-07

HA-S027-TP

Top cap computer mount.

MATERIAL：(Body) AL6061-T6
(Tray) High-Strength Composite Material
WEIGHT： 19g
COLOR： S.B Anodized Black



Change freely, compatible with all major brands.



ADP-MOUNT-GIANT®
(GIANT NEOSTRACK®)



ADP-MOUNT-GARMIN®
(GARMIN Edge®)



ADP-MOUNT-MIO®
(MIO® Cyclo ™)



ADP-MOUNT-BRYTON®
(Bryton Rider ™)



ADP-MOUNT-WAHOO®
(WAHOO ELEMNT®)



HMD8
(HAMMERHEAD KAROO®)



ADP-MOUNT-GP07
(GoPro®)

51-01

ADP-MOUNT-GIANT

GIANT® NEOSTRACK

MATERIAL：High-Strength Composite Material
WEIGHT： 3.6g



51-02

ADP-MOUNT-WAHOO

WAHOO® ELEMNT、ELEMNT BOLT、ELEMNT MINI / PIONEER® SGX-CA600

MATERIAL：High-Strength Composite Material
WEIGHT： 2.7g



51-03

ADP-MOUNT-MIO

MIO® Cyclo 100、200、205、210、315、315HC、400、405、405HC、500、505、505HC、605HC

MATERIAL：High-Strength Composite Material
WEIGHT： 2.6g



51-04

ADP-MOUNT-GARMIN

GARMIN EDGE® 1030、1000、830、820、810、800、530、520 Plus、1040、840、540、510、500、200、130

MATERIAL：High-Strength Composite Material
WEIGHT： 2.2g



51-05

ADP-MOUNT-BRYTON

BRYTON® 530、330、310、100
320、420、750、S500、S800

MATERIAL：High-Strength Composite Material
WEIGHT： 2.6g



NEW 51-07

ADP-MOUNT-HMD8

Compatible with HAMMERHEAD® Karoo bike computer.

MATERIAL：High-Strength Composite Material



51-06

ADP-MOUNT-GP07

Compatible with all FOURIERS computer mounts. Includes screws and base screws.

MATERIAL：High-Strength Composite Material
WEIGHT： 8.7g



52-01

HA-S002

For Ø31.8mm and Ø35mm handlebar. Ø26 Carbon tube for computer mounting.

YouTube rednote

MATERIAL：(Clamp) AL6061-T6 / (Tube) carbon fiber
SPEC：Ø31.8x46mm
Ø31.8x59mm
Ø35x46mm
Ø35x59mm
WEIGHT： 34g/set (31.8x 46mm)



BESTSELLER 52-02

ADP-STK01-GARMIN

Compatible with Garmin® computer mount. Use 3M® VHB tape to fit on device cover.

YouTube TikTok

MATERIAL：Polycarbonate
WEIGHT： 10g
COLOR： Black
The phone case is not included.





BESTSELLER 52-03

HA-GP01-X2

Convert GoPro® mount into double mounts.

MATERIAL：AL6061-T6
WEIGHT： 29g/set
COLOR： S.B Anodized Black





BESTSELLER 52-04

HA-GP02-LT

Convert GoPro® mount to light holder.

MATERIAL：AL6061-T6
WEIGHT： 17g/set
COLOR： S.B Anodized Black



52-05

HA-GP03

To replace the original bolt provided by GoPro®, giving more room to install the light.

MATERIAL：AL6061-T6
WEIGHT： 33g/set
COLOR： S.B Anodized Black





52-06

HA-S020-GMSP

Sport camera GoPro® mount on seatpost. Record in-time ride video behind you.

MATERIAL：AL6061-T6
CLAMP： Ø31.6mm (with shim Ø27.2mm)
WEIGHT： 39g/set
COLOR： S.B Anodized Black





BESTSELLER 52-07

HA-GP05

Ø31.6mm (with shim Ø27.2mm)

MATERIAL：High-Strength Composite Material
WEIGHT： 10g
COLOR： Black
comes with a safety lanyard specifically designed to mount the sport watch on the restbar.



52-08

HA-WA002

Specifically designed to mount the sport watch on the restbar.

MATERIAL：AL6061-T6
CLAMP：Ø31.8mm
WEIGHT： 82g/set
COLOR： S.B Anodized Black





53-01

HB-TR003

Triathlon armrest. Height of the armrest is adjustable with the adapters.

MATERIAL：(BODY)AL-6061-T6 TUBE)AL-6061-T6 or Carbon
WEIGHT：470g/set
(from 20 to 60mm). For Ø31.8 handlebar



HB-TR003-101
With Alloy S tube (HB-TUB-101)
Angle 17° / 340mm



HB-TR003-301
With Alloy J2 tube (HB-TUB-301)
Angle 50° / 300mm



HB-TR003-201
With Alloy J1 tube (HB-TUB-201)
Angle 17° / 310mm



HB-TR003-401
With Alloy JS tube (HB-TUB-401)
Angle 17° / 180mm



NEW 53-02

ADP-TRI-SSF50

Design for GIANT® Trinity Advanced SL, this forward extension adapter provides greater adjustability, allowing riders to achieve optimal aerodynamics, comfort, and a personalized riding position.

MATERIAL：AL 6061-T6
Forward extension length：50mm
WEIGHT：104.5g/set
COLOR：S.B Anodized Black





53-03

HB-TUB-J4011

Extension tube with 40 degree angle for you to change your cycling position.

MATERIAL：AL6061-T6
SPEC：Ø22.2 mm
ANGLE：40°
LENGTH：435mm
WEIGHT：265g/set
COLOR：S.B Anodized Black



53-04

HB-TUB-J5011

Extension tube with 50 degree angle for you to change your cycling position.

MATERIAL：AL6061-T6
SPEC：Ø22.2 mm
ANGLE：50°
LENGTH：420mm
WEIGHT：246g/set
COLOR：S.B Anodized Black



53-05

HB-TR002

Triathlon tri-bar bridge. Has an adjustable width to a maximum of 105mm. Also features a Ø26mm computer mount bar for your convenience.

MATERIAL：Nylon
Width：85mm - 105mm
WEIGHT：54g/set





For Triathlon bar bridge

53-06

WBC-DX001

Water bottle cage adapter for extension bar. Simple and effective.

MATERIAL：AL6061-T6
WEIGHT：30g/set
COLOR：S.B Anodized Black





Compatible with Triathlon bar for bottle cage mounting.

54-01

ADP-TRI-AL10 / ADP-TRI-AL15
ADP-TRI-AL20 / ADP-TRI-AL25

Many riders like to use high angle tri-bar, because high angle wedge is more comfort when riding. New angle cushion block is compatible with many models of bike.

MATERIAL：AL7075-T651
AERO BAR PADS SCREW (C-C)：15mm、25mm、30mm
ANGLE：10°、15°、20°、25°
WEIGHT：65g/set (10°)
72g/set (15°)
80g/set (20°)
95g/set (25°)
COLOR：S.B Anodized Black





Provides a more comfortable angle.

54-02

ADP-TRI-BD10
ADP-TRI-BD15

Many riders like to use high angle tri-bar, because high angle wedge is more comfort when riding. For GIANT® Trinity aerodrive rest bar, adjustable your extension Bar & Pad.

MATERIAL：AL7075-T651
ANGLE：10°、15°
WEIGHT：115g/set (10°)
116g/set (15°)
COLOR：S.B Anodized Black





54-03

ADP-TRI-AL10 / ADP-TRI-AL15
ADP-TRI-AL20 / ADP-TRI-AL25

Many riders like to use high angle tri-bar, because high angle wedge is more comfort when riding. For GIANT® Trinity aerodrive rest bar, adjustable your armrest pad angle.

MATERIAL：AL6061-T6
ANGLE：10°、15°
WEIGHT：65g/set (10°)
72g/set (15°)
80g/set (20°)
95g/set (25°)
COLOR：S.B Anodized Black





Provides a more comfortable angle.

54-04

ADP-TRI-PLM10
ADP-TRI-PLM15

Many riders like to use high angle tri-bar, because high angle wedge is more comfort when riding. For SCOTT PLASMA® rest bar, adjustable your armrest pad angle.

MATERIAL：AL6061-T6
ANGLE：10° & 15°
WEIGHT：47g/set (10°)
49g/set (15°)
COLOR：S.B Anodized Black





54-05

ADP-TRI-SYN10
ADP-TRI-SYN15

The angle adjustment pad specially designed for the lateral fixing system, whether 10 or 15 degrees, can adjust the comfortable angle of your arm support when riding.

MATERIAL：AL6061-T6
ANGLE：10°、15°
WEIGHT：67g/set (10°)
68g/set (15°)
COLOR：S.B Anodized Black





54-06

WBC-TT003

For GIANT® New Trinity aerodrive rest bar bridge. Increase rigidity when use a higher rest bar.

MATERIAL：AL7075-T651
WIDTH：120 / 142mm
WEIGHT：28g/pcs (120mm)
30g/pcs (142mm)
COLOR：S.B Anodized Black





Increase rigidity when use a higher rest bar.

BESTSELLER 55-01

TC-DX019

Top cap with full cover.

MATERIAL：AL6061-T6 top cap / AL 7075-T651 screws
SPEC：Fit 1-1/8 fork
WEIGHT： 9.7g/set
COLOR： Anodized black, red, blue, silver






101


201


301


303


306


401


403


406


402


501


601


701


702

YouTube rednote

55-02

TC-DX018-OD2-E

MATERIAL：AL6061-T6 top cap / AL 7075-T651 bolts
SPEC：For 1-1/4 front fork
WEIGHT： 7g/pcs
COLOR： Anodized Black




back

BESTSELLER 55-03

TC-S004 / TC-S005 / TC-S006 / TC-S007

MATERIAL：AL6061-T6 top cap / Stainless bolts
SPEC：Fit 1-1/8 fork
WEIGHT： 15g/pcs


TC-S004


TC-S005


TC-S006


TC-S007

BESTSELLER 55-04

TC-DX018-E

MATERIAL：AL6061-T6 top cap / AL7075-T651 bolts
SPEC：Fit 1-1/8 fork
WEIGHT： 7g/pcs
COLOR： Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Pink, Tiffany Green





55-05

TC-S001

MATERIAL：AL6061-T6 top cap / Stainless bolts
SPEC：Fit 1-1/8 fork
WEIGHT： 23g/pcs
COLOR： Anodized Black






LAMINAR
LAMINAR
LAMINAR

AERO Fully Internal Cable Routing System

A-Box Headset
The fully internal cable routing design provides optimal aerodynamic performance, along with the best steering and shifting experience.





Specifications & Features
- **Stem:** Dedicated internal cable routing stem; the bottom interface is identical to the headset top cover.
- **Handlebar:** Dedicated internal cable routing handlebar with a center hole on the handlebar.
- **Fork:** Equipped with a front disc brake routing hole.



Two-piece Spacer 5mm
Material： Nylon + Glass Fiber



Two-piece Spacer 10mm
Material：Nylon + Glass Fiber



Top Cover
Material：Nylon + Glass Fiber



Top Cover Seal
Material：Rubber



Micro Spacer (PET Material)
0.25mm



Star Compression Ring
Material： Nylon + Glass Fiber



Double Seals Premium
Bearing 45°



Double Seals Premium
Bearing 36° / 45°



Crown Race
45° / 36°

58-01

HA-S010

TOKEN® A-BOX Headset. Compatible with FOURIERS Road Bike Integrated Handlebar (HB-RA014)

SPEC：Top Bearing Cap: Nylon (PA) + Fiberglass (GF), 8mm high
Compression Ring：Nylon (PA) + Fiberglass (GF)
Inset Headtube : 1.5"
Fork： 1-1/8" - 1.5"
Bearings：Ø51.8" x 40" x 7mm high x 45° x (36° or 45°) / 2 pcs
Weight：107.8g/set (including washers)



TOKEN® A-BOX

10mm*3



5mm*2





58-02

HA-S008

Integrated headset system.
Angle contact seal bearing.

MATERIAL：Top cover AL6061-T6
SPEC：Integrated 1-1/8” Upper/1.5” Bottom
(UP) Ø28.6 x Ø41.8mm / (DOWN) Ø39.5 x Ø51.8mm
Cone Spacer Height：15mm
BEARING： (UPPER) 41.8 x 45° x 8
(LOWER) 51.8 x 45° x 8
WEIGHT： 78g/set
COLOR： S.B Anodized Black



58-03

HA-S008-H8

Integrated headset system.
Angle contact seal bearing

MATERIAL：Top cover AL6061-T6
SPEC：Integrated 1-1/8” Upper/1.5” Bottom
(UP) Ø28.6 x Ø41.8mm / (DOWN) Ø39.5 x Ø51.8mm
Cone Spacer Height：8mm
BEARING： (UPPER) 41.8 x 45° x 8
(LOWER) 51.8 x 45° x 8
WEIGHT： 74g/set
COLOR： S.B Anodized Black



BESTSELLER 59-01

HA-S005-NT

For Ø28.6 carbon fork inner tube expander. Protect carbon fork tube from over tightening.

MATERIAL：AL6061-T6
LENGTH：50mm
WEIGHT： 44g



59-02

HA-S007

Adjust the height of the handlebars and change your riding position with ease. Complete with long screws, top cap and spacers.

MATERIAL：AL6061-T6 body, Top cap, Spacer
SPEC：Fit 1-1/8"
LENGTH：
50mm (Adjust height 47.5mm - 65.5mm)
90mm (Adjust height 47.5mm - 105.5mm)
120mm (Adjust height 47.5mm - 135.5mm)
WEIGHT： 164g (50mm) / set
223g (90mm) / set
271g (120mm) / set
COLOR： S.B Anodized Black



59-03

SR-S005-OD2

Fits 1-1/4" fork spacer.
One set contains
2mm×2, 5mm×2 and 10mm×2.

MATERIAL：Carbon
DIAMETER：ID Ø32 x OD Ø38.8mm
WEIGHT： 24g/set
COLOR： UD matte finish



59-04

SR-S001

Fits 1-1/8" fork spacers. Set of 4 spacers: 3, 5, 10 mm carbon spacer x 1, aluminum alloy conical spacer x 1

MATERIAL：Carbon
SPEC：ID Ø28.6 x OD Ø34mm
WEIGHT： 11g/set



BESTSELLER 59-05

SR-S002

Fits 1-1/8" fork spacers.
Set of 4 spacers: 3, 5, 10 mm carbon spacer x 1, aluminum alloy conical spacer x 1.

MATERIAL：Carbon
SPEC： ID Ø28.6 x OD Ø34mm
WEIGHT： 9g/set



59-06

SR-E001

Fits 1-1/8" fork spacers.
Set of 4 spacers: 3, 5, 10 mm x 1, conical spacer x 1.

MATERIAL：AL6061-T6
SPEC：ID Ø28.6 x OD Ø34mm
WEIGHT： 15g/set
COLOR： Anodized Black, silver, red, gold, gray, blue, apple green, green, orange, purple





BESTSELLER 59-07

SR-E002

Fits 1-1/8" fork spacers.
Set of 4 spacers: 3, 5, 10 mm x 1, conical spacer x 1.

MATERIAL：AL6061-T6
SPEC：ID Ø28.6 x OD Ø34mm
WEIGHT： 12g/set
COLOR： Anodized Black, silver, red, gold, gray, blue, apple green, green, orange, purple





NEW BESTSELLER 60-01

SCL-CRZ

Seatpost-mounted connector designed for single-stay rear racks, featuring quick installation and secure attachment.

Compatible with various shapes and different sizes seatposts.

MATERIAL：Nylon lever and bracket.
Rubber strape.
COLOR： Black





BESTSELLER 60-02

SCL-S005-CA

Seat clamp with a rubber dust cover to protect your frame from dust creeping into your seat tube. Chamfered edge & oval clamping mechanism to protect carbon frames & seatpost.

YouTube rednote

MATERIAL：AL6061-T6 clamp with NBR cover
SPEC：Ø31.8、Ø34.9
HEIGHT：16mm
WEIGHT： 25g(Ø31.8mm)、28g(Ø34.9mm)
COLOR： CLAMP: S.B Anodized Black
COVER: Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow





BESTSELLER 60-03

SCL-S006-CA

Extra security to prevent your seatpost from slipping past your seat clamp. Keeps your seat height consistent, and the dust out of your seat tube. Can be used with any seat clamp.

MATERIAL：AL6061-T6 clamp with NBR cover
SPEC：Ø27.2、Ø30.9、Ø31.6mm
WEIGHT： 8.5g/set (Ø27.2mm)
11g/set (Ø30.9mm)
10.5g/set (Ø31.6mm)
COLOR： CLAMP: S.B Anodized Black
COVER: Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow





BESTSELLER 60-04

SCL-DN001

Special nut design allows screw to automatically adjust its angle to prevent deformation from the seat clamp overtightening.

MATERIAL： AL6061-T6
SPEC：Ø31.8、Ø34.9mm
HEIGHT：14mm
WEIGHT： 17.5g/set (Ø31.8mm)
18.5g/set (Ø34.9mm)
COLOR： Anodized Black,S.B Anodized Black、Red, gold, blue, apple green, orange, pink, Tiffany green





BESTSELLER 60-05

SCL-S001

Double M5 bolt. Chamfer edge & oval hole design to protect carbon frames & seatposts. Rubber cover helps prevent dust and water from getting into the seat tube

MATERIAL： AL6061-T6
SPEC：Ø31.8、Ø34.9mm
HEIGHT：17.5mm
WEIGHT： 24g/set (Ø31.8mm)
27g/set (Ø34.9mm)
COLOR： Anodized Black,Silver, red, gold, gray, blue





60-06

SCL-E001

Special nut design allows screw to automatically adjust its angle to prevent deformation from the seat clamp overtightening.

MATERIAL： AL6061-T6
SPEC：Ø31.8、Ø34.9mm
HEIGHT：11mm
WEIGHT： 22.5g/set (Ø31.8mm)
23.5g/set (Ø34.9mm)
COLOR：Anodized Black, Silver



60-07

SCL-QE001

Special seat clamp with a screw that can’ t be disassembled for the security of your seat post installation.

MATERIAL：AL6061-T6
SPEC：Ø31.8、Ø34.9mm
HEIGHT：13.5mm
WEIGHT： 60g/set (Ø31.8mm)
62g/set (Ø34.9mm)
COLOR： S.B Anodized Black, Silver



BESTSELLER 61-01

SCL-S007

Enlarge bore seatpost clamp for different type of bike and special bike frame.

MATERIAL：AL6061-T6
SPEC：Ø37、Ø38.1、Ø38.6
HEIGHT：13.5mm
WEIGHT： 26g/set (Ø37mm)
24g/set (Ø38.1mm)
23.5g/set (Ø38.6mm)
COLOR： S.B Anodized Black



61-02

SCL-S008

Wrap-around front shift lugs with fine-tuning stops.

MATERIAL：AL6061
SPEC：Ø28.6、Ø31.8、Ø34.9mm
COLOR： Anodized black
WEIGHT： 27.5g/set (Ø28.6mm)
25.5g/set (Ø31.8mm)
27.5g/set (Ø34.9mm)







BESTSELLER 61-03

ADP-HB701-ES100

Extended inside for easy grip. Ergonomically designed to give relief by an additional hand position for long days behind the handlebars. Your fingers have greater mobility and are free to work the brakes.

MATERIAL：Nylon
SPEC：Ø22.2mm
WEIGHT： 17.8g/set
COLOR： Black





YouTube TikTok

61-04

ADP-WCO

CO2 mount for water bottle cage hole.

MATERIAL：AL6061 full CNC made
WEIGHT： 19g
COLOR： S.B Anodized Black





BESTSELLER 61-05

AC-S007

A lightweight seatpost shim to fit your seatpost in an oversized seat tube.

MATERIAL：AL6061
SPEC：Ø34.9 x Ø31.6mm / Ø34.9 x Ø30.9mm / Ø31.6 x Ø30.9mm / Ø31.6 x Ø27.2mm / Ø30.9 x Ø27.2mm
LENGTH：90mm
WEIGHT： 38g/pcs (34.9 x 31.6mm)
47g/pcs (34.9 x 30.9mm)
9g/pcs (31.6 x 30.9mm)
46g/pcs (31.6 x 27.2mm)
39g/pcs (30.9 x 27.2mm)
COLOR： Anodized Black



61-06

AC-A002

Adapter for bar bore Ø35mm to Ø31.8mm.

MATERIAL：AL6061-T6
SPEC：Ø35 x Ø31.8mm
WIDTH：45mm
WEIGHT： 20g/set



Ø35 x Ø31.8mm

BESTSELLER 61-07

AC-A001

Fork tube adapter.

MATERIAL：AL6061-T6
SPEC：Ø31.8 x Ø28.6mm
LENGTH：38mm
WEIGHT： 15g/pcs



62-01

WBC-DX003

AirTag storage box that can be installed in the bottle cage lock hole and under the bike saddle rail.

MATERIAL： Nylon 66
COLOR： Black
WEIGHT： 23g/pcs (With bolt)
AirTag not included.







62-02

TC-S009

Top cap with AirTag storage box, special locking tool include.

MATERIAL： Top cap: AL6061
TOOL：Nylon
WEIGHT： 28g
COLOR： Black
AirTag not included.





62-03

AC-DX004-A12-FC

Compatible with SRAM® Eagle XX1 / X01 / GX 12 speed.

MATERIAL：(Body) AL7075-T651
(Cap) AL6061-T6
BEARING：Full Ceramic Bearing
TEETH：12T+14T
WEIGHT： 25g/set
COLOR： Anodized Black, Red



62-04

AC-DX004-A11-FC

Compatible with SRAM® XX1 / X01 / X1 / GX 11 speed.

MATERIAL：(Body) AL7075-T651
(Cap) AL6061-T6
BEARING：Full Ceramic Bearing
TEETH：12T+12T
WEIGHT： 25g/set
COLOR： Anodized Black, Red



62-05

AC-DX004-E11-FC

Compatible with SRAM® E-Tap AXS 12 speed

MATERIAL： (Body) AL7075-T651
(Cap) AL6061-T6
BEARING：Full Ceramic Bearing
TEETH：12T+12T、12T+14T
WEIGHT： 25g/set
COLOR： Anodized Black, Red



62-06

AC-DX001-FC

Fits SHIMANO® 8, 9, 10, 11 speed.
CAMPAGNOLO® 9, 10, 11 speed.

MATERIAL：(Body) AL7075-T651
(Cap) AL6061-T6
BEARING：Full Ceramic Bearing
TEETH：11T
WEIGHT： 21g/set
COLOR： Anodized Black, Red



63-01

BN-M003

For water bottle cage.
1 set of 2pcs.

MATERIAL：AL7075-T651
SPEC：M5 x 0.8 x 17mm
WEIGHT： 2.6g/pcs
COLOR： Anodized Blac, Silver, Red, Gold, Gray, Blue, Apple Green, Dark Green, Orange, Purple, Pink, Tiffany Green





63-02

BN-M002

For water bottle cage.
1 set of 2 pcs.

MATERIAL：AL7075-T651
SPEC：M5 x 0.8 x 10mm
WEIGHT： 2.8g/set
COLOR： Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Dark Green, Orange, Purple, Pink, Tiffany Green







Water bottle cage boss distance: Mounting width clearance must not be less than 15 mm.



63-03

BN-M001

Chainring bolt.
1 set of 5 pcs.

MATERIAL：AL7075-T651
SPEC：M8 x 0.75mm
LENGTH：5、7mm
TOOL：Allen wrench 5mm
WEIGHT： 10g/set
COLOR： Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Dark Green, Orange, Purple, Pink, Tiffany Green





63-04

STAINLESS STEEL SCREWS

MATERIAL：Stainless steel
SPEC：M5×16 / M5×18
M5×20 / M6×30
COLOR： Titanium plating iridescent

WEIGHT：
3.5g / (M5×16 / pcs)
3.7g / (M5×18 / pcs)
3.9g / (M5×20 / pcs)
7.9g / (M6×30 / pcs)

SPEC	
M5*16	
M5*18	

SPEC	
M5*20	
M6*30	

63-05

TITANIUM SCREWS

MATERIAL：Titanium 64
SPEC：M5×16 / M5×18
COLOR： Titanium plating iridescent

WEIGHT：1.9g / (M5×16 / pcs)
2g / (M5×18 / pcs)

SPEC	
M5*16	

SPEC	
M5*18	

64-01

ADP-HGR

FIT 2023 GIANT® TCR & PROPEL & DEFY.

MATERIAL：AL6061-T6
WEIGHT： 12.9g
COLOR： Black, gold, blue, purple, pink, titanium plating



titanium plating

64-02

ADP-HANGER

The Universal Derailleur Hanger for SRAM® UDH.

MATERIAL：AL7075-T6 / NYLON
WEIGHT： 27g
COLOR： Black







NEW 64-03

ADP-HANGER-P2

The fixed groove claw position uses aluminum alloy material while retaining the nylon plastic frame, meeting the needs of users requiring high durability.

MATERIAL：Body / Bolt: AL6066-T6
Frame shape: Nylon
COLOR： Black



64-04

ADP-HANGER-SH

Universal Derailleur Hanger for SHIMANO® system.

MATERIAL：AL6061-T6
WEIGHT： 34.5g
COLOR： Black, gold, blue, purple, pink



64-05

ADP-HANGER-R2R

For UDH hanger system,protects the dropout from side impacts,strengthen interface between derailleur and frame.

MATERIAL：High strength AL 6066-T6
Nylon12+Glass Fiber
PROTECTOR MATERIAL： AL6061-T6
WEIGHT： 66g
COLOR： Black





BESTSELLER 64-06

ADP-FLATOUT2

Fouriers has teamed up with creative tools brand Clever Standard to produce a multitool. Chain hook aka tire excavator aka mobile phone holder, can be used outdoors and in daily life. The main functions include tire excavator, caliper reset tool, chain hook, spare quick buckle storage, mobile phone holder and other functions.

MATERIAL：Nylon, glass fiber plastic
WEIGHT： 17g/pcs
1 set of 4 pcs



YouTube TikTok

64-07

ADP-HB001

Adapter for SRAM® disc brake lever to SHIMANO® shift lever with screw and nut.

MATERIAL：Forged AL6061-T6
SPEC：SRAM® MMX system to SHIMANO® I-SPEC-EV system
COLOR：S.B Anodized Black
WEIGHT：16g







64-08

ADP-HB002

SHIMANO® disc brake lever can fix SRAM® shift lever. With special screw and nut. Left & right same angle.

MATERIAL：AL6061-T6
SPEC：I-SPEC-EV
WEIGHT: 15g
COLOR： S.B Anodized Black









65-01

TL-S001

3 function bike tool set.
Hex 4, 5, 6mm

MATERIAL：Heat treatment steel 6150 tool, Nylon body
LENGTH：65mm, 80mm plastic body
WEIGHT： 70g
COLOR： Black, Red, Gray, Blue, Green



BESTSELLER 65-02

TL-ST004-T

9 function bike tool set.
Torx T10, T15, T20, T25, T27, T30, T40, T45, T50.

MATERIAL：Heat treatment steel 6150 tool, Nylon body
WEIGHT： 345g/set
COLOR： CP





MULTI-TOOL PLIERS OPERATION GUIDE.





MULTI-FUNCTION TOOL SET OPERATION GUIDE.





67-01

TL-101-1

6-Function Multi-Tool Pliers

MATERIAL：AL 6061-T6
SPEC：Quick-link storage slot, quick-link removal, quick-link pre-assembly, chain hook, valve core removal hole, tire lever.



P.A.T.ED

67-02

TL-500

MATERIAL：Forged alloy and CNC machined
SPEC： 6-function multi-tool pliers, 2 storage plastic bar end plugs, wrench set (Hex wrenches 3, 4, 5, 6 / T25 / Phillips screwdriver), chain breaker, tubeless tire repair tool set.

Contents: The complete set includes two storage plastic bar end plugs and two tool sets (each containing a 6-function multi-tool pliers + wrench set).



P.A.T.ED　Front　Back　Chain breaker

67-03

TL-102

Storage tube.
TUBELESS REPAIR KIT CONTENT:
Reamer / Plugger / Tire seal strip
6 PCS BITS CONTENT:
Hex3 / 4 / 5 / 6 / PH1 / T25 with tool stick

MATERIAL：Forged alloy and CNC machined
WEIGHT： 130g

OPTIONAL: ADP-CO2-A1-T



Front　Back

67-04

TL-700

The 2 multi-function tool sets are equipped with water bottle hole extension seats, which can be locked between the water bottle cage and the frame water bottle hole, making it easy to carry.

MATERIAL：Forged alloy and CNC machined/Nylon fixed seat
SPEC：six-function tool pliers, aluminum alloy receiver tube with CO2 adapter, wrench set (hexagonal wrench 3, 4, 5, 6 / T25 / PH1), Chain Breaker, tubeless tire repair tool set.
The set includes two mounts, two tool sets (six-function tool clamp + wrench set) and two aluminum receiver with CO2 adapter.

OPTIONAL: ADP-CO2-A1-T



P.A.T.ED　Front　Back



Compatible with the CO2 Cartridge or the ADP-CO2-A1-T (optional).



Optional ADP-CO2-A1-T　Optional ADP-CO2-A1-C　Optional ADP-CO2-A1-F　CO2 Cartridge



68-01

TL-750

The 2 multi-function tool sets are equipped with MTB handlebar end cap and water bottle hole extension seats.

MATERIAL：Forged alloy and CNC machined/Nylon fixed seat/
TPEE end cap
SPEC： six-function tool pliers, aluminum alloy receiver tube with CO2 adapter, wrench set (hexagonal wrench 3, 4, 5, 6/T25/PH1), Chain Breaker, tubeless tire repair tool set.
The set includes two mounts, two end cap,two tool sets (sixfunction tool clamp + wrench set) and two aluminum receiver with CO2 adapter.

OPTIONAL: ADP-CO2-A1-T



69-01

WBC-STR

Designed for use with straps to provide extra carrying space, and can be securely mounted to the frame's mounting holes.

MATERIAL：AL 6061-T6, anti-slip hook-and-loop (Velcro) strap
SPEC：Strap dimensions 25 x 250 mm
WEIGHT： 15g/set







69-02

SR-E004

Mounts onto the stem top cap and is used with straps to provide extra carrying space.

MATERIAL：AL6061-T6, anti-slip hook-and-loop (Velcro) strap
SPEC：Spacer height H 4mm, ID Ø28.6mm
Strap dimensions 25 x 250mm
WEIGHT： 12g/set





69-03

F-STRAP

Every challenge comes with unpredictable situations. The refined hook-and-loop strap design allows for quick and convenient carrying of supplies or repair accessories, securely and easily mounting them onto the frame.

Strap Length：58cm



Open

YouTube

rednote





69-04

F-STRAP-BAG

Facing any challenge comes with unpredictable situations. The dedicated storage bag, paired with a refined hook-and-loop strap design for carrying supplies or repair accessories, can be securely and conveniently mounted onto the frame.



Strap Length：58cm

YouTube

rednote









70-01

AC-MG004-CF
AC-MG004-F

Front mudguard to keep your fork and your face free from dirt and debris. Customizable cut lines on the under side of the guard. We use eco-friendly and recyclable PP (polypropylene) material.

MATERIAL：Polypropylene (PP)
HEIGHT：1.2mm、0.8mm
WEIGHT： 37g/pcs



AC-MG004-CF
1.2mm



AC-MG004-F
0.8mm

70-02

AC-MG005-CR
AC-MG005-R

Installed under the seat cushion for easy installation and removal.

MATERIAL：Polypropylene (PP)
HEIGHT：1.2mm、0.8mm
WEIGHT： 30g/pcs



AC-MG005-CR
1.2mm



AC-MG005-R
0.8mm

70-03

AC-NAME-AERO

Number card for racing use. Your number could be easily seen in the front. Remove and install easy.
Removable support arm could support different type of seatpost.

MATERIAL：Nylon
WEIGHT： 14g/set
COLOR： Black
Not available in Japan











71-01

AC-S010

The top choice after purchasing a new bike, frame protection stickers use 3M wear-resistant and residue-free material, paired with 4 custom-tailored designs to protect your beloved bike.
Includes 4 pieces per set.

MATERIAL：PU
WEIGHT： 29g/set
HEIGHT：0.25mm
COLOR： Transparent

71-02

AC-S009

The top choice after purchasing a new bike, frame protection stickers use 3M wear-resistant and residue-free material, paired with 4 custom-tailored designs to protect your beloved bike. Includes 4 pieces per set.

MATERIAL：PVC
HEIGHT：0.4mm
WEIGHT： 31g/set
COLOR： Black, translucent



BESTSELLER 71-03

AC-S005

Can be applied to areas of the bike prone to impacts, reducing damage from external road conditions and protecting your ride.

MATERIAL：Polyurethane (PU)
SPEC：W 100 x L 1500 mm (AC-S005-002) x Thickness 0.3 mm
WEIGHT： 8g/pcs (AC-S005-002)
15g/pcs (AC-S005-012)



AC-S005-002



AC-S005-012

BESTSELLER 72-01

VL-TUSH-F

Tubeless-ready multi-vent presta extension valve. set of 2, including valve cover and tools.

MATERIAL：AL6061-T6/Plastic valve cover and tool
SPEC：Presta valve
LENGTH：47 / 52 / 62 / 72 / 87 / 107mm
WEIGHT： 12.5g/set (62mm)

YouTube rednote





Red is for illustrative purposes only.

72-02

LAM-PU-TLR-BK

The 50M length is suitable for 700C and 29" wheels (approx. 20 wraps) and 27.5" wheels (approx. 21 wraps). It can also be used on inner-tube rims to replace traditional rim tape. The number of wraps may vary depending on the rim design.
The new generation tape features enhanced adhesion, providing excellent sealing performance across rims with different surface finishes.



MATERIAL：PET
SPEC：
BK-19-50 (Rim inner width: 16 mm)
BK-22-50 (Rim inner width: 19 mm)
BK-24-50 (Rim inner width: 21 mm)
BK-28-50 (Rim inner width: 25 mm)
BK-33-50 (Rim inner width: 30 mm)

Can be cut to size.

72-03

VL-PE008-N

Set of 2 Presta valve extenders, suitable for tubeless tires.

MATERIAL：AL6061-T6
SPEC：Presta valve
LENGTH：40、60mm
WEIGHT： 8g/set (60mm)
COLOR： Anodized Black



72-04

VL-PE001 (25~60mm)
VL-PE001 (70~100mm)

Set of 2 Presta valve extenders.

MATERIAL：AL6061-T6
SPEC：Presta valve
LENGTH：25、38、50、60、70、80、90、100mm
WEIGHT： 8g/set (60mm)
COLOR： Anodized black, silver





72-05

VL-AMTUS-F

Schrader valves for tubeless tires. Set of 2, including valve caps.

MATERIAL：AL 6061 / AL valve cap
SPEC：USA valve
LENGTH：40mm
WEIGHT： 13g/set
COLOR： Anodized Black



BESTSELLER 73-01

VL-PE005

Valve adapter specially designed for disc wheels. The unique 90-degree bend design makes inflation much easier for disc wheel users.

MATERIAL：AL6061-T6
SPEC：Disc wheel specific valve adapter
WEIGHT： 9.6g/pcs
COLOR： Anodized Black





73-02

VL-PE002

Presta valve extender, Set of 2.

MATERIAL：AL6061-T6
SPEC：Presta valve
LENGTH：20、30、40、 50、60、70、80、90、100mm
WEIGHT： 7.5g/set (60mm)
COLOR： Anodized Black, Sliver





73-03

VL-PE007

Simple air-tight installation without
tape or threadseal, while reducing noise and vibration on the road. Set of 2.

MATERIAL：AL6061-T6
SPEC：Presta valve
LENGTH：38、50、60、70、80、90、100mm
WEIGHT： 6.5g/set (60mm)
COLOR： Anodized Black





73-04

VL-PE004

Set of 2.

MATERIAL：AL6061-T6
SPEC：Presta valve
WEIGHT： 3g/set
COLOR： Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Green, Orange





73-05

VL-PE009

Set of 2.

MATERIAL：AL6061-T6
SPEC：Presta valve
WEIGHT： 1g/set
COLOR： Anodized Black, Gray, Red, Gold, Silver, Blue, Apple Green, Green, Orange, Purple, Pink, Tiffany Green





73-06

VL-US003

Set of 2.

MATERIAL：AL6061-T6
SPEC：Presta change to USA valve
WEIGHT： 2.3g/set
COLOR： Anodized Black, Sliver, Red, Gold, Gray





74-01

MBJ-SCM7A0 CYCLING SOCKS

Provide well-rounded protection.
Increase compression that hold socks in place.
Compression to stabilize joint movement and protect Achilles tendon.
Special ventilation and sweat-wicking design on the sole and back ofthe foot.
Arch fixation design to maintain the support of the sock at the arch of the foot.
Concentrate the leg strength with improved circulation.
Italy-imported machine that produce high-density fabric that is compressed steadily. Seamless toe box that just fit.

MATERIAL：20% DuPont Lycra and 80% nylon
SIZE：S: 23 to 25 cm
M: 25 to 27 cm
L: 27 to 29 cm
XL: 29 to 31 cm




blue x light blue　black x pink　black x gray


black x green　yellow x black　white x yellow


red x pink　white x grey　red x black (China only)

74-02

FGH-SCM2020 CYCLING SOCKS

Provide well-rounded protection.
Increase compression that hold socks in place.
Compression to stabilize joint movement and protect Achilles tendon.
Special ventilation and sweat-wicking design on the sole and back of the foot.
Arch fixation design to maintain the support of the sock at the arch of the foot.
Concentrate the leg strength with improved circulation.
Italy-imported machine that produce high-density fabric that is compressed steadily.
Seamless toe box that just fit.

MATERIAL：20% DuPont Lycra and 80% nylon
SIZE：S: 23 to 25 cm
M: 25 to 27 cm
L: 27 to 29 cm
XL: 29 to 31 cm




white x green　white x blue　white x orange


white x purple　white x rose


black x yellow　white x black　black x blue


black x white　black x pink

75-01

SOCKS-ANKLE66

Needle-shrinking compression, less likely to slip down.
Compression layer to protect the ankle.
Bamboo charcoal for odor resistance and infrared rays for warmth.
Mid-calf length of 12 cm, suitable for running, cycling, and daily wear.

MATERIAL：50% bamboo charcoal fiber
30% NYLON
15% Spandex
5% RUBBER
SIZE：S: 23 - 26cm
M: 26 - 29cm
* China only



75-02

SOCKS-FLAT66

Fully thickened underfoot.
Bamboo charcoal is anti-odor.
Suitable for long-distance running, daily wear.

MATERIAL：46% BAMBOO CHARCOAL FIBER
32% NYLON
15% SPANDEX
7% RUBBER
SIZE：S: 23 - 26cm (Pink)
M: 26 - 29cm (Dark blue)
* China only



75-03

SOCKS-FLAT16

Thickened underfoot.
Bamboo charcoal is anti-odor.
Suitable for long-distance running, daily wear.

MATERIAL：46% BAMBOO CHARCOAL FIBER
32% NYLON
15% SPANDEX
7% RUBBER
SIZE：S: 23 - 26cm (Red)
M: 26 - 29cm (Green)
* China only



75-04

SOCKS-FLAT16C

Thickened underfoot.
Cool yarn, cool to wear in summer.
Suitable for long-distance running, daily wear.

MATERIAL：46% BAMBOO CHARCOAL FIBER
32% NYLON
15% SPANDEX
7% RUBBER
SIZE：S: 23 - 26cm (Yellow)
M: 26 - 29cm (Light blue)
* China only




FOURIERS
FOURIERS
FOURIERS

Color your journey Let riding write your life



BESTSELLER 78-01

BP-S005-DC

Exceptional shock absorption and a reliable anti-slip surface have always been FOURIERS' thoughtful features designed for athletes. This time, we introduce a newly designed surface embossing and dual-color finish, which not only upgrades functionality but also delivers a striking new look, giving your bike a distinguished and extraordinary style.

MATERIAL：Wet-process PU with special surface coating
SPEC：3 x 210cm
HEIGHT：3.0mm
WEIGHT： 95g/set95 g/set (including end plugs)
Black base PU bar tape / Screen-printed
COLOR： Rose red, Orange, Grass green, Sky blue, Lavender purple, Red, Blue, Purple, White, Yellow, Fluorescent green, Reflective silver, Black


Reflective silver




Fluorescent green | Red | Rose red | Orange | Yellow | Grass green | Sky blue | Blue | Lavender purple | Purple | White | Black

BESTSELLER 78-02

BP-S006-DS

Excellent shock absorption and a reliable non-slip surface have always been the features that FOURIERS has in mind for its athletes. Its new and stylish look will make your bike the center of attention.

MATERIAL：Wet-process PU with special surface coating
SPEC：3 x 210cm
HEIGHT：3.0mm
WEIGHT： 95g/set (with cap)
COLOR： Blue-gray base with dark gold / White base with silver-white


Blue-gray base with dark gold


White base with silver-white


Blue-gray base with dark gold


White base with silver-white

79-01

BP-S008-F

Exceptional shock absorption and a reliable anti-slip surface have always been FOURIERS' thoughtful features designed for athletes. This time, we introduce a newly designed surface embossing and dual-color finish, which not only upgrades functionality but also delivers a striking new look, giving your bike a distinguished and extraordinary style.

MATERIAL：Wet-process PU with special surface coating
SPEC：3 x 210cm
HEIGHT：3.0mm
WEIGHT： 95 g/set (including end plugs)
Black base PU bar tape / Screen-printed
COLOR： Gold, Rose gold, Silver, White, Red, Tiffany green, Orange, Purple





79-02

BP-S009-H

Exceptional shock absorption and a reliable anti-slip surface have always been FOURIERS' thoughtful features designed for athletes. This time, we introduce a newly designed surface embossing and dual-color finish, which not only upgrades functionality but also delivers a striking new look, giving your bike a distinguished and extraordinary style.

MATERIAL：Wet PU surface with special coating treatment
SPEC：3 x 210cm
HEIGHT：3.0mm
WEIGHT： 95 g/set (including end plugs)
Black base PU bar tape / Screen-printed
COLOR： Gold, Rose gold, Silver, White, Red, Tiffany green, Orange, Purple





BESTSELLER 79-03

BP-S007-E

Excellent shock absorbing effect and reliable non-slip surface are always the features that FOURIERS has in mind for athletes!
Bulk purchase is available for your team or shop.

MATERIAL：Wet-process PU with special surface coating
SPEC：3 x 210cm
THICKNESS：3.0mm
WEIGHT： 75g/set
COLOR： Black
Package：10 bike/set (2 rolls/bike; without cap)







79-04

AC-PGN03-MB

Durable plastic end plugs, suitable for mountain bike handlebar inner diameters of Ø17 - Ø21 mm.

MATERIAL：Plastic plug with alloy bolts
WEIGHT： 24g/set
COLOR： Nylon Black



79-05

AC-PG001-RC

Durable plastic end plugs, suitable for road bike handlebar inner diameters of Ø17 - Ø21 mm.

MATERIAL：Plastic plug with alloy bolts
WEIGHT： 20g/set
COLOR： Nylon Black





NEW 81-01

BP-S010-5MM

Excellent shock absorption and a reliable anti-slip surface have always been features FOURIERS considers for athletes. This time, we are launching a brand-new surface texture design and a coating featuring the '5' symbol, and have increased the thickness to 5mm. This not only reduces hand pressure during riding but also gives it a new, eye-catching appearance, allowing your bike to stand out with a unique, grand style.

YouTube TikTok

MATERIAL：Wet-process PU with special surface coating
SPEC：5 x 210cm
HEIGHT：5mm
WEIGHT： 128 g/set (including end plugs))
Black base PU bar tape / Screen-printed
COLOR： Black, White, Red, Purple, Gold, Tiffany Green



NEW 81-02

BP-S011-001

Exceptional shock absorption and a reliable anti-slip surface have always been FOURIERS' thoughtful features designed for athletes. This time, we introduce a newly designed surface embossing to enhance overall comfort and stability.

MATERIAL：Wet-process PU with special surface coating
SPEC：3 x 210cm
HEIGHT：3mm
WEIGHT： 93 g/set (including end plugs)
COLOR： Black



NEW 81-03

BP-S012-001

Excellent shock absorption and a reliable anti-slip surface have always been features FOURIERS considers for athletes. This time, we are launching a brand-new surface texture design and a coating featuring the '5' symbol, and have increased the thickness to 5mm.

MATERIAL：Wet-process PU with special surface coating
SPEC：5 x 210cm
HEIGHT：5mm
WEIGHT： 101 g/set (including end plugs)
COLOR： Black



NEW ARRIVAL

NEW

FOURIERS

Palm cushioning with a striped structure reduces hand pressure.

Segmented anti-slip and shock-absorbing design, reducing hand fatigue.

Thumb web anti-slip design with a thickened top section to enhance comfort.

Aluminum alloy lock ring material ensures it is secure and easy to install and remove.

Thoughtful design for hand anti-slip / Thoughtfully designed for secure hand grip

Bottom barb anti-slip design prevents hands from slipping during braking.

Anti-slip strip design at the thumb web preventing hands from slipping during braking.



Tapered design with a larger end, enhancing stability for the thumb web..

Palm cushioning with a striped structure reduces hand pressure.

Eccentric design with a smaller outer diameter at the front and a solid/larger rear, preventing it from slipping off easily.

Segmented anti-slip and shock-absorbing design, reducing hand fatigue.

Comfortable pressure-relief grip cover.

BESTSELLER 83-01

GP-S003-001
GP-S003-A001

Comfortable pressure-relief grip cover featuring a segmented anti-slip and shock-absorbing structure designed to reduce hand fatigue while riding. Paired with an aluminum alloy lock ring for easy installation and effortless riding.

Lock Ring：Aluminum alloy lock ring for secure installation and easy removal.
MATERIAL：VEXK rubber,Aluminum alloy locking ring/NYLON
SPEC：Ø22.4 x Ø32 x L 139mm
WEIGHT： 102g/set
COLOR： Black



GP-S003-001

YouTube rednote



GP-S003-A001

83-02

GP-D001-001
GP-D001-H001

Curved design conforms to the hypothenar muscle of the palm, reducing hand fatigue while riding. Paired with mini bar ends to help reduce wrist discomfort caused by long-distance riding.

MATERIAL： VEXK rubber、hard plastic /Nylon
SPEC：Ø22.4 x L 138mm
WEIGHT： 159g/set、183g/set(Include ADP-HB701)
COLOR： Black





Anti-slip and pressure relief design.



GP-D001-001



GP-D001-A001
Assembly ADP-HB701-ES100

YouTube rednote

83-03

GP-S004-001
GP-S004-H001

Striped anti-slip and shock-absorbing design offers both comfortable pressure relief and reduced hand fatigue while riding.

MATERIAL：VEXK rubber、hard plastic /Nylon
SPEC：Ø22.4 x L 134.8mm
WEIGHT： 95g/set、119g/set(Include ADP-HB701)
COLOR： Black





Shock-absorbing and anti-slip design.



GP-S004-001



GP-S004-H001
Assembly ADP-HB701-ES100

YouTube rednote

BESTSELLER 83-04

GP-S005-001
GP-S005-H001

The octopus suction cup design provides shock absorption and enhances surface anti-slip capabilities to ensure safety whether riding with gloves or not.

MATERIAL：VEXK rubber、hard plastic /Nylon
SPEC：Ø22.4 x L 131mm
WEIGHT： 82g/set、106g/set(Include ADP-HB701)
COLOR： Black





Shock-absorbing and anti-slip design.



GP-S005-001



GP-S005-H001
Assembly ADP-HB701-ES100

YouTube rednote

BESTSELLER 83-05

GP-S001

New material assures the rider with a better hand grip and enhanced comfortability. It is very slip-resistant even in sweats , thanks to the golf-ball-like surface whose excellent aerodynamic performance and increased coefficient of friction have come to play.

MATERIAL：Silicone rubber foam
SPEC：Ø30 x 130mm / Ø32 x 130mm
WEIGHT： 85g/set
COLOR： (Ø32) Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow
(Ø30) Black









YouTube rednote


YouTube
TikTok

85-01

WBC-BE010-P

Made from new PP material for easier squeezing. Equipped with a pressure spout valve to effectively control water flow. Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：750cc
WEIGHT：54g/pcs
COLOR：
Glossy - Black, Red, White, Transparent, Transparent Black,
Matte - Matte Transparent Black, Matte Black, Matte White, Matte Rose Red, Matte Grass Green, Matte Prussian Blue, Matte Purple



Ultra-wide bottle mouth with a pressure valve flow design for increased water output, making it ideal for rapid hydration during competitive sections. Effectively manages replenishment time for facing fast-paced racing tracks.





Optional Accessories



WBC-DC001

BESTSELLER 85-03

WBC-BE011-E

Made from new PP material for easier squeezing.
Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：750cc
WEIGHT：56g/pcs
COLOR：
Glossy - Black, Red, White, Transparent, Transparent Black
Matte - Matte Transparent Black, Matte Black, Matte White, Matte Rose Red, Matte Grass Green, Matte Prussian Blue, Matte Purple





Optional Accessories



WBC-DC001



Classic valve spout design with a unique leak-proof nozzle, allowing for easier drinking while riding.

BESTSELLER 85-04

WBC-BE012-CA

Made from new PP material for easier squeezing. Equipped with a pressure spout valve to effectively control water flow, complete with a small dust cap. Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：750cc
WEIGHT：58g/pcs
COLOR：
Glossy - Black, Red, White, Transparent, Transparent Black
Matte - Matte Transparent Black, Matte Black, Matte White, Matte Rose Red, Matte Grass Green, Matte Prussian Blue, Matte Purple



Wide bottle mouth with a pressure valve flow design paired with a secure cap seal, making hydration during outdoor rides easier and more effortless.



85-02

WBC-DC001

MATERIAL：PP
Dust Cap Compatibility：
BE004 / BE005
BE007 / BE008
BE010 / BE011





COLOR



Black
001



White
012



Transparent
013



Transparent Black
001-T



Red
003



Matte
Transparent Black
001-T-M



Matte
Black
001-M



Matte
White
012-M



Matte
Rose Red
034-M



Matte
Grass Green
007-I-M



Matte
Prussian Blue
006-I-M



Matte
Purple
009-M

BESTSELLER 86-01

WBC-BE007-P

Made from new PP material for easier squeezing. Equipped with a pressure spout valve to effectively control water flow. Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：600cc
WEIGHT：54g/pcs
COLOR：
Glossy - Black, Red, Blue, Apple Green, Orange, Purple, Pink, White, Transparent, Yellow, Tiffany Green, Sky Blue, Transparent Black, Gold, Gray, Lavender Purple, Violet Purple, Hot pink, Grass Green, Prussian Blue, Azure Blue, Rose Red
Matte - Matte Transparent Black, Matte Black, Matte White, Matte Rose Red, Matte Grass Green, Matte Prussian Blue, Matte Purple



Hot pink 023



Optional Accessories



WBC-DC001



Ultra-wide bottle mouth with a pressure valve flow design for increased water output, making it ideal for rapid hydration during competitive sections. Effectively manages replenishment time on fast-paced racing tracks.

BESTSELLER 86-02

WBC-BE008-E

Made from new PP material for easier squeezing.
Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：600cc
WEIGHT：55g/pcs
COLOR：
Glossy - Black, Red, Blue, Apple Green, Orange, Purple, Pink, White, Transparent, Yellow, Tiffany Green, Sky Blue, Transparent Black, Gold, Gray, Lavender Purple, Violet Purple, Hot pink, Grass Green, Prussian Blue, Azure Blue, Rose Red
Matte - Matte Transparent Black, Matte Black, Matte White, Matte Rose Red, Matte Grass Green, Matte Prussian Blue, Matte Purple





Optional Accessories



WBC-DC001



Classic valve spout design with a unique leak-proof nozzle, allowing for easier drinking while riding.

BESTSELLER 86-03

WBC-BE009-CA

Made from new PP material for easier squeezing. Equipped with a pressure spout valve to effectively control water flow, complete with a small dust cap.
Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：600cc
WEIGHT：48g/pcs
COLOR：
Glossy - Black, Red, Blue, Apple Green, Orange, Purple, Pink, White, Transparent, Yellow, Tiffany Green, Sky Blue, Transparent Black, Gold, Gray, Lavender Purple, Violet Purple, Hot pink, Grass Green, Prussian Blue, Azure Blue, Rose Red
Matte - Matte Transparent Black, Matte Black, Matte White, Matte Rose Red, Matte Grass Green, Matte Prussian Blue, Matte Purple





Wide bottle mouth with a pressure valve flow design paired with a secure cap seal, making hydration during outdoor rides easier and more effortless.

COLOR



Matte Black 001-M
Matte Transparent Black 001-T-M
Matte White 012-M
Matte Rose Red 034-M
Matte Grass Green 007-I-M
Matte Prussian Blue 006-I-M
Matte Purple 009-M
Black 001
White 012
Transparent 013
Transparent Black 001-T
Gray 005
Red 003
Pink 011
Rose Red 034
Orange 008
Yellow 015
Gold 004
Apple Green 007
Tiffany Green 017
Grass Green 007-1
Blue 006
Azure Blue 016-1
Sky Blue 016-2
Prussian Blue 006-1
Purple 009
Violet Purple 009-2
Lavender Purple 009-1

BESTSELLER 87-01

WBC-BE004-P



Made from new PP material for easier squeezing. Equipped with a pressure spout valve to effectively control water flow. Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：600cc
WEIGHT：54g/pcs
COLOR：Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Sky Blue, Tiffany Green, Purple, Transparent Black, Matte Black



Optional Accessories



WBC-DC001



Ultra-wide bottle mouth with a pressure valve flow design for increased water output, making it ideal for rapid hydration during competitive sections. Effectively manages replenishment time on fast-paced racing tracks.

BESTSELLER 87-02

WBC-BE005-E



Made from new PP material for easier squeezing.
Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：600cc
WEIGHT：56g/pcs
COLOR：Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Sky Blue, Tiffany Green, Purple, Transparent Black, Matte Black



Optional Accessories



WBC-DC001



Classic valve spout design with a unique leak-proof nozzle, allowing for easier drinking while riding.

BESTSELLER 87-03

WBC-BE006-CA



Made from new PP material for easier squeezing. Equipped with a pressure spout valve to effectively control water flow, complete with a small dust cap.
Features a low wind resistance bottle shape and an anti-slip design.

MATERIAL：New non-toxic PP plastic
Capacity：600cc
WEIGHT：48g/pcs
COLOR：Black, Red, Blue, Apple Green, Orange, Purple, Pink, White, Transparent, Yellow, Tiffany Green, Sky Blue, Transparent Black, Matte Black



Wide bottle mouth with a pressure valve flow design paired with a secure cap seal, making hydration during outdoor rides easier and more effortless.

COLOR



Black
001



Transparent Black
001-T



White
012



Transparent
013



Red
003



Orange
008



Yellow
015



Pink
011



Apple Green
007



Tiffany Green
017



Sky Blue
016-2



Blue
006



Purple
009



Matte Black
001-M

NEW BESTSELLER 88-01

WBC-BE013-E

The all-new Fouriers water bottle features a redesigned construction using new PP material, making it easier to squeeze. The raised horseshoe logo provides improved grip, while the illustrated graphics deliver a youthful and stylish look.

MATERIAL：New non-toxic PP plastic
Capacity：600cc
WEIGHT： 54g/pcs
COLOR： Black, Red, Purple, White, Transparent, Yellow, Sky Blue
Custom graphics available for orders over 500 pcs





Classic valve spout design with a unique leak-proof nozzle, allowing for easier drinking while riding.



NEW BESTSELLER 88-02

WBC-BE014-E

The all-new Fouriers water bottle features a redesigned construction using new PP material, making it easier to squeeze. The raised horseshoe logo enhances grip, and this edition is specially released as a Year of the Horse limited edition.

MATERIAL：New Non-Toxic PP Plastic
Capacity：600cc
WEIGHT： 54g/pcs
COLOR： Black, Red, Purple, White, Transparent, Yellow, Sky Blue





NEW BESTSELLER 88-03

WBC-BE015-E

The all-new Fouriers water bottle features a redesigned construction using new PP material, making it easier to squeeze. The raised horseshoe logo enhances grip for a more secure hold. FTP300 refers to a Functional Threshold Power (FTP) of 300 watts (W).

MATERIAL：New Non-Toxic PP Plastic
Capacity：600cc
WEIGHT： 54g/pcs
COLOR：
Black, Red, Purple, White, Transparent, Yellow, Sky Blue





NEW BESTSELLER 88-04

WBC-S001-001

A uniquely designed, aerodynamic water bottle compatible exclusively with Fouriers bottle cages. Available in both large and small sizes to suit different racing needs.

MATERIAL：Carbon Fiber Bottle Cage, Plastic Bottle
Capacity：(L)600cc、(S)300cc
WEIGHT： (L) 82.5 g/pcs
(S) 62.5 g/pcs
(Bottle Cage) 26 g/pcs





NEW BESTSELLER 88-05

WBC-BE016-E

The all-new Fouriers water bottle features a redesigned construction using new PP material, making it easier to squeeze. The raised horseshoe logo enhances grip for a more secure hold.FTP300 refers to a Functional Threshold Power (FTP) of 300 watts (W).

MATERIAL：New Non-Toxic PP Plastic
Capacity：600cc
WEIGHT： 54g/pcs
COLOR：
Black, Red, Purple, White, Transparent, Yellow, Sky Blue





BESTSELLER 89-01

WBC-DX005
WBC-DX007

High-strength carbon composite material with unique geometric design incorporates a set of quick-clip storage locations.
Allows side-to-side or direct access to the water bottle to hold it securely in place while riding rough terrain.

MATERIAL：Carbon composite
WEIGHT：32g/pcs





WBC-DX005　　WBC-DX007

BESTSELLER 89-02

WBC-DX006-C001
WBC-DX006-C003

Advanced carbon fiber injection technology forms beautiful lines at a competitive price. Stiff carbon arms secures your bottle in place.

MATERIAL：Carbon composite
WEIGHT：29.5g/pcs
COLOR： UD with white sticker,
UD with white/red sticker



WBC-DX006-C001　　WBC-DX006-C003

BESTSELLER 89-03

WBC-S005

Dual-direction side-pull water bottle cage providing flexible operation for both left-handed and right-handed users, allowing effortless bottle retrieval and storage.

MATERIAL：Nylon
WEIGHT：36.8g/pcs
COLOR： Black





Interchangeable lower base allows for adjusting the left/right access direction

89-04

WBC-S006

Wrap-around Bottle Cage.

MATERIAL：Nylon
WEIGHT：27.9g/pcs
COLOR： Black





YouTube rednote

Safe, anti-slip, and comfortable design.

Innovative concept combining functionality and safety, empowering you to ride with confidence.



Stay away from sharp nails



M4 SCREW
You need anti-slip R-PINS

International Patents
PATENTED, M658172, CN, ZL 2024 2 0439842.6,
CN, ZL 2024 2 0148501.3,P.C.T...

Anti-slip pins

Anti-slip pins are available as an optional add-on purchase. Pedals ship in black by default.



Black | Blue | Green | Purple | Red | White

Aluminum body available in six different colors.



Gray | Black | Orange
Pink | Tiffany Green | Apple Green

PT-ADP-T

SUITABLE FOR ALUMINUM PEDALS.





NEW 91-01

PT-ADP

Fouriers innovatively designed anti-slip pins that can be self-installed on Fouriers anti-slip pedal series.
The soft pins feature an innovative non-slip, protective, and scratch-resistant design, making your ride safer and more comfortable.

MATERIAL：Screw/HARDEN-STEEL
Soft sleeve/stopper: PBT+RET
QUANTITY：100pcs
WEIGHT： 1.3g / set (screw + soft sleeve + stopper)
COLOR： Black, White, Red, Blue, Green, Purple





NEW 92-01

PT-PI-150-01

High-strength nylon pedals with multiple optional pin combinations meet the needs of different riders. The wide platform design enhances pedaling comfort, providing greater stability while riding.

MATERIAL：Body: Nylon Composite
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：150*116 (W*L1)
PIN：10 anti-slip pins / 20 plastic molded pins
WEIGHT： 391 g /set (pair)



R-PIN





3XL



Equipped with pedal reflectors.

NEW 92-02

PT-88

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

MATERIAL：AL6061-T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：148*108(W*L1)
PIN:：32 per side
WEIGHT： 492g/pair
COLORS：Gray, Black, Orange, Pink, Tiffany Green, Apple Green





3XL



Equipped with pedal reflector

NEW 92-03

PT-MOTH

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

MATERIAL：Body: AL6061-T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：150*108(W*L1)
PIN：28 per side
WEIGHT： 482g/pair
COLORS：Gray, Black, Orange, Pink, Tiffany Green, Apple Green





3XL



Equipped with pedal reflectors.

NEW 93-01

PT-PI-110-01

High-strength nylon pedals with multiple optional pin combinations meet the needs of different riders. The wide platform design enhances pedaling comfort, providing greater stability while riding.

MATERIAL：Body: Nylon Composite
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：116*116 (W*L1)
PIN： 10 anti-slip pins / 12 plastic molded pins
WEIGHT： 341g / set (pair)



R-PIN



L





Equipped with pedal reflectors.

93-02

PT-FLC-B

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

2XL

MATERIAL：Body: AL6061-T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：125*108 (W*L1)
PIN：28 per side
WEIGHT： 484g / set (pair)
COLORS：
Gray, Black, Orange, Pink, Tiffany Green, Apple Green







Equipped with pedal reflectors.

93-03

PT-RIB

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

2XL

MATERIAL：Body: AL6061-T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：125*108 (W*L1)
PIN：24 per side
WEIGHT： 437g / set (pair)
COLORS：
Gray, Black, Orange, Pink, Tiffany Green, Apple Green







Equipped with pedal reflectors.

93-04

PT-AR

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

2XL

MATERIAL：Body: AL6061-T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：124*108 (W*L1)
PIN：24 per side
WEIGHT： 410g / set (pair)
COLORS：
Gray, Black, Orange, Pink, Tiffany Green, Apple Green







Equipped with pedal reflectors.

93-05

PT-FEG

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

L

MATERIAL：Body: AL6061-T6 CNC made
Axle: Cr-Mo Cold-Forged
PLATFORM SIZE：100*109 (W*L1)
PIN：20 per side
WEIGHT： 340g / set (pair)
COLORS：
Gray, Black, Orange, Pink, Tiffany Green, Apple Green







Equipped with pedal reflectors.

NEW 94-01

PT-CI-100

The Fouriers pedals are made with carbon fiber injection molding material and feature a titanium axle for reduced weight. The large platform provides a stable contact area, offering anti-slip performance and enhanced comfort during riding.

L

MATERIAL：Body: Long Fiber Carbon Injection-Molded
Axle: Titanium Alloy
PEDAL SIZE：100*107(W*L1)
WEIGHT： 247g /pair
COLOR： Black







Equipped with pedal reflectors.

94-02

PT-BEE

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

L

MATERIAL：Body: AL6061-T6 CNC made
Axle: Cr-Mo Cold-Forged
PEDAL SIZE：100*110 (W*L1)
PIN：20 per side
WEIGHT： 370g /pair
COLOR:：
Gray, Black, Orange,
Pink, Tiffany Green,
Apple Green





Equipped with pedal reflectors.

94-03

PT-OCT

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

L

MATERIAL：Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PEDAL SIZE：98*114 (W*L1)
PIN：16 per side
WEIGHT： 330g/pair
COLORS：
Gray, Black, Orange,
Pink, Tiffany Green,
Apple Green







Equipped with pedal reflectors.

94-04

PT-RCT

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.

L

MATERIAL：Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PEDAL SIZE：100*106.5 (W*L1)
PIN：16 per side
WEIGHT： 278g/pair
COLORS:
Gray, Black, Orange,
Pink, Tiffany Green,
Apple Green







Equipped with pedal reflectors.

94-05

PT-FLC

Safety & Anti-slip & Comfort
Innovation concept combine function and safety, let your ride with confidence.
Suitable for children's use.

S FOR KID

MATERIAL：Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PEDAL SIZE：90*83 (W*L1)
PIN：24 per side
WEIGHT： 315g /pair
COLORS:
Gray, Black, Orange, Pink,
Tiffany Green, Apple Green







Equipped with pedal reflectors.

94-06

PT-MY80 Y80

Safety & Anti-slip & Comfort
Innovation concept combine function and safety,
let your ride with confidence.

M

MATERIAL：Body: AL6061T6 CNC made
Axle: Cr-Mo Cold-Forged
PEDAL SIZE：80*108(W*L1)
PIN：20 per side
WEIGHT： 350g/pair
COLORS：
Gray, Black, Orange, Pink,
Tiffany Green, Apple Green







Equipped with pedal reflectors.

All pedal sizes



3XL **PT-88**



3XL **PT-MOTH**



3XL **PT-PI-150-01**



2XL **PT-RIB**



2XL **PT-FLC-B**



2XL **PT-AR**



L **PT-PI-110-01**



L **PT-CI-100**



L **PT-BEE**



L **PT-FEG**



L **PT-RCT**



L **PT-OCT**



M **PT-MY80**



S **PT-FLC**



NEW 96-01

PT-APR-001

The patented guide ramp allows you to quickly locate the pedal platform, while the extended, specially contoured design enables fast, easy installation and removal, improving overall pedaling efficiency.

MATERIAL：(Body) High-strength composite nylon
(Y-Locking Plate) Stainless Steel
(Counterweight Plate) Stainless Steel
DIMENSIONS：
139 ×81 mm (WxL1)

※ PCT patent application.



NEW 96-02

PT-APRIM

The integrated platform adapter and cleat design installs directly for immediate use with no extra cleats to buy. When paired with the patented guide ramp, pedaling becomes significantly more stable and efficient.

MATERIAL：High-strength composite nylon
DIMENSIONS：135 x 84 mm (WxL1)
COMPATIBILITY：SHIMANO® SPD-SL

※ PCT patent application.



NEW 96-03

PT-APRIM2

The integrated platform adapter and cleat design installs directly for immediate use with no extra cleats to buy. When paired with the patented guide ramp, pedaling becomes significantly more stable and efficient.

MATERIAL：High-strength composite nylon
DIMENSIONS：135 x 84 mm (WxL1)
COMPATIBILITY：LOOK® KEO

※ PCT patent application.



Pedal Converter (Road Bike)

Pedal Converter / Platform Adapter Angle Differences Across Brands
(When Installed on SPD Pedals)



【OTHER BRANDS】 SPD Pedal Converter

【FOURIERS】 SPD Pedal Converter

NEW 97-01

PT-AP06
PT-AP06-ST

The high-strength nylon body incorporates specially designed anti-slip rubber. Appropriate rubber materials are selected according to varying load conditions at key contact areas. This enhances pedaling stability and provides reliable walking performance.

MATERIAL：(Body) High-strength composite nylon
(Anti-slip Pads) Two types of anti-slip rubber
(Accessories) Carbon Steel
FLOAT： 6°
DIMENSIONS：74 ×81 mm (WxL1)
COMPATIBILITY：SHIMANO® SPD-SL

PT-AP06：Accessories not included
PT-AP06-ST：Accessories included

※ PCT patent application.





NEW 97-02

PT-LK45
PT-LK45-ST

The high-strength nylon body incorporates specially designed anti-slip rubber. Appropriate rubber materials are selected according to varying load conditions at key contact areas. This enhances pedaling stability and provides reliable walking performance.

MATERIAL：(Body) High-strength composite nylon
(Anti-slip Pads) Two types of anti-slip rubber
(Accessories) Carbon Steel
FLOAT： 4.5°
DIMENSIONS： 68 x 70 mm (WxL1)
COMPATIBILITY：LOOK® KEO

PT-LK45：Accessories not included
PT-LK45-ST：Accessories included

※ PCT patent application.





NEW 97-03

PT-MP01

Durable material for Shimano® (mountain bike) SPD pedals.

MATERIAL： Cr-Mo Steel
(SCM 430 + Cold forged + Heat treated)
COLOR： Black
COMPATIBILITY：SHIMANO® SPD




Cold forged/Heat treatment



How to easily measure cushion size at home on a budget (without going out)



The distance between the two center points of the sit bones on the cardboard.

1 Prepare a piece of corrugated cardboard (you can simply cut it out from a shipping box;Use two sheets of 5-ply corrugated cardboard are recommended).
Place the cardboard on a flat, hard chair and sit on it. Shift your weight gently to the left, right, forward, and backward. As you press down, take the opportunity to feel the position of your sit bones.
Once you feel that your sit bones have compressed the cardboard, you are done.

2 Stand up, and you will find two sunken impressions on the cardboard. Mark and draw the center point of the deepest part of each depression.

3 Simply use a ruler to measure the distance between the center points of these two impressions.



Measurement Unit: Millimeters (mm) for company products.
Riding Position Reference Scale: +1 cm = 10 mm

Measurement Unit for this figure: Centimeters (cm).

Triathlon Bike (with Tri-bar)	Race Road Bike	Road Bike / Mountain Bike	Flat-Bar / Road Bike	City Bike / E-Bike / Step-Through Bike
				
+0cm	+0.5-1cm	+1.5-2.5cm	+2.5-3.5cm	+3.5-4cm

Sit Bone Width: 125 mm
Reference Bike Model: Road Bike
Adjustment / Offset Value: +2 cm (+20 mm based on reference scale)

Formula: Sit Bone Width + Bike Model Adjustment = Total Width
Example: 125 mm + 20 mm = 145 mm

Rear View of the Saddle



ST-V001

Curved profile (Race type), suitable for aggressive, high-speed riding.

Weight : 256g
Saddle Width : 145mm
Riding Profile : Approximately 3+ hours per ride, 3 times a week, covering 100 km per ride at an average speed of 30 km/h.
Offset Value: +0 or +1 cm
Material : High-density PU foam padding designed to reduce hip pressure during rides and enhance explosive power for sprinting.



ST-V002

Curved profile, suitable for sports / recreational riding.

Weight : 261g
Saddle Width : 150mm
Riding Profile : 1-2 times a week, approximately 1 hour per ride, covering 50 km at an average speed of 25 km/h.
Offset Value : +1 or +2.5 cm
Material: High-density PU foam padding designed to reduce hip pressure and provide a more comfortable ride.



ST-C001

Curved profile, suitable for sports / recreational riding.

Weight : 256g
Saddle Width : 145mm
Riding Profile : 1–2 times a week, approximately 1 hour per ride, covering 50 km at an average speed of 25 km/h.
Offset Value : +1 or +2.5 cm
Material : High-density PU foam padding designed to reduce hip pressure and provide a more comfortable ride.



ST-D001

Flat profile, suitable for general long-distance riding (features a grab handle at the rear).

Weight : 409g
Saddle Width : 160mm
Riding Profile : Approximately 1 hour per ride, covering 30 km at an average speed of 20 km/h.
Offset Value : +3.5 or +4 cm
Material : High-density PU foam padding designed to reduce hip pressure and provide a more comfortable ride.



ST-D002

Flat profile, suitable for general long-distance riding.

Weight : 431g
Saddle Width : 190mm
Riding Profile : Approximately 1 hour per ride, covering 30 km at an average speed of 20 km/h.
Offset Value : +3.5 or +4 cm
Material : High-density PU foam padding designed to reduce hip pressure and provide a more comfortable ride.

NEW 100-01

ST-V001

Suitable for road bikes and mountain bikes. Features a high-density PU foam saddle with a central ventilation cutout for enhanced riding comfort.

BASE SHELL MATERIAL：High-strength PP material (8032 PP)
COVER MATERIAL：Semi-PU eco-friendly skin-touch synthetic leather
PADDING：High-density PU foam
RAILS：Cr-Mo steel with ED black finish
DIMENSIONS：2250 mm × 145 mm × 55 mm (including rails)
WEIGHT： 256g





NEW 100-02

ST-V002

Suitable for road bikes and mountain bikes. Features a high-density PU foam saddle with a central ventilation cutout for enhanced riding comfort.

BASE SHELL MATERIAL：High-strength PP material (8032 PP)
COVER MATERIAL：Semi-PU eco-friendly skin-touch synthetic leather
PADDING：High-density PU foam
RAILS：Cr-Mo steel with ED black finish
DIMENSIONS： 250 mm × 150 mm × 55 mm (including rails)
WEIGHT： 261g





NEW 100-03

ST-C001

Suitable for mountain bikes, road bikes, and folding bikes.
Short-nose saddle with a cutout design for comfort and ventilation. The hollow structure promotes airflow, reduces moisture, and increases comfort during long-distance rides.
AirForm foam adapts to the body, providing exceptional support, relieving pressure on sensitive areas, and maintaining ventilation while riding for enhanced comfort.

BASE SHELL MATERIAL： PVC
COVER MATERIAL：Eco-friendly synthetic leather
PADDING： AirForm foam saddle
RAILS：Cr-Mo steel with ED black finish
DIMENSIONS： 255 mm × 145 mm × 55 mm (including rails)
WEIGHT： 256g





NEW 101-01

ST-D001

Suitable for long-term prolonged sitting.
Features a high-density PU foam saddle with shock-absorption functionality, a central ventilation cutout, and a rear grab handle design for easy bike maneuvering, ensuring comfort during long-distance rides.

BASE SHELL MATERIAL：High-strength PP material (8032 PP) + 20% fiberglass
COVER MATERIAL：Semi-PU eco-friendly skin-touch synthetic leather
PADDING：High-density PU foam
RAILS：ED-plated steel rails
DIMENSIONS：280 mm × 160 mm × 70 mm (including rails)
WEIGHT： 409g





NEW 101-02

ST-D002

Suitable for long-term prolonged sitting. Features a high-density PU foam saddle with shock-absorption functionality and a central ventilation cutout, ensuring comfort during long-distance rides.

BASE SHELL MATERIAL：Nylon PA6 + 15% fiberglass
COVER MATERIAL：Semi-PU eco-friendly skin-touch synthetic leather
PADDING：High-density PU foam
RAILS：ED-plated steel rails
DIMENSIONS：260 mm × 190 mm × 80 mm (including rails)
WEIGHT： 431g






FOURIERS
LAMINAR
MAXXIS
FOX

www.fouriers-bike.com

FOURIERS 富律業

FOURIERS
WEB

Taobao

TikTok

Rednote
2165264195

