



20
16

富律業

FOURIERS



PASSION | DRIVES | INNOVATION

Fouriers is a high-end bike component manufacturer based in Taiwan. Behind Fouriers is a family firm of engineers and riders with a passion for bicycles and more than 20 years experience in developing and manufacturing high-end bike components. Fouriers was created with the aim to share our experience and passion with the rest of the world, in the hope that everybody can enjoy the sport.

Fouriers emphasizes quality, safety and performance. This is reflected in every product we manufacture and tested by numerous sponsor riders over the world.

QUALITY | SAFETY | PERFORMANCE

We only choose the strongest, lightest and most stable material for our components. Therefore all our products are made from durable aluminum, strong carbon fiber and quality plastic material imported from Switzerland.

Fouriers desires to become a world class supplier and continuously develop and fabricate top tier bicycle components.

Fouriers

For U Riders

We Ride all bike types.

We Invest in our people, machines and riders.

We Discover new ideas and improve on others.

We Engineer every product from sketch to manufacturing.

We Refine existing products from good to excellent.

INDEX

- 09 | ROAD HANDLEBAR
- 11 | MTB HANDLEBAR
- 14 | INTEGRATED DI2 CABLE SYSTEM
- 15 | STEM
- 19 | SEATPOST
- 21 | BRAKE SYSTEM
- 22 | BRAKE PAD
- 23 | DISC ROTOR & ADAPTER
- 24 | CHAIN RING
- 29 | CHAIN KEEPER
- 30 | CHAIN GUIDE
- 33 | BB SYSTEM
- 35 | COMPUTER MOUNT
- 37 | TRIATHLON BAR
- 38 | WATER BOTTLE
- 39 | WATER BOTTLE CAGE
- 40 | QUICK RELEASE
- 41 | COG
- 42 | COMPONENTS
- 43 | DRIVETRAIN
- 44 | SEAT CLAMP
- 45 | HEADSET & SPACER
- 46 | TOP CAP
- 47 | ACCESSORIES
- 48 | VALVE EXTENDER
- 49 | VALVE CAP & BOLT
- 50 | MUDGUARD
- 51 | TOOL & PROTECTION







X	-447.037
Y	-238.660
Z	-385.163

TECHNOLOGY

Fatigue Testing Machine

To ensure the safety of riders, we thoroughly test every product according to the “CEN” standards. It’s our goal to let our riders not only experience lightweight but also safety.

Inspection Machine

Our lightweight carbon-fiber made products are of the finest quality. To assure this quality, we test our carbon-fiber products from top to bottom with the inspection machine.

Microcomputer Attenuation Tester

We are pioneers in product quality and know that carbon-fiber is an ambiguous material. Therefore we also check our carbon-fiber made products’ strength by our Microcomputer Attenuation Test. The test puts them under 150kg of pure force, two times, for 30 seconds. The result, a safe and reliable product that every rider can trust.

Hardness Testing Machine

To assure the intensity and safe structure of our products to meet the international standards, we carry out discreet sample inspection to pass the hardness test. It is important to us that we deliver consistency in our product quality.

Coordinate Measuring Machine

The coordinate measuring machine is key to reach our goal of high product standards. We only want to provide our customers the best and most excellent quality. Therefore we use 2.5D CMM techniques to test all our products.

EFBE, Testing Center in Germany

After EN testing at Cycling & Health Industry R&D Center (in Taiwan) we send our products for further inspections to EFBE in Germany, so that we can assure our high expectations and meet the international standard.

EFBE
| | | | PRÜFTECHNIK

HB-RA001 CARBON



Unique lightweight handlebar with one piece mono-coque construction. Bar top has a fluid design for increased aero dynamic qualities and grip. Rugged bar bore coating for extra clamp grip. Anatomic lower bar design for sprint position.

Material	Carbon fiber
Spec	Ø31.8mm x W400, 420, 440mm (c-c)
Drop	130mm
Reach	80mm
Bar type	Anatomic-bend
Weight	216g (W420mm)

Pass EFBe test

EFBE
PRÜFTECHNIK

P1206089 / P1206090 / P1206091



Anatomic bend

HB-RA002 CARBON



Unique lightweight handlebar with one piece mono-coque construction. Bar top has a fluid design for increased aero dynamic qualities and grip. Rugged bar bore coating for extra clamp grip. Compact lower bar design for multiple sprint positions.

Material	Carbon fiber
Spec	Ø31.8mm x W400, 420, 440mm (c-c)
Drop	130mm
Reach	80mm
Bar type	Compact
Weight	216g (W420mm)

Pass EFBe test

EFBE
PRÜFTECHNIK

P1206089 / P1206090 / P1206091



Compact bend

HB-RA003 CARBON


Over-sized bar bore for greater reliability. Lightweight one piece mono-coque construction. Bar top has a special fluid design for optimal aero dynamic qualities and finer grip. Rugged bar bore coating for extra clamp grip. Compact lower bar design for multiple sprint positions.

Material	Carbon fiber
Spec	Ø35mm x W400, 420, 440mm (c-c)
Drop	128mm
Reach	78mm
Bar type	Compact
Weight	225g (W420mm)

Pass EFBe test

EFBE
PRÜFTECHNIK

P1206086 / P1206087 / P1206088



Compact bend

HB-RA004 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø35mm bar bore for enhanced rigidity and strength. Anatomic lower bar design for sprint position.

Material	AL7050-T73
Spec	Ø35mm x W380, 400, 420, 440mm
Reach	80mm
Drop	145mm
Bar type	Anatomic-bend
Weight	285g
Color	S.B Anodized Black





HB-RA005 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø35mm bar bore for enhanced rigidity and strength. Compact lower bar design for multiple sprint positions.

Material	AL7050-T73
Spec	Ø35mm x W380, 400, 420, 440mm
Reach	80mm
Drop	145mm
Bar type	Compact
Weight	285g
Color	S.B Anodized Black



HB-RA006 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø31.8mm bar bore to fit any stem. Anatomic lower bar design for sprint position.

Material	AL7050-T73
Spec	Ø31.8mm x W380, 400, 420, 440mm
Reach	85mm
Drop	130mm
Bar type	Anatomic-bend
Weight	280g
Color	S.B Anodized Black



HB-RA007 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø31.8mm bar bore to fit any stem. Compact lower bar design for multiple sprint positions.

Material	AL7050-T73
Spec	Ø31.8mm x W380, 400, 420, 440mm
Reach	85mm
Drop	130mm
Bar type	Compact
Weight	280g
Color	S.B Anodized Black



HB-RA008 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Bar top has a special fluid design for optimal aero dynamic qualities and finer grip. Compact lower bar design for multiple sprint positions.

Material	AL7050-T73
Spec	Ø31.8mm x W380, 400, 420, 440mm
Reach	80mm
Drop	130mm
Bar type	Anatomic-bend
Weight	285g
Color	S.B Anodized Black



HB-MB001 CARBON

Lightweight carbon riser handlebar with one piece monocoque construction. Ø35 bar bore for extra strength. Rugged bar bore coating for extra clamp grip. Made extra strong to safely endure 600kg impact.

Material	Carbon fiber
Spec	Ø35mm x W780mm
Rise	20mm
Back sweep	9°
Up sweep	5°
Weight	279g

Pass EFBe test

EFBE
PRÜFTECHNIK

P1306487 / P1306488 / P1306489



HB-MB002 CARBON

Lightweight carbon riser handlebar with one piece monocoque construction. Rugged bar bore coating for extra clamp grip. Made extra strong to safely endure 600kg impact. Extra wide for increased stability control.

Material	Carbon fiber
Spec	Ø31.8mm x W780mm
Rise	20mm
Back sweep	9°
Up sweep	5°
Weight	273g

Pass EFBe test

EFBE
PRÜFTECHNIK

P1306490 / P1306491 / P1306492



HB-MB008 CARBON

Lightweight carbon flat handlebar. Eccentric design allows height adjustment of +/- 5mm by flipping the handlebar. Rugged bar bore coating for extra clamp grip. Great choice to shave weight off your bike.

Material	Carbon fiber
Spec	Ø31.8mm x W750mm
Eccentric	5mm
Back sweep	9°
Weight	170g



HB-MB014-320 CARBON

Lightweight carbon riser handlebar with one piece monocoque construction. Extra high 30mm rise. Rugged bar bore coating for extra clamp grip.

Material	Carbon fiber
Spec	Ø31.8mm x W660mm
Rise	30mm
Back sweep	9°
Up sweep	5°
Weight	195g



HB-MB003 ALLOY 6066-T6

Extreme durable riser handlebar made from double butted aluminum 6066. It has better anti-corrosion than any other aluminum material. Ø35 bar bore for extra strength. Made extra strong to safely endure 600kg impact. Extra wide for increased stability control. Specially designed for freeride & downhill riders.

Material	AL6066-T6
Spec	Ø35mm x W780mm
Rise	20mm
Back sweep	9°
Up sweep	5°
Weight	427.5g
Color	S.B Anodized BK, Silver, Red, Gold, Gray

Pass EFB test

EFBE
PRÜFTECHNIK

P1206028 / P1206029 / P1206030



HB-MB004 ALLOY 6066-T6

Extreme durable riser handlebar made from double butted aluminum 6066. It has better anti-corrosion than any other aluminum material. Made extra strong to safely endure 600kg impact. Extra wide for increased stability control. Specially designed for freeride & downhill riders.

Material	AL6066-T6
Spec	Ø31.8mm x W780mm
Rise	20mm
Back sweep	9°
Up sweep	5°
Weight	382g
Color	S.B Anodized BK, Silver, Red, Gold, Gray

Pass EFB test

EFBE
PRÜFTECHNIK

P1306490 / P1306491 / P1306492



HB-MB007 ALLOY 7050-T73

Lightweight aluminum flatbar made from double butted aluminum 7050 for increased strength and lighter weight. Eccentric design allows height adjustment of +/- 5mm by flipping the handlebar. Hydroformed material for additional anti-corrosion.

Material	AL7050-T73 double butted tube
Spec	Ø31.8mm x W720mm
Eccentric	5mm
Back sweep	9°
Weight	235g
Color	S.B Anodized BK, Red, Gray



HB-MB013 ALLOY 7050-T73

Triple butted aluminum and Ø35 bar bore indestructible flat handlebar. Great choice for riders looking for durable, reliable and high performing components.

Material	AL7050-T73
Spec	Ø35mm x W580, 680mm
Back sweep	5°
Weight	240g
Color	S.B Anodized Black




Technology | CONTROL CURVE BEND

HB-MB016-CC

Triple butted eccentric handlebar with Fouriers Control Curve Technology (CC) for absolute control and ergonomic comfort. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions, creating confident control. Flip over to adjust by +/- 5mm.

Material AL7050-T73
Spec Ø31.8mm x W680, 760mm
Back Sweep 9°
Eccentric 5mm
Weight 215g (W680mm)
Color Body: S.B Anodized Black/Sticker: Red, Gray, Apple green

W/ Control curve bend



STATIC LOAD
450KG




HB-MB017-M

Aluminum utilitarian trekking handlebar with Fouriers Control Curve Technology (CC) for absolute control and ergonomic comfort. Featuring a comfortable sweep for enduring rides, while giving additional leverage and more control. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions. Best suited for long-distance off road riding.

Material AL7050-T73
Spec Ø31.8mm x W720mm
Back Sweep 58 degrees
Rise 20mm
Weight 380g
Color Body: S.B Anodized Black/Sticker: Red, Gray, Apple green

W/ Control curve bend



HB-MB018-LR

Low riser handlebar, with a negative -40mm/-60mm rise. Adjust the stem height for great range. This special bending design allows absolute control.

Material AL6061-T6
Bar-bore Ø31.8mm
Width 740mm
Back sweep 9 degree
Up sweep 5 degree
Rise -40mm/-60mm
Weight 325g
Color S.B Anodized Black




STATIC LOAD
350KG



Technology | BUTTED CONSTRUCTION

The butted handlebars have a special construction that increases its durability and reliability. The butted design uses different thicknesses throughout the handlebar so that all the force is centralized to the bar bore.



HB-MB009 ALLOY 6061-T6 E1 Series

Material	AL6061-T6
Spec	Ø31.8mm x W580, 680mm
Back sweep	5°
Weight	160g - 210g
Color	S.B Anodized Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue



HB-MB011 ALLOY 6061-T6 E1 Series

Material	AL6061-T6
Spec	Ø31.8mm x W640, 780mm
Back sweep	9°
Up sweep	5°
Rise	20mm/25mm/30mm
Weight	275g - 375g
Color	S.B Anodized Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue



HB-MB010 ALLOY 7050-T73

Material	AL7050-T73
Spec	Ø31.8mm x W580, 680mm
Back sweep	5°
Weight	160g - 210g
Color	S.B Anodized Black



HB-MB010-H ALLOY 7050-T73

Material	AL7050-T73
Spec	Ø31.8mm x W720mm
Back sweep	5°
Overload	800kgs
Weight	275g
Color	S.B Anodized Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue



HB-MB012 ALLOY 7050-T73

Material	AL7050-T73
Spec	Ø31.8mm x W640, 780mm
Back sweep	9°
Up sweep	5°
Rise	20mm/25mm/30mm
Weight	275g - 375g
Color	S.B Anodized Black



INTEGRATED DI2 CABLE SYSTEM

COMPATIBLE SHIMANO DI2 SYSTEM



HB-SC002-DI2 CARBON

Unique DI2 compatible carbon flat handlebar.

Material	Carbon fiber
Spec	Ø31.8mm x W780mm
Eccentric	5mm
Back sweep	9 degree
Weight	169g
Color	UD



HB-SA001-DI2 AL6061-T6

Unique DI2 compatible flat handlebar.

Material	AL6061-T6
Spec	Ø31.8mm x W720mm
Eccentric	5mm
Back sweep	7 degree
Weight	235g
Color	S.B Anodized Black



SM-MB108-DI2

Unique stem for Shimano MTB DI2 system. Features an integrated cable system inside the stem for a clean looking bike.

Material	AL6061-T6
Bar-bore	Ø31.8mm
Fork tube	Ø28.6mm
Fork stack height	40mm
Angle	±17°
Length	80-120mm
Weight	215g (120mm)
Color	Anodized Black



SM-RA009-SD

Extreme lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø31.8mm
Fork tube	Ø28.6mm
Fork stack height	40mm
Angle	±17°
Length	80 - 120mm
Weight	155g (140mm)

Comes with top cap



SM-RA001

Extreme lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Ø35 System improves stiffness.

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø35mm
Fork tube	Ø31.8mm
Fork stack height	40mm
Angle	±8°
Length	80 - 140mm
Weight	131g/pcs - 156g/pcs (without TOP CAP)

Comes with alloy steerer shim - Convert Ø31.8 steerer tube to Ø28.6 alloy handlebar shim - Convert Ø31.8 bar bore to Ø35, top cap



P1306487 / P1306488 / P1306489

SM-RA002

Extreme lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø31.8mm
Fork tube	Ø28.6mm
Fork stack height	40mm
Angle	±6°
Length	80 - 140mm
Weight	122g/pcs - 145/pcs (without TOP CAP)

Comes with top cap (TC-DX002)



P1306490 / P1306491 / P1306492



SM-CA001

Aluminum stem manufactured with great detail for good rigidity and maximum shock absorption. Finished with 3K or UD carbon wrap to perfectly fit a full carbon bike. Flip over to change stem angle by ±17degrees.

Material	AL6066-T6 & Carbon coating
Bar-bore	Ø31.8mm
Fork tube	Ø28.6mm
Fork stack height	44mm
Angle	±17°
Length	70 - 140mm
Weight	153g (100mm)
Color	3K, UD

Comes with top cap



SM-RA009

Advanced lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Stem has ±17 degree angle. Flip over to change stem angle to ±17 degrees.

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø31.8mm
Fork tube	Ø31.8mm
Fork stack height	40mm
Angle	±17°
Length	80 - 140mm
Weight	155g (140mm)
Color	Anodized Black

With Top Cap & alloy shim for Ø28.6



SM-MB109-G7

3D forged stem with ± 7 degree angle. Flip over to change stem angle by ± 7 degree, available in 5 sizes between 70~110mm. For Road bike & MTB.

Material	AL6061-T6 3D forged
Bar-bore	$\varnothing 31.8\text{mm}$
Steerer tube	$\varnothing 28.6\text{mm}$
Angle	$\pm 7^\circ$
Length	70 - 110mm
Weight	139g (90mm)

Comes with top cap



SM-MB110-G0

3D forged stem with 0 degree angle. Available in 4 sizes between 35~65mm. For MTB.

Material	AL6061-T6 3D forged
Bar-bore	$\varnothing 31.8\text{mm}$
Steerer tube	$\varnothing 28.6\text{mm}$
Angle	$\pm 0^\circ$
Length	35, 45, 55, 65mm
Weight	125g (45mm)

Comes with top cap



SM-MB111-G17

A stunning MTB stem designed to be stiff and unique shape. 17 degree low rise, and length start from 60-100mm.

Material	AL6061-T6
Bar-bore	$\varnothing 31.8$
Steerer tube	$\varnothing 28.6$
Angle	-17°
Length	60-100mm
Weight	142g(80mm)



SM-RA010

3D forged stem with ± 17 degree angle. Flip over to change stem angle by ± 17 degrees. Available in 6 sizes between 70-120mm. For Road.

Material	AL6061-T6 3D forged
Bar-bore	$\varnothing 31.8\text{mm}$
Steerer tube	$\varnothing 28.6\text{mm}$
Fork stack height	40mm
Angle	$\pm 17^\circ$
Length	70 - 120mm
Weight	152g (100mm)

Comes with top cap



SM-RA003

3D forged stem with unique RIB technology. Precision CNC cuts are made inside the stem body in the shape of a rib cage to decrease weight and retain rigidity. For MTB and Road.

Material	AL6066-T6 3D forged + CNC made
Bar-bore	$\varnothing 31.8\text{mm}$
Steerer tube	$\varnothing 28.6\text{mm}$
Fork stack height	40mm
Angle	$\pm 6^\circ$
Length	70 - 120mm
Weight	119g/set - 152.5g/set (without TOP CAP)

Comes with top cap (TC-DX002)





SM-MB001

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø35mm
Fork tube	Ø31.8mm
Fork stack height	40mm
Angle	0°
Length	50mm
Weight	205g (without TOP CAP)
Color	Anodized Black, Gray

Comes with alloy steerer shim
 - Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35, top cap



SM-MB007

Material	AL6066-T6: CNC made
Handlebar Clamp	Ø31.8mm
Fork Tube	Ø28.6mm
Fork Stack Height	40mm
Angle	0°
Length	45mm
Weight	144 g (without TOP CAP)
Color	Anodized Black, Gray



SM-MB003

Material	AL6066-T6 full CNC made
Offset height	25mm
Handlebar clamp	Ø35mm
Weight	171g
Color	Anodized Black, Gray

Comes with alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35



SM-MB002

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø35mm
Fork tube	Ø31.8mm
Fork stack height	40mm
Angle	0°
Length	40 - 70mm
Weight	139.5g/set - 175g/set (without TOP CAP)
Color	Anodized Black

Comes with alloy steerer shim
 - Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35, top cap



SM-DH001

Material	AL6066
Direct mount	Boxxer
Handlebar clamp	Ø35mm offset height 17.3mm
Height	17.3mm
Weight	92g
Color	S.B Anodized Black, Gray

Comes with alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35



SP-S001
SP-S001-DI2 CARBON

Extreme lightweight carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. It's the best choice to reduce road vibrations. Double bolt clamp design for easy angle adjustment. 20mm offset, best used for Road.

Material	UD Carbon fiber
Spec	Ø27.2, Ø30.9, Ø31.6
Length	350, 400mm
Offset	20mm
Weight	200g (Ø31.6 350mm)

Pass EFBe test

EFBE
PRÜFTECHNIK

P1206092 / P1206093
Pass overload 300 kg



SP-S003
SP-S003-DI2 CARBON

Extreme lightweight full carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. Best choice to shave off weight. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

Material	Carbon tube Carbon clamp
Spec	Ø27.2, Ø30.9, Ø31.6
Length	350, 400mm
Offset	0mm
Weight	190g (Ø31.6 350mm)



Please follow instructions on the warning sticker for tightening carbon clamp



SEAT POST



SP-AG12 ALLOY

Durable, strong, and good looking 3D forged seatpost. Double bolt clamp design for easy angle adjustment. 12mm offset,

Material	3D forged one-piece 6061-T6 shaft
Spec	Ø27.2, Ø31.6
Length	300, 350mm
Offset	12mm
Weight	290g (Ø27.2 350mm)



SP-E002 ALLOY

Durable, strong, and good looking 3D forged seatpost. Double bolt clamp design for easy angle adjustment. 20mm offset, best used for Road.

Material	3D forged AL6061-T6 body AL6061-T6 clamp
Spec	Ø27.2, Ø31.6
Length	350, 400mm
Offset	20mm
Weight	330g (Ø31.6 350mm)



SP-DX001 ALLOY

Extreme lightweight full CNC aluminum seatpost. Great aesthetics and unique design. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

Material	AL6066-T6 full CNC made
Spec	Ø27.2, Ø31.6
Length	350, 400mm
Offset	0mm
Weight	147g (Ø31.6 350mm)



SP-S002 SP-S002-DI2 CARBON / ALLOY

Lightweight carbon seatpost with aluminum head design. Includes our carbon top clamp design. Great choice for durable but lightweight seatpost. Double bolt clamp design for easy angle adjustment. 20mm offset, best used for Road.

Material	AL6061-T6 body UD Carbon tube Carbon saddle clamp
Spec	Ø27.2, Ø30.9, Ø31.6
Length	350, 400mm
Offset	20mm
Weight	235g (Ø31.6 350mm)

Pass EFB test

EFBE
PRÜFTECHNIK

P1206037 / P1206038
Pass overload 300 kg

AC-S007 ALLOY

A lightweight seatpost shim to fit your seatpost in an oversized seat tube.

Material	AL6061-T6
Spec	OD Ø31.6mm x ID Ø30.9mm (Length: 90mm) OD Ø31.6mm x ID Ø27.2mm (Length: 90mm) OD Ø30.9mm x ID Ø27.2mm (Length: 90mm)
Weight	9g - 41g
Color	Black, Silver



Technology | BRAKE

Fouriers cooperates with one of the best bicycle teams in the world to create unique and high performance brakes with great care in the aesthetics and details. We finish our high-end brakes with SWISS STOP® brake shoes to ensure quality performance.

BR-DX005 is our renowned aero V-brake used for Propel bikes. It was made at request of top tier athletes and used with great success.



Marcel Kittel's yellow Giant® Propel Bike



BR-DX005

Full CNC aero V-brake. Used by one of the best bicycle teams in the world for its lightweight and aerodynamic qualities. It features a quick width switch for different rim width and can fit 25mm tires. Finished with SWISS STOP® brake shoes.

Material AL6061-T6 full CNC made
Weight 270g/set
Color Anodized Black

Fits GIANT® PROPEL
 Direct mount aero V brake/Liner spring adjustment system
 Quick width switch for different rim width with SWISS STOP® brake shoes



BR-S005

Forged propel aero V-brake. Used by one of the best bicycle teams in the world for its lightweight and aerodynamic qualities. It features a quick width switch for different rim width and can fit 25mm tires.

Material AL6061-T6 3D forged
Weight 270g/set
Color Anodized Black

Fits GIANT® PROPEL
 Direct mount aero V brake/Liner spring adjustment system
 Quick width switch for different rim width



BR-DX001

Extreme lightweight full CNC caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion. The brake is finished with a titanium bolt and SWISS STOP® brake shoe. For Road.

Material AL6066-T6
Brake shoes CNC cassette
Bolt Main bolt ti-64
Dimension c-c 39-51mm
Weight 210g/set
Color Anodized Black, Red, Gray



BR-S003

Extreme lightweight forged caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion. For Road.

Material AL6066-T6 forged made
Brake shoes Forged cassette
Bolt Main bolt Cr-mo
Dimension c-c 39-51mm
Weight 230g/set
Color Anodized Black, Red, Gray

BRAKE SYSTEM



BR-S001

Full CNC made canti-brake. Has an unique shape and is very light weight. Spring power is adjustable for more balanced braking power. For cyclo-cross.

Material AL6061-T6
Weight 205g/set
Color Black, Silver, Red



BR-S002

Full CNC made canti-brake. Has an unique shape and is very light weight. Spring power is adjustable for more balanced braking power. For cyclo-cross.

Ultra 6 cross: Recommended for use on front wheel.
 Ultra 7 cross: Recommended for use on rear wheel.

Material AL6061-T6
Weight 210g/set
Color Black, Silver, Red



Balance spring power adjustable

BR-DX002

CNC machined V-Brake. Unique shape and light weight. Has an adjustable spring power. **For MTB.**

Material AL7075-T6
Weight 300g/set
Color Anodized Black



BR-S006

Route your existing brake cable and housing from your current drop levers through these ergonomic lever. Allows you to control your speed from multiple hand positions. Can use independently. Split clamp for easy installation. Adjustable reach and return spring

Material AL6061-T6 forged.
For Ø31.8 handlebar
Weight 128g/pair
Color S.B Black, Silver

Canti or caliper compatibility. With Ø24mm shim
 Design by TOKYO SAN-ESU



BR-DX003

Full CNC machined. Light weight design V-brake lever. Fits SHIMANO® standard brake cable.

Material AL6066-T6
Weight 70g/pair
Color Anodized Black, Red

For Ø24 handlebar with Ø22.2 shim



BR-DX004

Full CNC machined. Light weight design brake lever. For Caliper-brake lever, Cantibrake lever, Mini V-brake lever fits SHIMANO® standard brake cable.

Material AL6066-T6
Weight 85g/pair
Color Anodized Black, Red

Canti or caliper compatibility
 For Ø24 handlebar with Ø22.2 shim

BRAKE PAD



BR-E001

Full CNC made with titanium bolt. Special brake pads for carbon rims. Adjustable angle with curve washer.

Material AL6066-T6
Weight 59g/bike
Color Anodized Black, Silver, Red

Compatible with SHIMANO® caliper system



BR-E006

Forged with CNC finish. Stainless steel bolts and special brake pads for alloy rims. Adjustable angle with curve washer.

Material AL6066-T6
Weight 71g/bike
Color Anodized Black, Silver, Red

Compatible with SHIMANO® caliper system



BR-E007

Forged with CNC finish. Stainless steel bolts and special brake pads for alloy rims. Adjustable angle with curve washer. For caliper brake.

Material AL6066-T6
Weight 70g/bike
Color Anodized Black, Silver, Red

Compatible with SHIMANO® caliper system



BR-E008

Brake pads. Excellent performance in all weather conditions, no matter if it's raining or sunny outside. Fits with Aluminum rims.

Fits SHIMANO® & SRAM®
Rims Aluminum
Weight 13g/wheel
Color Black, Red



BR-E002

Full CNC made with stainless steel bolt. Adjustable angle with curve washer. **+5mm offset** to avoid touching the **fork** when releasing wheel. For canti-brake.

Material AL6066-T6
Weight 77g/wheel
Color Black, Silver, Red

Compatible with double plate canti brake system



BR-E003

Full CNC made with stainless steel bolt. Adjustable angle with curve washer. **-5mm offset** to avoid touching the **seat stay** when releasing wheel. For canti-brake.

Material AL6066-T6
Weight 77g/wheel
Color Black, Silver, Red

Compatible with double plate canti brake system



BR-E004

Forged with CNC finish. Stainless steel bolt. Adjustable angle with curve washer. For canti-brake.

Material AL6061-T6
Lenth 62mm
Weight 77g/bike
Color Black, Silver, Red

Compatible with double plate canti brake system




BR-E005

Forged with CNC finish. Stainless steel bolt. Adjustable angle with curve washer. For canti-brake.

Material AL6061-T6
Lenth 62mm
Weight 77g/bike
Color Black, Silver, Red

Compatible with double plate canti brake system

DISC ROTOR & ADAPTOR



BR-DSK001

Disc brake rotor. Two piece design, stainless steel disc with aluminum center piece. Compatible with the international standard 6 hole (IS mount).

Material	Stainless steel disc AL6061 CNC made body
OD Size	Ø140mm, Ø160mm, Ø180mm, Ø203mm
Weight	136g (Ø180mm)
Thickness	1.7mm
Color	(Body) S.B Anodize Red, Ti-coating (Ring) Stainless, Ti-coating

BR-DC001

Disc brake rotor. Two piece design, stainless steel disc with aluminum center piece. Compatible with the international standard 6 hole (IS mount).

Material	Stainless steel disc AL6061 CNC made body
OD Size	Ø160mm, Ø180mm
Thickness	1.7mm
Weight	157g (Ø180mm)
Color	(Body) S.B Anodize Red (Ring) Stainless, Ti-coating



ADP-PM001

Adaptor to mount larger disc brake rotor. Fits 74mm post mount caliper and post mount fork.

Material	AL6061-T6: CNC made
Post Mount	74mm
Spec	140mm to 160mm 160mm to 180mm
Weight	11g/pcs
Color	S.B. Anodized Black, Red, Gray




ADP-PM002

Adaptor to mount larger disc brake rotor. Fits 74mm post mount caliper and post mount fork.

Material	AL6061-T6: CNC made
Post Mount	74mm
Spec	160mm to 203mm
Weight	23g/pcs
Color	S.B. Anodized Black, Red, Gray





CR-DX008-SKII

The evolution of 40/42T rear sprocket. A two piece design made for a stable and durable drivetrain. The teeth is made from very strong Cr-mo heat treated steel and body from AL6066 for its stiff- and lightness.

Challenge steep climbs and modify your SHIMANO cassette with the Mage SK2 40/42T sprocket. Recommended for 1x and 2x drivetrain systems. Comes with longer B-tension screw and redesigned 16T sprocket (CR-S005-16) for smoother shifting and tooth ratio. For installation take out the 15T & 17T sprocket and install the 16T between the 13T and 19T. Add the 40/42T after the largest sprocket.

Material	Sprocket Cr-mo ASM4130 heat treated (a) AL6066-T6: CNC made body (b) CR-S005-16(16T): forged Cr-mo ASM4130 heat treated
Spec	40T or 42T
Weight	110g (40T)/115g (42T)
Color	(a) Body: S.B Anonized Black, Red, Gold, Blue, Apple Green, Orange (b) CR-S005-16 (16T): N.E.N finish



CR-DX008-SKIII

Non-stop evolution of high-tech product leads ahead like a bike fanatic would to the top of his potential. The new designed SK3, not only provides better transmission, but also has the same stiffness and performance as last generation.


Challenge steep climbs and modify your SHIMANO cassette with the Mage SK3 40/42T sprocket. Recommended for 1x and 2x drivetrain systems. Comes with longer B-tension screw and redesigned 16T sprocket (CR-S005-16) for smoother shifting and tooth ratio. For installation take out the 15T & 17T sprocket and install the 16T between the 13T and 19T. Add the 40/42T after the largest sprocket.

Material	Sprocket AL7075-T651 (a) AL6066-T6: CNC made body (b) CR-S005-16(16T): forged Cr-mo ASM4130 heat treated
Spec	40T or 42T
Weight	100g (40T)/110g (42T)
Color	(a) Body: S.B Anonized Black, Sprocket: S.B Anonized Red, Gold, Blue, Apple Green, Orange (b) CR-S005-16 (16T): N.E.N finish

CHAIN RING

Fouriers MageSK cassette cog and our 16T sprocket can be mounted on Shimano 10-speed (11-36t or 11-34t) cassettes. No matter if you ride a 1x or 2x system, the MageSK cassette cog will run smoothly. Take out the 15t and 17t sprocket and its space, You just made space in your 10speed cassette for two new sprockets. Add our 16T sprocket in between the 13T and 19T and add the 40/42T sprocket on the back of the cassette.

We recommend the following Shimano cassettes: XTR, XT




FS-C3

Chainring Set

This set includes our narrow wide chainring (CR-DX003-AH), chain guide clamp (CT-FD001) and bash guard (CG-DX002). It's the complete solution for a 1x system that will never drop a chain.


Spec	30T, 32T, 34T, 36T, 38T, 40T
P.C.D	Ø104mm
Color	(Bash Guard) Black, Red, Blue (Chain Guide) Black, Red, Blue w/ Black Plastic



CG-DX002


Full CNC light weight bash guard. Protect your chainring with minimal material. For MTB.

Material	AL6061-T6
P.C.D	Ø104mm
Size	30T - 32T (OD: 147mm) 34T - 36T (OD: 160mm) 38T - 40T (OD: 180mm)
Weight	85g (34T)
Color	Anodized Black, Red, Blue



Wave Technology

Wave shape profile on the chain side for snug fit.




Teardrop holes

Teardrop cut holes for better mud clearance.

Narrow wide teeth

Alternating thick and thin shapes to tightly fit chainring.


Full CNC made narrow wide chainring for 1x system. Narrow wide teeth together with our snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut holes for mud clearance.



CR-DX8000

Narrow Wide chainrings for XT M8000 11 speed With Narrow wide teeth, Teardrop holes, Wave Technology design.


Material	AL-7075-T651
P.C.D	Ø96mm
Teeth	30T, 32T, 34T, 36T
Weight	46g (34T)
Color	S.B Black, Red, Blue



CR-DX8000-OV

Narrow Wide Oval chainrings for XT M8000 11 speed crank Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.

Material	AL-7075-T651
P.C.D	Ø96mm
Teeth	34T, 36T
Weight	83g (34T)
Color	S.B Black, Red, Blue



CR-DX9000

Narrow Wide chainrings for XTR M9000/M9020 11 speed crank with custom made crank cover caps. With Narrow wide teeth, Teardrop holes, Wave Technology design.


Material	AL-7075-T651
P.C.D	Ø96mm
Teeth	30T, 32T, 34T, 36T
Weight	46g (34T)
Color	S.B Black, Red, Blue



CR-DX9000-OV

Narrow Wide Oval chainrings for XTR M9000/M9020 11 speed crank with custom made crank cover caps. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.


Material	AL-7075-T651
P.C.D	Ø96mm
Teeth	34T, 36T
Weight	83g (34T)
Color	S.B Black, Red, Blue



CR-GXP01

One piece full CNC machined GXP chainring, Narrow wide teeth with our snug fit wave design and CNC cut holes for mud clearance. Compatible with SRAM® XX1/X0/X9 and GXP cranks.


Material	AL7075-T651
Teeth	30T, 32T, 34T, 36T, 38T
Weight	105g (34T)
Color	S.B Black, Red, Blue



CR-DX009-CM

The evolution of narrow-wide single front chainrings. Made by Cr-mo heat treated steel for long lasting durability with pin point CNC finish. This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.


Material	Cr-mo heat treated steel
P.C.D	Ø104mm
Teeth	32T, 34T, 36T, 38T
Weight	125g (34T)
Color	N.E.N, Ti-coating



CR-DX003-X1

With Narrow wide teeth, Teardrop holes, Wave Technology design. For SRAM® XX1 system


Material	AL7075-T651
P.C.D	Ø76mm
Teeth	30T, 32T, 34T, 36T
Weight	57g (34T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-DX005-110

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross


Material	Alloy 7075-T651: CNC made
P.C.D	Ø110 mm
Teeth	38T, 40T, 42T
Weight	81g (38T)
Color	S.B. Anodized Black, Red, Blue



CR-DX006-130

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross

Material	Alloy 7075-T651: CNC made
P.C.D	Ø130mm
Teeth	38T, 40T, 42T
Weight	81g (38T)
Color	S.B. Anodized Black, Red, Blue



CR-E1-120S

Full CNC made narrow wide chainring for 1x system. With Narrow wide teeth design.


Material	AL7075-T651
P.C.D	Ø120mm
Teeth	36T, 38T, 40T
Weight	85g (38T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-DX003-AH

Full CNC made narrow wide chainring for 1x system. Narrow wide teeth together with our snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut holes for mud clearance. For P.C.D 104mm x 4 arms standard.


Material	AL7075-T651
P.C.D	Ø104mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T
Weight	57g (34T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-E1-104S

Full CNC made narrow wide chainring for 1x system. For P.C.D 104mm x 4 arms standard.


Material	AL7075-T651
P.C.D	Ø104mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T
Weight	57g (34T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-DX010-96

Full CNC made narrow wide chainring for 1x system. Narrow wide teeth together with our snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut teardrop holes for mud clearance. Special made for P.C.D 96mm x 4 arms standard.


Material	AL7075-T651: CNC made
P.C.D	Ø96mm
Teeth	32T, 34T, 36T, 38T
Weight	52g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-96S

Full CNC made narrow wide chainring for 1x system. For P.C.D 96mm x 4 arms standard.


Material	AL7075-T651: CNC made
P.C.D	Ø96mm
Teeth	32T, 34T, 36T, 38T
Weight	52g (34T)
Color	S.B Anodized Black, Red, Blue



CR-DX007-OV

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect. N/W tooth design with our snug wave design have extreme chain retention qualities, CNC cut holes for mud clearance.

Material	AL7075-T651
P.C.D	Ø104mm
Teeth	34T, 36T
Weight	79g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX007-OV

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect. Full CNC made narrow wide chainring for 1x system.

Material	AL7075-T651
P.C.D	Ø104mm
Teeth	34T, 36T
Weight	79g (34T)
Color	S.B Anodized Black, Red, Blue

CHAIN KEEPER



AC-S003

Use this chain catcher to protect your bottom bracket from chain suck during high speed riding. Special design with carbon wrapping.

Material	AL6061-T6 Carbon coating
Range	39T - 53T, 34T - 50T
Weight	7.5g (without bolt)
Color	Carbon 3K



AC-DX002

Use this aluminum chain catcher to protect your bottom bracket from chain suck during high speed riding. Very light design.

Material	AL6061-T6
Range	39T - 53T, 34T - 50T
Weight	5.5g (without bolt)
Color	Black, Red, Gold, Gray, Blue, Apple Green, Orange



AC-DX002-TM

Use this aluminum chain catcher to protect your bottom bracket from chain suck during high speed riding. Very light design with magnet for SRM® powermeter.

Material	AL6061-T6
Range	39T - 53T, 34T - 50T
Weight	6.5g (without bolt)
Color	Black, Red, Gold, Gray, Blue, Apple Green, Orange




HA-S018-DI2

SHIMANO® Di2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a cleaner and professional look.

Material	AL6061-T6: CNC made
For	Ø28.6 Fork/Ø31.8 Fork
Angle	6° & 17°
C-C Length	42/45/50/55/60
Weight	6.5g
Color	Black, Red, Gray

Compatible with SHIMANO® Di2 Junction



HA-S016-D12

SHIMANO® Di2 Junction adapter. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a cleaner and professional look.

Material	Nylon body, AL6061-T6 spacer
For	Ø28.6 fork
Angle	6° & 17°
C-C Length	32/44
Weight	7g / pcs
Color	Black

Compatible with SHIMANO® Di2 Junction



CHAIN GUIDE



CT-DX006

Lightweight chain guide and bash guard. Dual guide for 2X system/direct mount bash guard integrated to protect your drivetrain. Plastic roller design.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	28T - 40T
Weight	142g
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-DX009

Lightweight enclosed chain guide with bash guard. Perfect for 1x system. The redesigned bash guard effectively protects the chainring and easily glides over rocks and obstacles.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Thickness	5mm
Range	32T - 38T
Weight	116g (With out adapter)
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount

CHAIN GUIDE



CT-DX010

Perfect for 1x system drivetrains, specially for enduro bikes. Top part also functions as a chain catcher. The redesigned bash guard effectively protects the chainring and easily glides over rocks and obstacles.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Thickness	5mm
Range	32T - 38T
Weight	74g
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-DX011

Designed for MTB 1x system drive train. Special design for 28t-32t chainrings to avoid chain drops during heavy use. Simple but effective!

Material	ALOY 6061T6 CNC made
Spec	ISCG/ISCG 05
Size	28t-32t
Thickness	5mm
Weight	52g
Color	S.B Anodized Black, Red, Blue

Bottom bracket (BB) adapter included for e type BB mount



CT-DX008

Full CNC chain guide with enhanced stiff body of body and double bearing shaft nylon guide. Compatible with single and multiple speed systems.

Material	AL 6061-T6
Spec	ISCG or ISCG-05
Thickness	5mm
Range	32T - 38T
Weight	95g
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-DX004

Chain guide design for MTB 1x9 or 1x10 Drive train. Light weight design and very strong enclosed plastic top chain guide. Easy to adjust from 32T to 40T. Includes spacer to adjust chainline. Only fits BB e-type mounts versions.

Material	AL6061-T6
Spec	Fits e-type bottom brackets
Teeth	32T - 40T
Weight	80g
Color	S.B Anodized Black, Red



CT-FD001

Seat tube clamp chain guide, prevents the chain from dropping off the upper side.

Material	AL6061-T6
Spec	Ø34.9mm, Ø31.8mm
Weight	40g
Color	S.B Anodized Black, Red, Blue w/ Black Plastic



CT-FD002

Seat tube clamp chain guide, prevents the chain from dropping off the upper side.

Material	AL6061-T6
Spec	Ø34.9mm, Ø31.8mm
Weight	76g
Color	S.B Anodized Black, Red, Blue w/ Black Plastic

CHAIN GUIDE



CT-DX001

Lightweight chain guide with fully incased cage so there is no need for a bash plate. Has an aluminum back plate with strong-hardened plastic material for the top and bottom guides. For 1x system.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 40T
Weight	142g (without adapter)
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-E1-DX001

Fully incased cage so there is no need for a bash plate. Has an aluminum back plate with strong-hardened plastic material for the top and bottom guides. For 1x system.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 40T
Weight	152g
Color	S.B Anodized Black, Red



CT-DX002

Super lightweight chain guide with half caged upper arm guide design. Recommended to use with bash guard. Has an aluminum back plate with strong hardened plastic material for the top and bottom guides.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 40T
Weight	141.5g (without adapter)
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-E1-DX002

Half caged upper arm guide design. Recommended to use with bash guard. Has an aluminum back plate with strong hardened plastic material for the top and bottom guides.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 40T
Weight	169g
Color	S.B Anodized Black, Red



CT-DX005

Lightweight enclosed chain guide and bash guard for 1x system. Includes plastic roller. Bash guard made by strong plastic material from Switzerland.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 38T
Weight	210g
Color	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount




CT-E1-DX005

Chain guide and bash guard for 1x system. Includes plastic roller. Bash guard made by strong plastic material from Switzerland.

Material	AL6061-T6
Spec	ISCG or ISCG-05
Range	32T - 38T
Weight	220g
Color	S.B Anodized Black, Red



Fix SRAM® GXP spider & GXP chainring.



CK-GXP11



The G.Impact is 100% made by Alloy 7075 aluminum material. The arm is ultra lightweight with superior strength. Developed for maximum chain control, each tooth's thickness is precisely CNC-machined. Circle spider can convey more efficient power and As to withstand impact. Inclusion GXP system.

Material AL7075-T651
Length 175mm, 180mm
BB options Pressfit 89.5 & 92
Color Black, Gray

CR-GXP104

Full CNC made spider adapter for P.C.D Ø104 chainring compatible with SRAM® XX1/X0/X9 and GXP cranks.

Material AL 7075-T651
Weight 55.5g
Color S.B Anodized Black, Red, Blue



BB-DX001



Fit PressFit 30 frame (Ø46mm x 68/73mm) Eccentric 8mm from bottom bracket center to crankset center. Enduro® bearings inside for top class quality.

Material AL6061-T6
With Enduro® seal bearing (Ø37 x Ø25 x 7mm) x 2
Weight 151g/set




BB-S001




Fit PressFit 30 frame (Ø46mm x 68/73mm) to BB30 crankset (30mm axle). Enduro® bearings inside for top class quality.

Material Plastic bearing cup, alloy side cover
Spacer 2.5mm spacer x 2, 0.5mm spacer x 3
Weight 83g/set



Product name	Product diameter	Frame	bottom bracket diameter
BB-S001-010	Ø46	+0.13	Ø46 +0.1
		+0.11	+0.06
BB-S001-005	Ø46	+0.08	Ø46 +0.05
		+0.06	+0.01
BB-S001-001	Ø46	+0.06	Ø46 +0.0 (Standard)
		+0.02	-0.05



HA-S014

For stem front cap (Screw center distance: 9 - 33mm)
 Compatible with GARMIN Edge® & MIO® & GoPro®
 Fits all Fouriers stems


Material AL6061-T6
Weight 40g
Color S.B. Anodized Black, Red, Gray



HA-S017

Compatible with GARMIN Edge® 1000 & MIO®
 For Ø31.8 handle bar. Arm length adjustable.
 With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2

Material AL6061-T6 body, plastic adapter
Weight 41g
Color Sandblast Black Anodize



HA-GAMPR01

Compatible with GARMIN Edge® 1000 & MIO® & GoPro®
 For Ø31.8 handle bar. Arm length adjustable.
 With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2

Material AL6061-T6 body, plastic adapter
Weight 71g
Color Sandblast Black Anodize



COMPUTER MOUNT



HA-S011

Compatible with GARMIN Edge® & MIO®
For Triathlon arm rest Ø22.2 tube

Material AL6061-T6 body, plastic adapter
Weight 42.5g
Color S.B. Anodized Black, Red, Gray body
Black Plastic Adapter



HA-S012

Compatible with GoPro® For Ø31.8 handle bar
With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2

Material AL6061-T6 body
Weight 50g/set
Color S.B. Anodized Black body



HA-S002 CARBON

For Ø31.8mm, Ø35mm handlebar
Ø26 Carbon tube for computer mounting

Material AL6061-T6
Spec Ø31.8, Ø35
Weight 34g



HA-S015

Compatible with SRM® Power Control 7
For Triathlon arm rest Ø22.2 tube

Material AL6061-T6
Size 22.2mm
Weight 22g
Color S.B. Anodized Black



TRI-BAR

HB-TR003

Fixed arm pads. Arm rest height adjustable with 20-60mm adapter.

Material AL6061-T6
Weight 470g/set

Triathlon arm rest
For Ø31.8 handlebar
Option: Carbon - S tubes, J1 tubes, J2 tubes, I tubes
Alloy - S tubes, J1 tubes, J2 tubes, JS tubes

HB-TR003-101

With Alloy fiber S tube
Angle 17°/340mm
(Only order Alloy S tube: HB-TUB-101)



HB-TR003-101C

With Carbon fiber S tube
Angle 17°/340mm
(Only order Carbon S tube: HB-TUB-101C)



HB-TR003-201

With Alloy fiber J1 tube
Angle 17°/310mm
(Only order Alloy J1 tube: HB-TUB-201)



HB-TR003-201C

With Carbon fiber J1 tube
Angle 17°/310mm
(Only order Carbon J1 tube: HB-TUB-201C)



HB-TR003-301

With Alloy fiber J2 tube
Angle 50°/300mm
(Only order Alloy J2 tube: HB-TUB-301)



HB-TR003-301C

With Carbon fiber J2 tube
Angle 50°/300mm
(Only order Carbon J2 tube: HB-TUB-301C)



HB-TR003-401

With Alloy fiber JS tube
Angle 17°/180mm
(Only order Alloy JS tube: HB-TUB-401)



HB-TR003-401C

With Carbon fiber I tube
Angle 0°/300mm
(Only order Carbon I tube: HB-TUB-401C)



Comes with an adapter to change the height



TRI-BAR

HB-TR001

Spring loaded aluminum arm pads that swing up and out of the way when you aren't using them. Very convenient for maintaining all your varied hand positions.

Material AL6061-T6
Weight 507g/set

Triathlon armrest
For Ø31.8 handlebar
Option: Carbon - S tubes, J1 tubes, J2 tubes, I tubes
Alloy - S tubes, J1 tubes, J2 tubes, JS tubes

HB-TR001-101

With Alloy fiber S tube
Angle 17°/340mm
(Only order Alloy S tube: HB-TUB-101)



HB-TR001-101C

With Carbon fiber S tube
Angle 17°/340mm
(Only order Carbon S tube: HB-TUB-101C)



HB-TR001-201

With Alloy fiber J1 tube
Angle 17°/310mm
(Only order Alloy J1 tube: HB-TUB-201)



HB-TR001-201C

With Carbon fiber J1 tube
Angle 17°/310mm
(Only order Carbon J1 tube: HB-TUB-201C)



HB-TR001-301

With Alloy fiber J2 tube
Angle 50°/300mm
(Only order alloy J2 tube: HB-TUB-301)



HB-TR001-301C

With Carbon fiber J2 tube
Angle 50°/300mm
(Only order Carbon J2 tube: HB-TUB-301C)



HB-TR001-401

With Carbon fiber JS tube
Angle 17°/180mm
(Only order alloy JS tube: HB-TUB-401)



HB-TR001-401C

With Carbon fiber I tube
Angle 0°/300mm
(Only order Carbon I tube: HB-TUB-401C)



Armrests automatically swing up



WATER BOTTLE




WBC-BE002-E

The Fouriers® GOLF DIMPLE Bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle.

Material	LDPE
Volume	600cc
Weight	60g
Color	Black, Red, White, Transparent, Yellow (China)



AERO-DYNAMIC DIMPLE SURFACE
Similar to golfballs, the dimple surface adds additional airpenetration for greater aero-dynamics.

WATER BOTTLE CAGE



WBC-DX002 CARBON

Featherlight carbon fiber water bottle cage with arc design for smooth bottle removal.

Material	Carbon fiber
Weight	31g
Color	UD



WBC-S003 NYLON

Basic water bottle cage. Two arm design with a plastic connector. The flexibility smoothens bottle storage.

Material	Nylon
Weight	37g
Color	BK



WBC-S001 CARBON

Special designed aero dynamic water bottle cage. Cages includes the water bottle. L size can hold up to 600cc and S size 300cc of water.

Material	Carbon UD cage+ Plastic water bottle
Volume	(L) 600cc, (S) 300cc
Weight	(L) 82.5g, (S) 62.5g, (CAGE) 26g



QUICK RELEASE



QR-S003

Aluminum full CNC machined axle and lever quick release for thru-axle system.

Material AL7075 axle/AL7075 lever
Spec Ø12mm axle/135mm, 142mm, 148mm, 150mm HUB
 Ø15mm axle with nut
Option M12 x 1.0mm/M12 x 1.75mm with nut
Weight 76g/pcs (150mm)
Color Black, Red

HUB	AXLE	SPEC
135	168	M12 x 1.75
142		
(SHIMANO®)	171	M12 x 1.5
148		
(SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75



QR-S006

Heavy duty use quick release for thru-axle system. Full CNC machined aluminum lever can be repositioned by simple lift and lock.

Material AL7075 axle/AL6061 lever
Spec Ø12mm axle/135mm, 142mm, 148mm, 150mm HUB
 Ø15mm axle with nut
Weight 75g - 86g
Color Black, Red


Max force to 150kgf-cm

HUB	AXLE	SPEC
100	146	M14 x 1.5
135	168	M12 x 1.75
142		
(SHIMANO®)	171	M12 x 1.5
148		
(SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75



QR-DX001

Material Alloy with carbon fiber lever
 Cap washer and nut anodized finish
 Titanium axle ED black finish
 (F)100mm (R)130mm, 135mm
Weight 43g/set (ROAD BIKE)/46g/set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB



QR-E001

Material Alloy lever made anodized finish
 /10B21 axle
 (F)100mm (R)130mm, 135mm
Weight 112g/set (ROAD BIKE) /115g/set (MTB)
Color Black, Silver
For ROAD BIKE or MTB



QR-E002

Material Aircraft aluminum lever, Cr-mo axle
 (F)100mm (R)130mm, 135mm
Weight 124.5 - 126.5g/set
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB



QR-S001

Material Alloy full CNC machined lever
 Cap washer and nut anodized finish
 Titanium axle ED black finish
 (F)100mm (R)130mm, 135mm
Weight 45g/set (ROAD BIKE) /47g/set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB



QR-S002

Material Alloy full CNC machined lever
 Cap washer and nut anodized finish
 Titanium axle ED black finish
 (F)100mm (R)130mm, 135mm
Weight 53.0g/set (ROAD BIKE) /56.0g/set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB



QR-S005

Material Alloy and Carbon bonded lever
 Cr-mo axle
 (F)100mm (R)130mm, 135mm
Weight 112g (ROAD BIKE), 114g (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB



CR-S001

Design for a cassette hub to convert your bike into a single speed. Cog is made by harden cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Different sizes are available to cover most riders needs.

Material Cold forged Cr-mo heat treated steel (ASM4140)
N.E.N finished

Teeth 12T - 23T

For cassette HUB
With lock ring x 1pcs & 10mm x1, 5mm x2, 3mm x3 Spacer



CR-S002

Design to mount onto a 6 bolt disc-hub. This converts your bike into a fixed gear using the special adapter to fix on SHIMANO® cassette style hubs. The adapter is made from a lightweight alloy 6061-T6 disc. The cog is made from hardened cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Comes with 6 stainless bolts.

Material Cold forged Cr-mo heat treated steel (ASM4140) and AL6061-T6 for the adapter
N.E.N finished cog/Red anodize adapter

Spec Use for disc HUB 6 hole and cassette HUB

Teeth 16T - 23T

Weight 56g/set - 103g/set



COMPONENTS

DIMPLE DESIGN REDUCE VIBRATION SILICONE MATERIAL NON SLIP GRIP



GP-S001


New special material provides you more comfort when handling, especially with sweating hands, you don't feel slip. Use the dimple surface to perform more better aerodynamic and has great friction.

Material	Silicone Rubber foam
OD	30mm
Length	130mm
Color	



BP-S001

New design PU material allows a better and more comfortable grip in any weather condition.

Spec	3cm x 200cm
Thickness	2.5mm & 3.0mm
Color	 3.0mm 2.5mm

CT-DX007

Oversize derailleur cage with 11T upper and 15T lower pulley. Pulleys are full CNC made from aluminum 7075. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® RD 9000/9070/6800.

Material AL6061-T6 Cage & AL7075-T651 Pulley
Weight 70g/set
Color Black Anodize Cage/Red Anodize Pulley/Black Anodize Pulley

For SHIMANO® RD 9000/9070/6800



AC-DX003 (SPACO)

Unique cassette spacer for downhill riders. Professional downhill riders don't need bigger sprockets in their rear cassette. Riders use max 7 speed. Spaco replaces these bigger and heavier sprockets and adds more flare to your bike.

Material AL6061-T6
Spec Max 19T Compatible with SHIMANO® CS-6700
 Max 24T Compatible with SHIMANO® CS-M771-10
Weight 20g
Color Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CT-SSP-611

Converts any multi-speed bike to a single speed. Its special light weight design adjusts the chain tension and chainline.

Material AL6061-T6
Teeth 16T, 18T
Color Black

Outline spring design



SEAT CLAMP



Oval Hole For Carbon

SCL-S001

Double M5 bolt. Chamfer edge & oval hole design to protect carbon frames & seatposts. Rubber cover helps prevent dust and water from getting into the seat tube.

Material	AL6066-T6
Spec	Ø31.8mm (Fix Ø27.2 Seatpost)/Ø34.9 (Fix Ø31.6 Seatpost)
Height	17.5mm
Weight	(Ø31.8) 24g/(Ø34.9) 27g
Color	Black, Silver, Red, Gray



Oval Hole For Carbon

SCL-QX001

Seat clamp with ultra-lightweight and rounded quick release. Chamfer edge & oval hole design to protect carbon frames.

Material	AL6061-T6
Spec	Ø31.8mm, Ø34.9mm
Height	16mm
Weight	(Ø31.8) 28g/(Ø34.9) 30.5g
Color	Black, Silver, Red, Gold, Gray



SCL-DN001

Special double nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

Material	AL6061-T6
Spec	Ø31.8mm, Ø34.9mm
Height	14mm
Weight	(Ø31.8) 17.5g/(Ø34.9) 18.5g
Color	Black



Oval Hole For Carbon

SCL-QX002

Seat clamp with ultra-lightweight and sleek quick release. Chamfer edge & oval hole design to protect carbon.


Material	AL6061-T6
Spec	Ø31.8mm, Ø34.9mm
Height	16mm
Weight	(Ø31.8) 26g/(Ø34.9) 29g
Color	Black, Silver, Red, Gold, Gray



SCL-E001

Special nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

Material	AL6061-T6
Spec	Ø31.8mm, Ø34.9mm
Height	11mm
Weight	(Ø31.8) 22.5g/(Ø34.9) 23.2g
Color	Black, Silver




SCL-QE001

(P.A.T)

Special seat clamp with a screw that can't be disassembled for the security of your seat post installation.


Material	AL6061-T6
Spec	Ø31.8mm, Ø34.9mm
Height	13.5mm
Weight	(Ø31.8) 110g/set/(Ø34.9) 113g/set
Color	Black, Silver

HEADSET & SPACER



HA-S008

Material Top cover AL6061-T6
Spec Integrated 1-1/8" Upper/1.5" Bottom
 (UP) Ø28.6 x Ø41.8/(DOWN) Ø51.8 x Ø39.5
Bearing (UPPER) 41.8 x 45° x 8 (LOWER) 51.8 x 45° x 8
Weight 78g/set
Color Black



HA-S009

Material Top cover AL6061-T6
Spec Integrated 1-1/8" Upper/1-1/8" Bottom
 (UP) Ø28.6 x Ø41.8/(DOWN) Ø28.6 x Ø41.8
Bearing Ø41.8 x 45° x 8
Weight 85g/set
Color Black



SR-S001 CARBON

Set of 4 spacers: 3, 5, 10mm, Taper Spacer
Diameter ID: Ø28.6mm/OD: Ø34mm
Material Carbon 3K/AL6061-T6 (Taper Spacer)
Weight 10.5g/set



SR-S002 CARBON

Set of 4 spacers: 3mm, 5mm, 10mm, Taper Spacer
Diameter ID: Ø28.6mm/OD: Ø34mm
Material Carbon 3K/AL6061-T6 (Taper Spacer)
Weight 8.3g/set



SR-S003

Set of 3 spacers: 5mm x 2pcs, 10mm x 1pcs.
Diameter ID: Ø28.6mm/OD: Ø36mm
Material Transparent Nylon
Weight 7.2g/set.
Color White, Blue, Orange, Light Orange, Green, Transparent, Light Pink, Purple, Yellow



SR-E001

Set of 4 spacers: 3mm, 5mm, 10mm, Taper Spacer
Diameter ID: Ø28.6mm/OD: Ø36mm
Material AL6061-T6
Weight 15.5g/set



SR-E002

Set of 4 spacers: 3mm, 5mm, 10mm, Taper Spacer
Diameter ID: Ø28.6mm/OD: Ø36mm
Material AL6061-T6
Weight 10.5g/set



SR-E003

Set of 4 spacers: 3mm, 5mm, 10mm, Taper Spacer
Diameter ID: Ø28.6mm/OD: Ø34mm
Material AL6061-T6: CNC Made
Weight 12g/set
Height 5mm
Color Black, Silver, Red, Gold, Gray



TOP CAP



HA-S005

Material AL6061-T6 with Alloy top cap
Spec Fit ID Ø22.0 - Ø25.0 fork
Length 50mm
Weight 62g/set
Top Cap Color Anodized Black, Sliver, Red, Gray, Gold



TC-S001

With stainless steel screws bolt

Material AL6061-T6 CNC finished
Spec Fit 1-1/8 fork
Weight 23g (without star nut)
Color Anodized Black, Silver



TC-S002 CARBON

With stainless steel screws bolt

Material AL6061-T6 CNC finished
Spec Fit 1-1/8 fork
Weight 23g (without star nut)
Color 3K



TC-S003 TITANIUM

With Titanium bolt

Material Titanium-64
Spec Fit 1-1/8 fork
Weight 9.5g (without star nut)



TC-S004

With stainless steel screws bolt

Material AL6061-T6 CNC made
Spec 1-1/8"
Weight 15g (with bolt)
Color Anodized Black



TC-S005

With stainless steel screws bolt

Material AL6061-T6 CNC made
Spec 1-1/8"
Weight 15g (with bolt)
Color Anodized Red



TC-S006

With stainless steel screws bolt

Material AL6061-T6 CNC made
Spec 1-1/8"
Weight 15g (with bolt)
Color Anodized Red



TC-S007

With stainless steel screws bolt

Material AL6061-T6 CNC made
Spec 1-1/8"
Weight 15g (with bolt)
Color Anodized Black



TC-E001

With stainless steel screws bolt


Material AL6061-T6
Spec Fit 1-1/8 fork
Weight 14.5g (without star nut)
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



TC-E002

With stainless steel screws bolt

Material AL6061-T6
Spec Fit 1-1/8 fork
Weight 14.5g (without star nut)
Color Anodized Black



X	Y	Z
50	47.5	65.5
90	47.5	105.5
120	47.5	135.5

HA-S007

Comes with long screw, top cap and spacers.

Material	AL6061-T6 body, Top cap, Spacer
Length	50mm (Adjust height 47.5mm - 65.5mm) 90mm (Adjust height 47.5mm - 105.5mm) 120mm (Adjust height 47.5mm - 135.5mm)
Weight	154g - 230g
Color	S.B Anodized Black



HA-S001 CARBON

Canti Brake cable hanger.
Carbon spacer can reduce brake noise.
For Ø28.6 fork tube

Material	Carbon 3K
Height	4mm
Weight	29g/set



AC-S002 CARBON

Adaptor for bar bore, available in 3 sizes. Carbon fiber has damping capacity to reduce vibration during riding.

Material	Carbon UD
Spec	OD Ø35mm to ID Ø31.8mm, OD Ø31.8mm to ID Ø26mm, OD Ø31.8mm to ID Ø25.4mm
Width	60mm
Weight	14g/set - 24g/set



AC-S001 CARBON

Adaptor for the fork tube Ø31.8mm to Ø28.6mm.

Material	Carbon UD
Spec	OD Ø31.8mm to ID Ø28.6mm
Length	38mm, 48mm, 58mm
Weight	10g/set - 16g/set



AC-A002

Adaptor for bar bore Ø35mm to Ø31.8mm


Material	Alloy 6061
Spec	OD Ø35mm to ID Ø31.8mm
Width	60mm
Weight	20g



AC-A001

Adaptor for the fork tube Ø31.8mm to Ø28.6mm.

Material	Alloy 6061
Spec	OD Ø31.8mm to ID Ø28.6mm
Length	38mm
Weight	15g



AC-DX001

Fits SHIMANO® 8-,9-,10- speed
CAMPAGNOLO® 9-,10- speed

Material	AL7075-T651 body, AL6061-T6 cap
Bearing	CR-steel seal bearing, ceramics bearing
Teeth	11T
Weight	21g/set
Color	Anodized Black, Silver, Red, Gold, Gray



AC-S004

SHIMANO® center lock disc hub adaptor. Change center lock disc hub to the international 6 bolt standard disc rotor.

Material	AL6061-T6 body and lock ring/ Stainless steel washer
Weight	41g/set
Body color	S.B Anodized Black, Silver

VALVE EXTENDER

VL-PE007

Tire Valve Extensions: Simple, air-tight installation without tape or threadseal, while reducing noise and vibration on the road. 1set=2pcs

Material AL6061-T6 Body, Nylon Ring
Length 38, 50, 60, 70, 80, 90, 100(mm)
Weight 2.2g/set - 16g/set
Color Anodized Black



VL-PE001

Presta valve extender CNC Machined, 1set=2pcs

Material AL6061-T6
Length 25, 38, 50, 60, 70, 80, 90, 100(mm)
Weight 2.2g/set - 16g/set
Color Anodized Black, Silver



VL-PE002

Presta valve extender, 1set=2pcs

Material AL6061-T6
Length 20, 30, 40, 50, 60, 70, 80, 90, 100(mm)
Weight 2.2g/set - 12g/set
Color Anodized Black, Silver



VL-PE003

Presta valve extender
 Only for Vittoria tubular tire, 1set=2pcs

Material AL6061-T6
Length 30, 40, 50, 60, 70(mm)
Weight 4.2g/set - 10.2g/set
Color Anodized Black, Silver



ADP-S001


Material AL6061-T6 full CNC made
Weight 17g
Color Anodized Black, Silver



VL-PE005

Disc wheel 90 degree adapter
 Fix Presta valve rim tire

Material AL6061-T6 CNC made
Weight 9.6g
Color Anodized Black, Silver



VALVE CAP & BOLT



VL-PE004

1 set = 2pcs

Material AL6061-T6, anodize finished
Spec Presta valve
Weight 2.9g/set
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange



VL-PE006

1 set = 2pcs

Material AL6061-T6 CNC made
Spec Both USA & Presta valve
Weight 7.0g/set
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange



BN-M001-SUS

1 set = 5 pair

Material Stainless
Spec M8 x 0.75
Width 4mm
Tool Allen wrench 5 mm
Weight 4g/pair



VL-US001

1 set = 2pcs

Material AL6061-T6 CNC made
Spec USA valve
Weight 18.7g/set
Color Anodized Black, Sliver, Red, Gold, Gray



VL-US002

1 set = 2pcs

Material AL6061-T6 CNC made
Spec USA valve
Weight 13.0g/set
Color Anodized Black, Sliver, Red, Gold, Gray



VL-US003

1 set = 2pcs

Material AL6061-T6 CNC made
Spec Presta change to USA valve
Weight 2.3g/set
Color Anodized Black, Sliver, Red, Gold, Gray



BN-M001

1 set = 5 pair

Material AL7075-T6 full CNC made
Spec M8 x 0.75
Width 7mm
Tool 5mm or Torx30
Weight 2.0g/pair (7mm)
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



BN-M002

1 set = 2 pcs


Material AL7075-T6 full CNC made
Spec M5 x 0.8
Length 10mm
Weight 1.3g/pcs
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green





BN-M003

1 set = 2 pcs

Material AL7075-T6 full CNC made
Spec M5 x 0.8
Length 17mm
Weight 1.3g/pcs
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



MUDGUARD



AC-MG001

Assemble on MTB suspension fork
Not available in Europe

Material Polypropylene (PP)
Thickness 0.8mm
Weight 28g
Color Black, Apple Green, Orange, Pink, White, Yellow



AC-MG003

Front fork mudguard can efficiently prevent mud splashes. This smart design has special cut lines on the belly side for customization. We use eco-friendly and recyclable PP (polypropylene) material. Choose out of six striking colors.

Material Polypropylene (PP)
Thickness 0.8mm
Weight 28g
Color Black, Apple Green, Orange, Pink, White, Yellow

Assemble on MTB suspension fork



AC-MG002

Assemble on saddle rail
Not available in U.S.A

Material Polypropylene (PP)
Thickness 0.8mm
Weight 19g
Color Black, Apple Green, Orange, Pink, White, Yellow

TOOLS & PROTECTION



TL-S001

Material	Heat treatment steel 6150 tool / Nylon body
Spec	4mm, 5mm, 6mm
Length	65mm, 80mm
Color	Body- Black, Blue, Red, Apple Green, Gray Ring- Yellow 6mm, Orange 5mm, Purple 4mm
Head type	Ball or Hex wrench




TL-ST001

Material	Heat treatment steel 6150 tool/Nylon body
Allen Wrench	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm
Weight	385g/set
Color	CP



TL-ST002-T

Material	Heat treatment steel 6150 tool/Nylon body
Allen Wrench	T10, T15, T20, T25, T27, T30, T40, T45, T50mm
Weight	268g/set
Color	ED




TL-ST003-M

Material	Heat treatment steel 6150 tool/Alloy body
Spec	Allen wrench 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, Torx T25, Slot, Philips
Weight	145g/set
Color	ED



AC-005-002

Anti-puncture frame protector	
Material	Polyurethane (PU)
Weight	8g



AC-S005-012

Anti-puncture frame protector	
Material	Polyurethane (PU)
Weight	15g



AC-S005-100

Anti-puncture frame protector roll	
Material	Polyurethane (PU)
Spec	(W) 100mm x (L) 1500mm
Weight	110.5g



AC-S006-001

Puncture protection tape	
Type: Road bike (700C)	
Material	Polyurethane (PU)
Spec	(W) 20mm x (L) 2090mm
Weight	37.5g

AC-S006-129

Puncture protection tape	
Type: MTB wheels	
Material	Polyurethane (PU)
Spec	(W) 31mm x (L) 2350mm
Weight	71.5g

FOURIERS POWER





UP





www.fouriers-bike.com