

PASSION  
DRIVEN  
INNOVATION

2018

富律業  
**FOURIERS**

# PASSION DRIVES INNOVATION.

Fouriers Bicycle Components is an exceptional Taiwanese manufacturing company. Behind Fouriers is a family firm of engineers and riders with a passion for bicycles and more than 20 years experience in developing and manufacturing high-end bike components. Fouriers was created with the intention to share our experience and passion with the rest of the world, in the hope that everybody can enjoy the sport.

# QUALITY SAFETY PERFORMANCE.

We use the strongest and lightest materials for our components. Durable grades of aluminum, highest quality carbon fiber, and quality plastic imported from Switzerland. Fouriers is a world class manufacturer, and we rely on our sponsored riders to prove our ability to continuously develop and fabricate top tier bicycle components.







# *Fouriers For U Riders*

*We Ride all bike types.*

*We Invest in our people, machines and riders.*

*We Discover new ideas and improve on others.*

*We Engineer every product from sketch to manufacturing.*

*We Refine existing products from good to excellent.*

# ***FOURIERS***







# CONTENT

- 08 | ROAD HANDLEBAR
- 11 | MTB HANDLEBAR
- 16 | INTEGRATED DI2 CABLE SYSTEM
- 17 | STEM
- 23 | SEATPOST
- 24 | BRAKE SYSTEM
- 27 | DISC ROTOR & ADAPTER
- 28 | CHAIN RING
- 37 | CRANK SET
- 39 | DI2 JUNCTION SPACER
- 40 | CHAIN GUIDE
- 44 | COMPUTER MOUNT
- 48 | CHAIN KEEPER
- 49 | TRIATHLON BAR
- 50 | WATER BOTTLE
- 51 | WATER BOTTLE CAGE
- 53 | QUICK RELEASE
- 54 | GRIP & BAR TAPE
- 56 | ROLLER KIT
- 58 | SEAT CLAMP
- 60 | HEADSET & SPACER
- 61 | TOP CAP
- 62 | ACCESSORIES
- 64 | MUDGUARD
- 66 | VALVE EXTENDER
- 67 | VALVE CAP & BOLT
- 68 | TOOL & PROTECTION





# TECHNOLOGY

## FATIGUE TESTING MACHINE

Our riders demand the lightest components which exceed safety standards.

## INSPECTION MACHINE

Our lightweight carbon-fiber made products are of the finest quality. To assure this quality, we test our carbon-fiber products from top to bottom with the inspection machine.

## MICROCOMPUTER ATTENUATION TESTER

We are pioneers in product quality and know that carbon-fiber is an ambiguous material. Therefore we also check our carbon-fiber made products' strength by our Microcomputer Attenuation Test. The test puts them under 150kg of pure force, two times, for 30 seconds. The result, a safe and reliable product that every rider can trust.

## HARDNESS TESTING MACHINE

To assure the intensity and safe structure of our products to meet the international standards, we carry out discreet sample inspection to pass the hardness test. It is important to us that we deliver consistency in our product quality.


## COORDINATE MEASURING MACHINE

The coordinate measuring machine is key to reach our goal of high product standards. We only want to provide our customers the best and most excellent quality. Therefore we use 2.5D CMM techniques to test all our products.

## EFBE, TESTING CENTER IN GERMANY

After EN testing at Cycling & Health Industry R&D Center (in Taiwan) we send our products for further inspections to EFBE in Germany, so that we can assure our high expectations and meet the international standard.



**HB-RA001-N2****CARBON**

Unique lightweight handlebar with one piece monocoque construction. Bar top has a fluid design for increased aero dynamic qualities and grip. Rugged bar bore coating for extra clamp grip. Anatomic lower bar design for sprint position.

<b>Material</b>	Carbon fiber
<b>Spec</b>	Ø31.8 mm x W400, 420, 440 mm (c-c)
<b>Drop</b>	130 mm
<b>Reach</b>	80 mm
<b>Bar Type</b>	Anatomic bend
<b>Weight</b>	225g (W420 mm)

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489

**HB-RA002-N2****CARBON**

Unique lightweight handlebar with one piece monocoque construction. Bar top has a fluid design for increased aero dynamic qualities and grip. Rugged bar bore coating for extra clamp grip. Compact lower bar design for multiple sprint positions.

<b>Material</b>	Carbon fiber
<b>Spec</b>	Ø31.8 mm x W380, 400, 420, 440 mm (c-c)
<b>Drop</b>	130 mm
<b>Reach</b>	80 mm
<b>Bar Type</b>	Compact bend
<b>Weight</b>	225g (W420 mm)

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489

**HB-RA003-N2****CARBON**

Over-sized bar bore for greater reliability. Lightweight one piece monocoque construction. Bar top has a special fluid design for optimal aero dynamic qualities and finer grip. Rugged bar bore coating for extra clamp grip. Compact lower bar design for multiple sprint positions.

<b>Material</b>	Carbon fiber
<b>Spec</b>	Ø35 mm x W400, 420, 440 mm (c-c)
<b>Drop</b>	128 mm
<b>Reach</b>	78 mm
<b>Bar Type</b>	Compact bend
<b>Weight</b>	240g (W420 mm)

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489



**HB-RA004**

AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.  
 Ø35mm bar bore for enhanced rigidity and strength.  
 Anatomic lower bar design for sprint position.

<b>Material</b>	AL7050- T73
<b>Spec</b>	Ø35 mm x W380, 400, 420, 440 mm (c-c)
<b>Drop</b>	145 mm
<b>Reach</b>	80 mm
<b>Bar Type</b>	Anatomic bend
<b>Weight</b>	265g (W420 mm)

**HB-RA005**

AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.  
 Ø35mm bar bore for enhanced rigidity and strength.  
 Compact lower bar design for multiple sprint positions.

<b>Material</b>	AL7050-T73
<b>Spec</b>	Ø35 mm x W380, 400, 420, 440 mm
<b>Drop</b>	145 mm
<b>Reach</b>	80 mm
<b>Bar Type</b>	Compact bend
<b>Weight</b>	265g (W420 mm)
<b>Color</b>	S.B Anodized Black

**HB-RA006**

AL7050-T73

**HB-RA006-A6**

AL6061-T6

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight.  
 Ø31.8mm bar bore to fit any stem.  
 Anatomic lower bar design for sprint position.

<b>Material</b>	AL6061-T6 / AL7050-T73
<b>Spec</b>	Ø31.8 mm x W380, 400, 420, 440 mm
<b>Drop</b>	130 mm
<b>Reach</b>	85 mm
<b>Bar Type</b>	Anatomic bend
<b>Weight</b>	275g (AL7050-T73 / W420 mm)
<b>Color</b>	S.B Anodized Black



**HB-RA007**

AL7050-T73

**HB-RA007-A6**

AL6061-T6

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø31.8mm bar bore to fit any stem.  
Compact lower bar design for multiple sprint positions.

<b>Material</b>	AL6061-T6 / AL7050-T73
<b>Spec</b>	Ø31.8 mm x W380, 400, 420, 440 mm
<b>Drop</b>	130 mm
<b>Reach</b>	85 mm
<b>Bar Type</b>	Compact bend
<b>Weight</b>	275g (AL7050-T73 / W420 mm)
<b>Color</b>	S.B Anodized Black

**HB-RA008**

AL7050-T73

**HB-RA008-A6**

AL6061-T6

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Bar top has a special fluid design for optimal aero dynamic qualities and finer grip.  
Compact lower bar design for multiple sprint positions.


<b>Material</b>	AL6061-T6 / AL7050-T73
<b>Spec</b>	Ø31.8 mm x W380, 400, 420, 440 mm
<b>Drop</b>	130 mm
<b>Reach</b>	80 mm
<b>Bar Type</b>	Compact bend
<b>Weight</b>	285g (AL7050-T73 / W420 mm)
<b>Color</b>	S.B Anodized Black

**NEW****HB-RA009-FL25**

AL6061-T6

New NANKO-W handlebar is made for touring and singletrack, special design offer 25 degrees flare in the drops, boosts comfortable and usability.


<b>Material</b>	AL 6061-T6.
<b>Spec</b>	31.8 mm x W480, 500 mm
<b>Drop</b>	135 mm
<b>Reach</b>	110 mm
<b>Bar Type</b>	Compact bend 25 degrees of flare
<b>Weight</b>	340g
<b>Color</b>	S.B Anodized Black

**NEW****HB-RA010-FL12**

AL6061-T6

New NANKO-O handlebar is made for all condition, special design offer 12 degrees flare in the drops, boosts comfortable and usability.

<b>Material</b>	AL 6061-T6.
<b>Spec</b>	31.8 mm x W380, 400, 420, 440 mm
<b>Drop</b>	130 mm
<b>Reach</b>	80 mm
<b>Bar Type</b>	Compact bend 12 degrees of flare
<b>Weight</b>	295g
<b>Color</b>	S.B Anodized Black





## HB-MB001-N2

CARBON

Lightweight carbon riser handlebar with one piece monocoque construction. Ø35 bar bore for extra strength. Rugged bar bore coating for extra clamp grip. Ready to get rowdy.

<b>Material</b>	Carbon fiber
<b>Spec</b>	Ø35 mm x W800 mm
<b>Rise</b>	20 mm
<b>Back Sweep</b>	9°
<b>Up Sweep</b>	5°
<b>Weight</b>	295g

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489



## HB-MB002-N2

CARBON

Lightweight carbon riser handlebar with one piece monocoque construction. Rugged bar bore coating for extra clamp grip. Ready to get rowdy. Extra wide for increased stability control.

<b>Material</b>	Carbon fiber
<b>Spec</b>	Ø31.8 mm x W800 mm
<b>Rise</b>	20 mm
<b>Back Sweep</b>	9°
<b>Up Sweep</b>	5°
<b>Weight</b>	280g

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489



## HB-MB008-N2

CARBON

Lightweight carbon flat handlebar. Eccentric design allows height adjustment of +/- 5mm by flipping the handlebar. Rugged bar bore coating for extra clamp grip. Great choice to shave weight off your bike.

<b>Material</b>	Carbon fiber
<b>Spec</b>	Ø31.8 mm x W750 mm
<b>Eccentric</b>	5 mm
<b>Back Sweep</b>	9°
<b>Weight</b>	170g



**HB-MB003-N2**

AL6066-T6

An extremely strong riser handlebar made from double butted AL6066. Ø35 bar bore is extra strong to endure 600kg static load testing. Freeride and DH riders will appreciate the full 780mm width, for better high speed stability and control.

<b>Material</b>	AL6066-T6
<b>Spec</b>	Ø35 mm x W780 mm
<b>Rise</b>	20 mm
<b>Back Sweep</b>	9°
<b>Up Sweep</b>	5°
<b>Weight</b>	428g
<b>Color</b>	S.B Anodized Black, Silver, Red, Gold, Gray

Pass EFBE test

**EFBE**

PRÜFTECHNIK

P1306487 / P1306488 / P1306489

**HB-MB004-N2**

AL6066-T6

An extremely strong riser handlebar made from double butted 6066-AL. Featuring a Ø31.8mm bar bore, which will endure 600kg static load testing. Freeride and DH riders will appreciate the full 780mm width, for better high speed stability and control.

<b>Material</b>	AL6066-T6
<b>Spec</b>	Ø31.8 mm x W780 mm
<b>Rise</b>	20 mm
<b>Back Sweep</b>	9°
<b>Up Sweep</b>	5°
<b>Weight</b>	382g
<b>Color</b>	S.B Anodized Black, Silver, Red, Gold, Gray

Pass EFBE test

**EFBE**

PRÜFTECHNIK

P1306487 / P1306488 / P1306489

**HB-MB007-N2**

AL7050-T73

Lightweight aluminum flatbar made from double butted aluminum 7050 for increased strength and lighter weight. Eccentric design allows height adjustment of + / - 5 mm by flipping the handlebar. Hydroformed material for additional anti-corrosion.

<b>Material</b>	AL7050-T73 double butted tube
<b>Spec</b>	Ø31.8 mm x W720 mm
<b>Eccentric</b>	5 mm
<b>Back Sweep</b>	9°
<b>Weight</b>	340g
<b>Color</b>	S.B Anodized Black, Red, Gray

**HB-MB007-N2-A6**

AL6061-T6

Lightweight aluminum flatbar made from double butted aluminum 6061 for increased strength and lighter weight. Eccentric design allows height adjustment of + / - 5mm by flipping the handlebar. Hydroformed material for additional anti-corrosion. Adjustable width indicators of 660-740mm.

<b>Material</b>	AL6061-T6 double butted tube
<b>Spec</b>	Ø31.8 mm x W740 mm
<b>Eccentric</b>	5 mm
<b>Back Sweep</b>	9°
<b>Weight</b>	259g
<b>Color</b>	S.B Anodized Black, Red, Gray



## HB-MB009-N2

AL6061-T6

E1

Double butted aluminum flat handlebar. Great choice for riders looking for durable, reliable and high performing components. Available in different painted colors to complete your bike.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm x 680 mm
<b>Back Sweep</b>	5°
<b>Weight</b>	210g
<b>Color</b>	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue



## HB-MB010-N2-H

AL7050-T73

E1

Double butted aluminum flat handlebar made from aluminum 7050 to reduce weight and maintain strength. Made extra strong to safely endure 800kg impact.

<b>Material</b>	AL7050-T73
<b>Spec</b>	Ø31.8 mm x W720 mm
<b>Back Sweep</b>	5°
<b>Overload</b>	800kgs
<b>Weight</b>	275g
<b>Color</b>	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue



## HB-MB011-N2

AL6061-T6

E1

Aluminum riser handlebar. Great choice for riders looking for durable, reliable and high performing components. Available in different painted colors to complete your bike.


<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm x W720, 780 mm
<b>Back Sweep</b>	9°
<b>Up Sweep</b>	5°
<b>Rise</b>	20 mm / 25 mm / 30 mm
<b>Weight</b>	345g-375g
<b>Color</b>	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue





## TECHNOLOGY | Butted Construction

Fouriers butted handlebars are specially constructed to increase durability and reliability. Tapering our wall thickness allows the subjecting force to centralize on the strongest and thickest section in the bar bore.



### HB-MB010-N2

AL7050-T73

Double butted aluminum flat handlebar made from aluminum 7050 to reduce weight and maintain strength.

Material	AL7050-T73
Spec	Ø31.8 mm x W680 mm
Back Sweep	5°
Weight	210g
Color	S.B Anodized Black



### HB-MB012-N2

AL7050-T73

Double butted aluminum riser handlebar made from aluminum 7050 to reduce weight and maintain strength.

Material	AL7050-T73
Spec	Ø31.8 mm x W780 mm
Back Sweep	9°
Up Sweep	5°
Rise	20 mm / 25 mm / 30 mm
Weight	375g
Color	S.B Anodized Black



## TECHNOLOGY | Control Curve Bend

NEW


### HB-MB016-CC

AL7050-T73

Fouriers' Control Curve Technology comes to life in this triple butted, eccentric handlebar. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions, creating confident control.

**Material** AL7050-T73  
**Spec** Ø31.8 mm x W760, 800 mm  
**Back Sweep** 9°  
**Eccentric** 5 mm  
**Weight** 260g (W800 mm)  
**Color** Body: S.B Anodized Black  
 Sticker: Red, Gray, Apple green

W/ Control curve bend



### HB-MB017-M

AL7050-T73


### HB-MB017-A6-M

AL6061-T6

The "Trailhead Handlebar" is a utilitarian and trekking handlebar that will take you to the trailhead and beyond. Featuring a comfortable sweep for enduring rides, while giving additional leverage and more control. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions.

**Material** AL7050-T73 / AL6061-T6  
**Spec** Ø31.8 mm x W720 mm  
**Back Sweep** 35°  
**Rise** 20 mm  
**Weight** 289g (HB-MB017-M) / 334g (HB-MB017-A6-M)  
**Color** Body: S.B Anodized Black  
 Sticker: Red, Gray, Apple green

W/ Control curve bend



# STASHKING INTEGRATED DI2 CABLE SYSTEM

## COMPATIBLE SHIMANO® DI2 SYSTEM

Integrated wire ports make StashKing, the King of clean lines.



### HB-SC002-DI2

CARBON

Unique DI2 compatible carbon flat handlebar.

Material	Carbon fiber
Spec	Ø31.8 mm x W780 mm
Eccentric	5 mm
Back Sweep	9°
Weight	169g
Color	UD



### HB-SA001-DI2

AL6061-T6

Unique DI2 compatible alloy flat handlebar.

Material	AL6061-T6
Spec	Ø31.8 mm x W720 mm
Eccentric	5 mm
Back Sweep	7°
Weight	235g
Color	S.B Anodized Black



NEW

### SM-MB108-DI2

Unique stem for SHIMANO® MTB DI2 system. Features an integrated cable system inside the stem for a clean looking bike.

Material	AL6061-T6
Bar-Bore	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	-17°
Length	80-120 mm
Weight	215g (120 mm)
Color	Anodized Black







### SM-RA009

Advanced lightweight full CNC made stem.  
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Stem has  $\pm 17$  degree angle.

<b>Material</b>	AL6066-T6 full CNC made / Titanium bolts
<b>Handlebar Clamp</b>	$\varnothing 31.8$ mm
<b>Fork Tube</b>	$\varnothing 31.8$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 17^\circ$
<b>Length</b>	80 - 140 mm
<b>Weight</b>	153g (100 mm)
<b>Color</b>	Anodized Black
With Top Cap & alloy shim for $\varnothing 28.6$	

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489



### SM-RA009-SD

Extreme lightweight full CNC made stem.  
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

<b>Material</b>	AL6066-T6 full CNC made / Titanium bolts
<b>Handlebar Clamp</b>	$\varnothing 31.8$ mm
<b>Fork Tube</b>	$\varnothing 28.6$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 17^\circ$
<b>Length</b>	80 - 120 mm
<b>Weight</b>	153g (100 mm)
<b>Color</b>	Anodized Black
Comes with top cap	



### SM-RA001

Extreme lightweight full CNC made stem.  
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

<b>Material</b>	AL6066-T6 full CNC made / Titanium bolts
<b>Handlebar Clamp</b>	$\varnothing 35$ mm
<b>Fork Tube</b>	$\varnothing 31.8$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 8^\circ$
<b>Length</b>	80 - 140 mm
<b>Weight</b>	145g (100 mm)
<b>Color</b>	Anodized Black

Comes with alloy steerer shim - Convert  $\varnothing 31.8$  steerer tube to  $\varnothing 28.6$   
alloy handlebar shim - Convert  $\varnothing 35$  bar bore to  $\varnothing 31.8$  & top cap

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489



### SM-RA002

Extreme lightweight full CNC made stem.  
Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

<b>Material</b>	AL6066-T6 full CNC made / Titanium bolts
<b>Handlebar Clamp</b>	$\varnothing 31.8$ mm
<b>Fork Tube</b>	$\varnothing 28.6$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 6^\circ$
<b>Length</b>	80 - 140 mm
<b>Weight</b>	133g (100 mm)
<b>Color</b>	Anodized Black

Comes with top cap

Pass EFBE test

**EFBE**  
PRUFTECHNIK

P1306487 / P1306488 / P1306489



### SM-MB109-G7

3D forged stem with  $\pm 7$  degree angle. Flip over to change stem angle by  $\pm 7$  degree, available in 5 sizes between 70~110mm. For Road bike & MTB.

<b>Material</b>	AL6061-T6 3D forged
<b>Handlebar Clamp</b>	$\varnothing 31.8$ mm
<b>Fork Tube</b>	$\varnothing 28.6$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 7^\circ$
<b>Length</b>	70 - 110 mm
<b>Weight</b>	150g (100 mm)
<b>Color</b>	S.B. Anodized Black

Comes with top cap



### SM-MB110-G0

3D forged stem with 0 degree angle. Available in 4 sizes between 35~65 mm. For MTB.

<b>Material</b>	AL6061-T6 3D forged
<b>Handlebar Clamp</b>	$\varnothing 31.8$ mm
<b>Fork Tube</b>	$\varnothing 28.6$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 0^\circ$
<b>Length</b>	35, 45, 55, 65 mm
<b>Weight</b>	118g (45 mm)
<b>Color</b>	S.B. Anodized Black

Comes with top cap




### SM-RA010

3D forged stem with  $\pm 17$  degree angle. Flip over to change stem angle by  $\pm 17$  degrees. Available in 6 sizes between 70-120 mm. For Road.

<b>Material</b>	AL6061-T6 3D forged
<b>Handlebar Clamp</b>	$\varnothing 31.8$ mm
<b>Fork Tube</b>	$\varnothing 28.6$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 7^\circ, \pm 17^\circ$
<b>Length</b>	60 - 130 mm
<b>Weight</b>	152g (100 mm)
<b>Color</b>	S.B. Anodized Black

Comes with top cap



### SM-RA008

3D forged stem with  $\varnothing 35$  system for increased strength and control. A great value in a stem, providing top tier performance and lasting durability. 7 different sizes between 60-120 mm. For MTB and Road.

<b>Material</b>	AL6061-T6 3D forged
<b>Handlebar Clamp</b>	$\varnothing 35$ mm
<b>Fork Tube</b>	$\varnothing 31.8$ mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	$\pm 6^\circ$
<b>Length</b>	60 - 120 mm
<b>Weight</b>	145g (100 mm)
<b>Color</b>	S.B. Anodized Black

Comes with alloy steerer shim (AC-A001)  
 - Convert  $\varnothing 31.8$  steerer tube to  $\varnothing 28.6$ , alloy handlebar shim (AC-A002)  
 - Convert  $\varnothing 35$  bar bore to  $\varnothing 31.8$  & top cap

NEW

### SM-MB114-G17 SM-MB114-G25

A stunning MTB stem designed to be stiff and unique shape. -17° / -25 degree low rise, and length start from 80-120mm.

<b>Material</b>	AL6061-T6 full CNC made
<b>Handlebar Clamp</b>	Ø31.8
<b>Fork Tube</b>	Ø28.6
<b>Fork Stack Height</b>	28 mm
<b>Angle</b>	-17° / -25°
<b>Length</b>	80 - 120 mm
<b>Weight</b>	206g (100 mm)
<b>Color</b>	Anodized Black
Comes with top cap	



### SM-RA003

3D forged stem with unique RIB technology. Precision CNC cuts are made inside the stem body in the shape of a rib cage to decrease weight and retain rigidity. For MTB and Road.

<b>Material</b>	AL6066-T6 3D forged + CNC made
<b>Handlebar Clamp</b>	Ø31.8 mm
<b>Steerer Tube</b>	Ø28.6 mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	±6°
<b>Length</b>	70 - 120 mm
<b>Weight</b>	145g (100 mm)
<b>Color</b>	S.B. Anodized Black
Comes with top cap	

**RIB** P.A.T.E.D



### SM-MB113-G0

A true high-performance stem, featuring a stepped profile and uncompromising control. Built for freeride / Enduro / Trail

<b>Material</b>	AL6061-T6 Full CNC made
<b>Handlebar Clamp</b>	Ø31.8 mm
<b>Fork Tube</b>	Ø28.6 mm
<b>Fork Stack Height</b>	34.5 mm
<b>Angle</b>	0°
<b>Length</b>	35 mm
<b>Weight</b>	103g
<b>Color</b>	S.B. Anodized Black
Comes with top cap	



## SM-MB112-G6

A super stiff stem, featuring an aerodynamic design. Available in 4 sizes between 60-105 mm.

<b>Material</b>	AL6061-T6
<b>Handlebar Clamp</b>	Ø31.8
<b>Fork Tube</b>	Ø28.6
<b>Fork Stack Height</b>	40 mm
<b>Length</b>	60, 75, 90, 105 mm
<b>Angle</b>	±6°
<b>Weight</b>	191g (105mm)
<b>Color</b>	Anodized Black
Comes with top cap	



## SM-MB002

Clean and classy, stiff and strong. This stem is timeless.

<b>Material</b>	AL6066-T6 full CNC made
<b>Handlebar Clamp</b>	Ø35 mm
<b>Fork Tube</b>	Ø31.8 mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	0°
<b>Length</b>	40 mm
<b>Weight</b>	140g / set
<b>Color</b>	Anodized Black
Comes with alloy steerer shim	
- Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim	
- Convert Ø35 bar bore to Ø31.8, with top cap	



## SM-MB001

Loud and proud, our SM-MB001 stem is looking to get wild

<b>Material</b>	AL6066-T6 full CNC made
<b>Handlebar Clamp</b>	Ø35 mm
<b>Fork Tube</b>	Ø31.8 mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	0°
<b>Length</b>	50 mm
<b>Weight</b>	205g
<b>Color</b>	Anodized Black, Gray
Comes with alloy steerer shim	
- Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim	
- Convert Ø35 bar bore to Ø31.8, with top cap	



**SM-MB007**

Bred from the Enduro Circuit, and ready for repeated abuse. This stem blends 20+ years of design experience.

<b>Material</b>	AL6066-T6 full CNC made
<b>Handlebar Clamp</b>	Ø31.8 mm
<b>Fork Tube</b>	Ø28.6 mm
<b>Fork Stack Height</b>	40 mm
<b>Angle</b>	0°
<b>Length</b>	45 mm
<b>Weight</b>	144g
<b>Color</b>	Anodized Black, Gray

Comes with top cap

**SM-DH001**

The DH Direct Mount stem, precision CNC machined from quality AL6066-T6.

<b>Material</b>	AL6066-T6 full CNC made
<b>Direct Mount</b>	Boxxer
<b>Handlebar Clamp</b>	Ø35 mm offset height 17.3 mm
<b>Height</b>	17.3 mm
<b>Weight</b>	92g
<b>Color</b>	S.B Anodized Black, Gray

Comes with alloy handlebar shim  
- Convert Ø35 bar bore to Ø31.8

**SM-MB003**

Lightweight CNC machined stem. Ø35 System for improved stiffness and control. Direct mount design specially for downhill forks.

<b>Material</b>	AL6066-T6 full CNC made
<b>Offset Height</b>	25 mm
<b>Handlebar Clamp</b>	Ø35 mm
<b>Weight</b>	171g
<b>Color</b>	Anodized Black, Gray

Comes with alloy handlebar shim  
- Convert Ø35 bar bore to Ø31.8







**SP-S001****SP-S001-DI2**

CARBON

Extreme lightweight carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. It's the best choice to reduce road vibrations. Double bolt clamp design for easy angle adjustment. 20mm offset, best used for Road.

<b>Material</b>	UD Carbon fiber
<b>Spec</b>	Ø27.2, Ø30.9, Ø31.6
<b>Length</b>	400 mm
<b>Offset</b>	20 mm
<b>Weight</b>	240g (Ø31.6 / 400 mm)
<b>Color</b>	UD Finish

Pass EFBE test

**EFBE**  
PRÜFTECHNIK

 P1206092 / P1206093  
 Pass overload 300 kg
**SP-S003****SP-S003-DI2**

CARBON

Extreme lightweight full carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. Best choice to shave off weight. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

<b>Material</b>	UD Carbon tube, Carbon clamp
<b>Spec</b>	Ø27.2, Ø30.9, Ø31.6
<b>Length</b>	400 mm
<b>Offset</b>	0 mm
<b>Weight</b>	235g (Ø31.6 / 400 mm)
<b>Color</b>	UD Finish

Pass EFBE test

**EFBE**  
PRÜFTECHNIK

 Please follow instructions on the warning sticker  
 for tightening carbon clamp
**SP-DX001**

ALLOY

Extreme lightweight full CNC aluminum seatpost. Great aesthetics and unique design. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

<b>Material</b>	AL6066-T6 full CNC made
<b>Spec</b>	Ø27.2, Ø31.6
<b>Length</b>	400 mm
<b>Offset</b>	0 mm
<b>Weight</b>	320g (Ø31.6 / 400 mm)
<b>Color</b>	Anodized Black

**SP-AG12**

ALLOY

Durable, strong, and good looking 3D forged seatpost. Double bolt clamp design for easy angle adjustment. 12mm offset,

<b>Material</b>	3D forged one-piece AL6061-T6 shaft
<b>Spec</b>	Ø27.2, Ø30.9, Ø31.6
<b>Length</b>	400 mm
<b>Offset</b>	12 mm
<b>Weight</b>	337g (Ø31.6 / 400 mm)
<b>Color</b>	S.B Anodized Black





# TECHNOLOGY | BRAKE

Fouriers cooperates with one of the best bicycle teams in the world to create unique and high performance brakes with great care in the aesthetics and details.

We finish our high-end brakes with SWISS STOP® brake shoes to ensure quality performance.

BR-DX005 is our renowned aero V-brake used for Propel bikes.

It was made at request of top tier athletes and used with great success.



Marcel Kittel's yellow Giant® Propel Bike



## BR-DX005



We know the brake system that stops you, gives you the confidence to ride at peak performance. We've produced the BR-DX006 brake with 20+ years of design expertise and high-tech manufacturing skills. Fouriers' Brakes provide reliable braking that can boost your performance to be the champion.

**Material** AL6066-T6 full CNC made  
**Weight** 215g / Bike  
**Color** Anodized Black

Fits GIANT® PROPEL  
Direct mount aero V brake/Liner spring adjustment system  
Quick width switch for different rim width **with SWISS STOP® brake shoes**



## BR-S005

Forged propel aero V-brake. Used by one of the best bicycle teams in the world for its lightweight and aerodynamic qualities. It features a quick width switch for different rim width and can fit 25mm tires.

**Material** AL6061-T6 3D forged  
**Weight** 230g / Bike  
**Color** S.B Anodized Black

Fits GIANT® PROPEL  
Direct mount aero V brake/Liner spring adjustment system  
Quick width switch for different rim width



## BR-DX001



Extreme lightweight full CNC caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion. The brake is finished **with a titanium bolt and SWISS STOP® brake shoe**.

**Material** AL6066-T6 full CNC made  
**Brake Shoes** CNC cassette  
**Bolt** Main bolt Ti-64  
**Dimension** c-c 39-51 mm  
**Weight** 210g / Bike  
**Color** Anodized Black, Silver, Red, Gold, Gray



## BR-S003

Extreme lightweight forged caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion.

**Material** AL6066-T6 forged made  
**Brake Shoes** Forged cassette  
**Bolt** Main bolt Cr-mo  
**Dimension** c-c 39-51 mm  
**Weight** 245g / Bike  
**Color** Anodized Black, Silver, Red, Gold, Gray



## BR-DX006



We know that one of the most key parts of bike is brake system. Therefore, we produce BR-DX006 brake with professional knowledge and high technical manufacture skill for world top professional team. Because the reliable control and braking system to win the professional team riders believe and use FOURSIEBERS brake to get the champion. Use Swiss Stop brake pad for alloy wheel.

**Material** AL6066-T6 Full CNC made  
**Weight** 275g / Bike  
**Color** Anodized Black  
 Fits GIANT® NEW TRINITY  
 Direct mount aero v brake  
 Liner spring adjustment system



## BR-S001

Full CNC made canti-brake. that is uniquely designed and exceptionally lightweight. Spring power is adjustable for more balanced braking power. For cyclo-cross.

**Material** AL6061-T6  
**Weight** 205g / Bike  
**Color** S.B Anodized Black, Silver, Red





### BR-E001

Full CNC made with titanium bolt.  
Special brake pads for carbon rims.  
Adjustable angle with curve washer.

**Material** AL6066-T6  
**Weight** 59g / bike  
**Color** Anodized Black, Silver, Red  
Compatible with SHIMANO® caliper system



### BR-E007

Forged with CNC finish. Stainless steel bolts  
and special brake pads for alloy rims.  
Adjustable angle with curve washer. For caliper brake

**Material** AL6066-T6  
**Weight** 70g / bike  
**Color** Anodized Black, Silver, Red  
Compatible with SHIMANO® caliper system



### BR-E006

Stainless steel bolts and special brake pads for alloy rims.  
Adjustable angle with curve washer.

**Material** AL6066-T6  
**Weight** 71g / bike  
**Color** Anodized Black, Silver, Red  
Compatible with SHIMANO® caliper system



### BR-E008

Replacement pad cartridges.  
Great performance in all conditions, rain or shine.  
Aluminum rim compound.

**Fits** SHIMANO® & SRAM® / Campagnolo®  
**Rims** Aluminum, Carbon  
**Weight** 13g / wheel  
**Color** Blue, Dark Red



### BR-S006

Route your existing brake cable and housing from your current drop levers through these ergonomic lever.  
Allows you to control your speed from multiple hand positions.  
Can be used independently. Split clamp for easy installation.  
Adjustable reach and return spring

**Material** AL6061-T6 forged.  
**For** Ø31.8 handlebar  
**Weight** 128g / pair  
**Color** S.B Anodized Black  
Canti or caliper compatibility. With Ø24mm shim  
Design by TOKYO SAN-ESU



### BR-DX003

Full CNC machined. Light weight design V-brake lever.  
Fits SHIMANO® standard brake cable.

**Material** AL6066-T6  
**Weight** 70g / pair  
**Color** Anodized Black, Red  
For Ø24 handlebar with Ø22.2 shim



### BR-DX004

Full CNC machined. Light weight design brake lever.  
For Caliper-brake lever, Cantibrake lever,  
Mini V-brake lever fits SHIMANO® standard brake cable.


**Material** AL6066-T6  
**Weight** 85g / pair  
**Color** Anodized Black, Red  
Canti or caliper compatibility  
For Ø24 handlebar with Ø22.2 shim



## BR-DSK001

Two piece brake rotor, functionally designed with heat dissipating "dimple" surface. Stainless steel disc with AL6061 carrier piece. Compatible with the international standard 6 hole (IS mount).

<b>Material</b>	Stainless steel disc AL6061-T6 CNC made body
<b>OD Size</b>	Ø140 mm, Ø160 mm, Ø180 mm, Ø203 mm
<b>Weight</b>	136g (Ø180 mm)
<b>Thickness</b>	1.7 mm
<b>Color</b>	(Body) S.B Anodize Red, Ti-coating (Ring) Stainless, Ti-coating



## ADP-PM001

Adapter to mount larger disc brake rotor.  
Fits 74mm post mount caliper and post mount fork.

<b>Material</b>	AL6061-T6 CNC made
<b>Post Mount</b>	74mm
<b>Spec</b>	140 mm to 160 mm 160 mm to 180 mm
<b>Weight</b>	11g / pcs
<b>Color</b>	S.B. Anodized Black, Red, Gray



## ADP-PM002

Adapter to mount larger disc brake rotor.  
Fits 74mm post mount caliper and post mount fork.

<b>Material</b>	AL6061-T6 CNC made
<b>Post Mount</b>	74 mm
<b>Spec</b>	160 mm to 203 mm
<b>Weight</b>	23g / pcs
<b>Color</b>	S.B. Anodized Black, Red, Gray



## MAGE SKX3

Add a lower gear range to your SHIMANO® Road Cassette and reach the top of any hill you thought impossible.

Fouriers breaks the rules and makes bigger sprocket options that help you save power and energy to the top, for the long road ahead!



### CR-DX008-SKX3

<b>Material</b>	26T Cr-mo 4130 heat treated 30T Cr-mo 4130 heat treated 36T AL7075 - T651
<b>Sprocket Size Spec</b>	26T, 30T, 36T Fit with SHIMANO® 11 speed 11-28T Cassette sprocket (CS-6800 & CS-5800) Compatible with RD-6800-GS & RD-5800-GS rear derailleur.
<b>Weight</b>	139g
<b>Color</b>	Body-S,B Anonized Black 36T-S,B Anonized Black, Red, Blue 26T & 30T-N.E.M finish





+CR-DX008-SKIII  
(26T / 30T / 36T)



Remove the rear cassette from your bike and take out the 23T / 25T / 28T sprocket.  
Add the SKX3 after the largest sprocket.

## CR-DX008-SK32 CR-DX008-SK36

Remove the rear cassette from your bike and take out the 13T or 14T sprocket.  
Fix SHIMANO® 11 speed - Ultegra RD-6800-GS & 105 RD-5800-GS.  
(CR-DX008-SK32) Compatible with 11-28T cassette sprocket.  
(CR-DX008-SK36) Compatible with 11-32T cassette sprocket.

**Material** Sprocket - AL7075-T651  
Body - AL6066-T6


**Spec** 32T, 36T

**Weight** 69g (32T) / 78g (36T)

**Color** Sprocket - S.B Anonized Red, Gold, Blue, Apple Green, Orange  
Body - S.B Anonized Black



# TECHNOLOGY | Wave





**Teardrop holes**  
Teardrop cut holes for better mud clearance.

**Narrow wide teeth**  
Alternating thick and thin shapes to tightly fit chainring.

**WAVE SHAPE PROFILE ON THE CHAIN SIDE FOR SNUG FIT.**

Full CNC'd Narrow Wide Chainrings for 1X drivetrains.


The stepped profile of our snug fit wave design maintains excellent chain retention. UNC details to each tooth, include a teardrop port for mud clearance.



## CR-DX8000

Narrow Wide chainrings for XT M8000 11 speed With Narrow wide teeth, Teardrop holes, Wave Technology design.

**Material** AL7075-T651 full CNC made  
**P.C.D** Ø96 mm  
**Teeth** 30T, 32T, 34T, 36T  
**Weight** 56g (36T)  
**Color** S.B Anodized Black, Red, Blue




## CR-E1-DX8000



Narrow Wide chainrings for XT M8000 11 speed With Narrow wide teeth.


**Material** AL7075-T651 full CNC made  
**P.C.D** Ø96 mm  
**Teeth** 30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T  
**Weight** 57g (36T)  
**Color** S.B Anodized Black, Red, Blue



## CR-DX9000

Narrow Wide chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps. With Narrow wide teeth, Teardrop holes, Wave Technology design.

**Material** AL7075-T651 full CNC made  
**P.C.D** Ø96 mm  
**Teeth** 30T, 32T, 34T, 36T  
**Weight** 56g (36T)  
**Color** S.B Anodized Black, Red, Blue



## CR-E1-DX9000



Narrow Wide chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps. With Narrow wide teeth.

**Material** AL7075-T651 full CNC made  
**P.C.D** Ø96 mm  
**Teeth** 30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T  
**Weight** 57g (36T)  
**Color** S.B Anodized Black, Red, Blue






HIGH QUALITY-MODERATE PRICE



**Don't know your crank specifications?**


Please scan the QR code and follow the instructions .



### CR-DX8000-OV

Narrow Wide Oval chainrings for XT M8000 11 speed crank Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø96 mm
<b>Teeth</b>	34T, 36T
<b>Weight</b>	96g (36T)
<b>Color</b>	S.B Anodized Black, Red, Blue




### CR-E1-DX8000-OV



Narrow Wide Oval chainrings for XT M8000 11 speed crank. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth.


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø96 mm
<b>Teeth</b>	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
<b>Weight</b>	96g (36T)
<b>Color</b>	S.B Anodized Black, Red, Blue



### CR-DX9000-OV

Narrow Wide Oval chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø96 mm
<b>Teeth</b>	34T, 36T
<b>Weight</b>	96g (36T)
<b>Color</b>	S.B Black, Red, Blue



### CR-E1-DX9000-OV



Narrow Wide Oval chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø96 mm
<b>Teeth</b>	34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
<b>Weight</b>	96g (36T)
<b>Color</b>	S.B Anodized Black, Red, Blue






NEW

**CR-SHM110**

Aircraft material and full cnc made high quality chainring, compatible with shimano crankset. New design chainring gives smooth shifting and reliable quality.

<b>Material</b>	AL7075-T651 full cnc made
<b>P.C.D</b>	Ø110mm
<b>Teeth</b>	34T & 50T, 36T & 52T, 39T & 53T
<b>Weight</b>	27g(34T) / 134.5g(50T) (Without bolt)
<b>Color</b>	S.B Anodized Black, Red, Blue, Green, Ti-coating for large chainring S.B anodized Black for small chainring
<b>Option</b>	Special screw set (For SHIMANO® 5800 crank) CR-SHM110-58 (For SHIMANO® 6800 crank) CR-SHM110-68 (For SHIMANO® 9000 crank) CR-SHM 110-90

**CR-DX5800-110**

Narrow Wide chainrings for SHIMANO® FC5800 105 crank set, Full CNC made AL7075-T651 material. The stepped profile of our snug fit wave design maintains excellent chain retention. CNC details to each tooth, include a teardrop port for mud clearance. For 1X system P.C.D Ø110mm 4arm standard. Included carbon with nylon cover cap to fit the SHIMANO® crank set.


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø110 mm
<b>Teeth</b>	40T, 42T, 44T, 46T, 48T
<b>Weight</b>	82g (40T)
<b>Color</b>	S.B Anodized Black, Red, Blue

**CR-DX6800-110**

Narrow Wide chainrings for SHIMANO® FC6800 ULTEGRA crank set, Full CNC made AL7075-T651 material. The stepped profile of our snug fit wave design maintains excellent chain retention.

CNC details to each tooth, include a teardrop port for mud clearance. Each tooth has carbon cut hole for mud clearance. For 1X system P.C.D Ø110mm 4arm standard. Included carbon with nylon cover cap to fit the SHIMANO® crank set.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø110 mm
<b>Teeth</b>	40T, 42T, 44T, 46T, 48T
<b>Weight</b>	82g (40T)
<b>Color</b>	S.B Anodized Black, Red, Blue




## CR-E1-GX94



Narrow Wide chainrings for SRAM® GX CRANK SET, Full CNC made AL7075-T651 material for 1X system P.C.D Ø94mm 4arm standard.


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø94 mm
<b>Teeth</b>	28T, 30T, 32T, 34T, 36T, 38T, 40T
<b>Weight</b>	71g (36T)
<b>Color</b>	Anodized Black, Red, Blue



## CR-DX003-X1

With Narrow wide teeth, Teardrop holes, Wave Technology design. For SRAM® XX1 system

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø76 mm
<b>Teeth</b>	30T, 32T, 34T, 36T
<b>Weight</b>	57g (34T)
<b>Color</b>	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange




## CR-E1-DX5800-110



Narrow Wide chainrings for SHIMANO® FC5800 105 crank set, Full CNC made AL7075-T651 material. For 1X system P.C.D Ø110mm 4arm standard. Included carbon with nylon cover cap to fit the SHIMANO® crank set.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø110 mm
<b>Teeth</b>	40T, 42T, 44T, 46T, 48T
<b>Weight</b>	92g (40T)
<b>Color</b>	S.B Anodized Black, Red, Blue




## CR-E1-DX6800-110



Narrow Wide chainrings for SHIMANO® FC6800 ULTEGRA crank set. Full CNC made AL7075-T651 material. For 1X system P.C.D Ø110mm 4arm standard. Included carbon with nylon cover cap to fit the SHIMANO® crank set.


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø110 mm
<b>Teeth</b>	40T, 42T, 44T, 46T, 48T
<b>Weight</b>	92g (40T)
<b>Color</b>	S.B Anodized Black, Red, Blue



### CR-GXP01

One piece full CNC machined GXP chainring, Narrow wide teeth with our snug fit wave design and CNC cut holes for mud clearance. Compatible with SRAM® XX1 / X0 / X9 and GXP cranks.


<b>Material</b>	AL7075-T651 full CNC made
<b>Teeth</b>	30T, 32T, 34T, 36T, 38T
<b>Weight</b>	95g (34T)
<b>Color</b>	S.B Anodized Black, Red, Blue



### ADP-GXP104

Full CNC made spider adapter for P.C.D Ø104 chainring compatible with SRAM® XX1 / X0 / X9 and GXP cranks.


<b>Material</b>	AL7075-T651 full CNC made
<b>Weight</b>	56g
<b>Color</b>	S.B Anodized Black, Red, Blue



### CR-DX006-130

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø130 mm
<b>Teeth</b>	38T, 40T, 42T
<b>Weight</b>	47g (38T)
<b>Color</b>	S.B. Anodized Black, Red, Blue



### CR-DX005-110

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø110 mm
<b>Teeth</b>	38T, 40T, 42T
<b>Weight</b>	68g (38T)
<b>Color</b>	S.B. Anodized Black, Red, Blue



## CR-DX010-96

Full CNC made narrow wide chainring for 1x system. The stepped profile of our snug fit wave design maintains excellent chain retention. CNC details to each tooth, include a teardrop port for mud clearance. Special made for P.C.D 96mm x 4 arms standard.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø96 mm
<b>Teeth</b>	32T, 34T, 36T, 38T
<b>Weight</b>	52g (34T)
<b>Color</b>	S.B Anodized Black, Red, Blue




## CR-E1-96S



Full CNC made narrow wide chainring for 1x system. For P.C.D 96mm x 4 arms standard.


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø96 mm
<b>Teeth</b>	32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
<b>Weight</b>	52g (34T)
<b>Color</b>	S.B Anodized Black, Red, Blue



## CR-DX009-CM

The evolution of narrow-wide chainrings. Made from Cr-Mo heat treated steel for long lasting durability and a pin point CNC finish. This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.

<b>Material</b>	Cr-mo heat treated steel
<b>P.C.D</b>	Ø104 mm
<b>Teeth</b>	32T, 34T, 36T, 38T
<b>Weight</b>	125g (34T)
<b>Color</b>	Ti-coating




## CR-E1-120S



Full CNC made narrow wide chainring for 1x system. With Narrow wide teeth design.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø120 mm
<b>Teeth</b>	36T, 38T, 40T
<b>Weight</b>	85g (38T)
<b>Color</b>	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange






### CR-DX007-OV

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect. The stepped profile of our snug fit wave design maintains excellent chain retention. CNC details to each tooth, include a teardrop port for mud clearance.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø104 mm
<b>Teeth</b>	34T, 36T
<b>Weight</b>	79g (34T)
<b>Color</b>	S.B Anodized Black, Red, Blue




### CR-E1-DX007-OV



Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect. Full CNC made narrow wide chainring for 1x system.


<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø104 mm
<b>Teeth</b>	34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
<b>Weight</b>	57g (34T)
<b>Color</b>	S.B Anodized Black, Red, Blue



### CR-DX003-AH

Full CNC made narrow wide chainring for 1x system. The stepped profile of our snug fit wave design maintains excellent chain retention. CNC details to each tooth, include a teardrop port for mud clearance. For P.C.D 104mm x 4 arms standard.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø104 mm
<b>Teeth</b>	30T, 32T, 34T, 36T, 38T, 40T
<b>Weight</b>	48g (34T)
<b>Color</b>	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



### CR-E1-104S



Full CNC made narrow wide chainring for 1x system. For P.C.D 104mm x 4 arms standard.

<b>Material</b>	AL7075-T651 full CNC made
<b>P.C.D</b>	Ø104 mm
<b>Teeth</b>	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
<b>Weight</b>	107g (46T)
<b>Color</b>	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange

NEW

## CK-SHM-110

Our complete carbon crankset is simple, lightweight and extremely rigid. Featuring hollow blow molded arms and a 30mm spindle, our crankset will drive your maximum torque!

<b>Material</b>	Arm Carbon fiber Axle AL7075-T651 Chaining AL7075-T651 full CNC made
<b>Axle Length</b>	30mm
<b>Chaining</b>	165 mm / 167.5 mm / 170 mm / 172.5 mm / 175 mm / 177.5 mm double speed: 34-50T/ 36-52T/ 39-53T single speed: 40T 42T 44T 46T 48T
<b>Color</b>	UD Carbon
<b>Weight</b>	670g (34T - 50T)



## CK-GXP11



The G. Impact is 100% CNC machined from 6066 series aluminum material. Crank arms are beautifully machined to be ultra light and super strong. Multiple chaining interface options for the style that works best for you. Designed to take repeated impacts and abuse, you will transfer power efficiently and flawlessly.

<b>Built For</b>	DOWNHILL / XC Racing / Enduro
<b>Material</b>	AL6066-T6
<b>Length</b>	170 mm & 175 mm
<b>Spindle Size</b>	30 mm
<b>BB options</b>	BSA external BB & Pressfit 89.5 & 92
<b>Color</b>	Anodized Black, Gray



Fix SRAM® GXP spider & GXP chaining.

## BB-S001



Fit PressFit 30 frame (Ø46 mm x 68 / 73 mm) to BB30 crankset (30mm axle). Enduro® bearings inside for top class quality.

<b>Material</b>	Plastic bearing cup, alloy side cover
<b>Spacer</b>	2.5 mm spacer x 2, 0.5 mm spacer x 3
<b>Weight</b>	83g / set

Product name	Product diameter	Frame	bottom bracket diameter
--------------	------------------	-------	-------------------------

BB-S001-010	Ø46	+0.13 +0.11	Ø46 +0.06
BB-S001-005	Ø46	+0.08 +0.06	Ø46 +0.01
BB-S001-001	Ø46	+0.06 +0.02	Ø46 +0.0 -0.05 (Standard)









C-C length \ stem length	80 mm	90 mm	100 mm	110 mm	120 mm	130 mm	140 mm
32 mm	○						
42 mm	○						
45 mm		○	○				
50 mm			○	○			
55 mm					○	○	
60 mm						○	○




**NEW**

## HA-S018-DI2-PN

Alloy Aero spacer for SHIMANO® DI2 junction, special design available. Fits Pinarello® fork.

- Material** AL6061-T6 CNC made
- Length** 50mm
- Angle** 8°
- C-C Length** 50 mm
- Weight** 10g
- Color** Black

Not include SHIMANO® DI2 junction



## HA-S018-DIOD2

SHIMANO® DI2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a clean and professional look. Choice of 2 different angles.

- Material** AL6061-T6 CNC made
  - For** Giant OD2 system (Ø31.8 Fork)
  - Angle** 6° & 17°
  - C-C Length** 45 / 55 mm
  - Weight** 6g (45mm)
  - Color** Black, Red, Blue
- Compatible with SHIMANO® DI2 Junction



## HA-S018-DI2

SHIMANO® DI2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a clean and professional look.


- Material** AL6061-T6 CNC made
  - For** Ø28.6 Fork
  - Angle** 6° & 17°
  - C-C Length** 42 / 45 / 50 / 55 / 60 mm
  - Weight** 6.5g (42mm)
  - Color** Black, Red, Gray
- Compatible with SHIMANO® DI2 Junction



## HA-S016-DI2

SHIMANO® DI2 Junction adapter. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a clean and professional look.

- Material** Nylon body, AL6061-T6 spacer
  - For** Ø28.6 fork
  - Angle** 6° & 17°
  - C-C Length** 32 / 44 mm
  - Weight** 7g (44mm)
  - Color** Black
- Compatible with SHIMANO® DI2 Junction







**NEW**

## CT-FD006-LD

A low-profile, low direct mount chain guard for 1X drivetrains. Fully CNC machined body, with a nylon guide that is easy to adjust and quiet on your chain.

Material	AL6061-T6
Spec	low direct mount system 28-36T
Weight	19.5g / set
Color	Black Anodized, Black Plastic



**CT-FD003-L**

Direct mount chainguide featuring a fully CNC'd body and a nylon guide. For use with any 1X drivetrain, it can prolong your chainring life. Easy to adjust from 32T to 38T, Includes spacer to adjust chainline.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Direct mount type guard 32-38T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard
<b>Weight</b>	64g / set
<b>Color</b>	S.B Anodized Black, Black Plastic

**CT-FD004-N2-S**

A minimalist, direct mount chainguide featuring a fully CNC'd body and a nylon guide. For use with any 1X drivetrain, it can prolong your chainring life. Easy to adjust from 30T to 38T, Includes spacer to adjust chainline.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Direct mount type guard 30-38T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard
<b>Weight</b>	49.5g / set
<b>Color</b>	S.B Anodized Black, Black Plastic

**CT-FD002**

Seat tube clamp chain guide, prevents the chain from dropping off the upper side.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm, Ø34.9 mm
<b>Weight</b>	76g / set
<b>Color</b>	S.B Anodized Black, Black Plastic


**CT-FD005**

A minimalist, seat tube mounted chainguide featuring a fully CNC'd body and a nylon guide. For use with any 1X drivetrain, it can prolong your chainring life. Easy to adjust from 30T to 40T.


<b>Material</b>	AL6061-T6
<b>Spec</b>	Round seat tube frame 30-40T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard and Ø34.9 / Ø31.8mm adapter shim
<b>Weight</b>	72g / set
<b>Color</b>	S.B Anodized Black, Black Plastic



## ISCG 05



## ISCG



NEW

**CT-CS001-500**

A carbon long fiber body with nylon guide, this minimalist chainguide is a lightweight powerhouse for your 1X drivetrain. Easy to set up for 30T-36T chainrings.

<b>Material</b>	Carbon with nylon
<b>Spec</b>	ISCG-05
<b>Range</b>	30T - 36T
<b>Weight</b>	25g / set

**CT-DX009**

Lightweight enclosed chain guide with bash guard. Perfect for 1x system. The redesigned bash guard effectively protects the chainring and easily glides over rocks and obstacles.

<b>Material</b>	AL6061-T6
<b>Spec</b>	ISCG or ISCG-05
<b>Thickness</b>	5 mm
<b>Range</b>	32T - 38T
<b>Weight</b>	116g (With out adapter)
<b>Color</b>	S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount

**CT-DX011-N2**

Designed for MTB 1x system drive train. Special design for 28t~32t chainrings to avoid chain drops during heavy use. Simple but effective!

<b>Material</b>	AL6061-T6 CNC made
<b>Spec</b>	ISCG or ISCG 05
<b>Size</b>	28T - 32T
<b>Thickness</b>	5 mm
<b>Weight</b>	52g / set
<b>Color</b>	S.B Anodized Black, Red, Blue

Bottom bracket (BB) adapter included for e type BB mount

**ADP-N001**

Adapter for ISCG or ISCG05 to E-type

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø59.2 mm (ISCG) / Ø73 mm (ISCG-05)
<b>Color</b>	S.B Anodized Black



ISCG



ISCG-05

**CT-E1-DX001**

Robust and economical, this fully encased chainguide keeps your chain fully wrapped around your 1X chainring for the rowdiest conditions.

<b>Material</b>	AL6061-T6
<b>Spec</b>	ISCG or ISCG-05
<b>Range</b>	32T - 40T
<b>Weight</b>	152g / set
<b>Color</b>	S.B Anodized Black, Red

**CT-E1-DX002**

Robust and economical, this half-caged chainguide keeps your chain fully wrapped around your 1X chainring for the rowdiest conditions.

<b>Material</b>	AL6061-T6
<b>Spec</b>	ISCG or ISCG-05
<b>Range</b>	32T - 40T
<b>Weight</b>	169g / set
<b>Color</b>	S.B Anodized Black, Red

**CT-E1-DX005**


A full protection option for your 1X drivetrain. Swiss plastic and 6061 AL provide strength and solid impact protection for the most demanding terrain.

<b>Material</b>	AL6061-T6
<b>Spec</b>	ISCG or ISCG-05
<b>Range</b>	32T - 38T
<b>Weight</b>	220g / set
<b>Color</b>	S.B Anodized Black, Red

**CG-DX002**

Full CNC light weight bash guard. Protect your chainring with minimal material. For MTB.

<b>Material</b>	AL6061-T6 full CNC made
<b>P.C.D</b>	Ø104 mm
<b>Size</b>	30T - 32T (OD: 147 mm) 34T - 36T (OD: 160 mm) 38T - 40T (OD: 180 mm)
<b>Weight</b>	85g (OD: 160 mm)
<b>Color</b>	Anodized Black, Red, Blue







NEW

**HA-GAMPR12**

Compatible with GARMIN Edge® 1000 & MIO® & GoPro® & Bryton® 100 / 310 / 330 / 530. GIANT® NEOSTRACK.  
For Ø31.8 handle bar.

**Material** AL6061-T6 body, plastic adapter  
**Weight** 56g / set  
**Color** S.B. Anodized Black



NEW

**HA-S023-TT**

Compatible with GARMIN Edge® 1000 & MIO® & GoPro® & Bryton® 100 / 310 / 330 / 530. GIANT® NEOSTRACK.  
For triathlon arm rest Ø22.2 tube. Material AL6061-T6 body, plastic adapter

**Material** AL6061-T6 body, plastic adapter  
**Weight** 48g / set  
**Color** S.B. Anodized Black

**HA-S011-N2**

Compatible with GARMIN Edge® & MIO® & Bryton® 100 / 310 / 330 / 530.  
For Triathlon arm rest Ø22.2 tube

**Material** AL6061-T6 body, plastic adapter  
**Weight** 42.5g  
**Color** S.B. Anodized Black, Red, Gray  
body  
Black Plastic Adapter

Additional purchase: GIANT® NEOSTRACK tray

**HA-S017-N2**

Compatible with GARMIN Edge® 1000 & MIO® & Bryton® 100 / 310 / 330 / 530.  
For Ø31.8 handle bar. Arm length adjustable.  
With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2

**Material** AL6061-T6 body, plastic adapter  
**Weight** 41g  
**Color** S.B. Anodized Black  
Additional purchase: GIANT® NEOSTRACK tray



NEW

## HA-S021-3CA HA-S022-4CA

For stem front cap. Compatible with MIO® & GARMIN & Bryton® 100 / 310 / 330 / 530. HA-S022-4CA for GoPro®. Fits all Fouriers stems.

<b>Material</b>	AL6061-T6
<b>Screw Center Distance</b>	23~40mm
<b>Angle Adjustable</b>	±20°
<b>Weight</b>	33.5g / set (HA-S021-3CA) 42g / set (HA-S022-4CA)

Additional purchase: GIANT® NEOSTRACK tray



HA-S021-3CA



HA-S022-4CA



HA-S021-3CA

HA-S022-4CA

## HA-S014

For stem front cap (Screw center distance: 9 - 33 mm)  
Compatible with GARMIN Edge® & MIO® & GoPro® & Bryton® 100 / 310 / 330 / 530.  
Fits all Fouriers stems

<b>Material</b>	AL6061-T6
<b>Screw Venter Distance</b>	9.1-33mm
<b>Weight</b>	40g
<b>Color</b>	S.B. Anodized Black, Red, Gray

Additional purchase: GIANT® NEOSTRACK tray



## HA-S019-N2

Special designed for GIANT® Contact SLR Aero Integrated Handlebar & Stem.  
Compatible with Garmin® models up to Edge 1000 versions.

<b>Material</b>	AL6061-T6 body & Plastic mount
<b>Weight</b>	26g
<b>Color</b>	S.B. Anodized Black

Additional purchase: GIANT® NEOSTRACK tray



## HA-S002

CARBON

For Ø31.8mm, Ø35mm handlebar  
Ø26 Carbon tube for computer mounting

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8, Ø35
<b>Weight</b>	34g



## HA-WM001

Special mount for sport watch.  
Attach it to restbars and keep a close eye on your performance.

<b>Material</b>	AL6061-T6
<b>Clamp</b>	Ø22.2 mm
<b>Weight</b>	60g
<b>Color</b>	S.B. Anodized Black



## HA-WA002

Special mount for sport watch.  
Attach it to handlebars and keep a close eye on your performance.

<b>Material</b>	AL6061-T6
<b>Clamp</b>	Ø31.8 mm
<b>Weight</b>	82g
<b>Color</b>	S.B. Anodized Black



## HA-S015-SRM8

Compatible with SRM® Power Control 8.  
For Ø31.8 handlebar.

<b>Material</b>	AL6061-T6
<b>Clamp</b>	Ø31.8 mm
<b>Weight</b>	38.5g
<b>Color</b>	S.B. Anodized Black



## HA-S015

Compatible with SRM® Power Control 7  
For Triathlon arm rest Ø22.2 tube

<b>Material</b>	AL6061-T6
<b>Clamp</b>	Ø22.2 mm
<b>Weight</b>	22g
<b>Color</b>	S.B. Anodized Black



## HA-S020-GMSP

Sport camera GoPro® mount on seatpost.  
Record exciting ride video behind you.

**Material** AL6061-T6  
**Clamp** Ø31.6 mm W/I SHIM Ø27.2 mm  
**Weight** 39g  
**Color** S.B. Anodized Black



**NEW**

## HA-GP03

GoPro® mount convert extension arm.

**Material** AL6061-T6  
**Weight** 49g/set  
**Color** S.B. Anodized Black




**NEW**

## HA-GP01-X2-001

Convert GoPro® mount into double mount.

**Material** AL6061-T6  
**Weight** 29g/set  
**Color** S.B. Anodized Black



**NEW**

## HA-GP02-LT-001

GoPro® mount convert to light holder.

**Material** AL6061-T6  
**Weight** 17g/set  
**Color** S.B. Anodized Black





# PREVENT A CHAIN DROP, PROTECT YOUR FRAME.



## AC-DX002-TM

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design with magnet for SRM Powermeter.

<b>Material</b>	AL6061-T6 full CNC made
<b>Range</b>	34T - 50T, 36T - 52T, 39T - 53T
<b>Weight</b>	6.5g (without bolt)
<b>Color</b>	Black, Red, Gold, Gray, Blue, Apple Green, Orange



## AC-DX002-16-L

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design.

<b>Material</b>	AL6061-T6 full CNC made
<b>Range</b>	34T - 50T, 36T - 52T, 39T - 53T
<b>Weight</b>	5.5g (without bolt)
<b>Color</b>	Black, Red, Gold, Gray, Blue, Apple Green, Orange



## AC-S003

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design with carbon wrap.

<b>Material</b>	AL6061-T6 Carbon coating
<b>Range</b>	34T - 50T, 36T - 52T, 39T - 53T
<b>Weight</b>	7.5g (without bolt)
<b>Color</b>	Carbon 3K



## HB-TR003

Fixed arm pads. Arm rest height adjustable with 20-60 mm adapter.

**Material** AL6061-T6  
**Weight** 470g / set

Triathlon arm rest  
For Ø31.8 handlebar  
Option: Carbon - S tubes, J1 tubes, J2 tubes, I tubes  
Alloy - S tubes, J1 tubes, J2 tubes, JS tubes



### HB-TR003-101

With Alloy S tube  
Angle 17° / 340 mm  
(Only order Alloy S tube: HB-TUB-101)



### HB-TR003-101C

With Carbon fiber S tube  
Angle 17° / 340 mm  
(Only order Carbon S tube: HB-TUB-101C)



### HB-TR003-201

With Alloy J1 tube  
Angle 17° / 310 mm  
(Only order Alloy J1 tube: HB-TUB-201)



### HB-TR003-201C

With Carbon fiber J1 tube  
Angle 17° / 310 mm  
(Only order Carbon J1 tube: HB-TUB-201C)



### HB-TR003-301

With Alloy J2 tube  
Angle 50° / 300 mm  
(Only order Alloy J2 tube: HB-TUB-301)



### HB-TR003-301C

With Carbon fiber J2 tube  
Angle 50° / 300 mm  
(Only order Carbon J2 tube: HB-TUB-301C)



### HB-TR003-401

With Alloy JS tube  
Angle 17° / 180 mm  
(Only order Alloy JS tube: HB-TUB-401)



### HB-TR003-401C

With Carbon fiber I tube  
Angle 0° / 300 mm  
(Only order Carbon I tube: HB-TUB-401C)



## HB-TR002

Triathlon tri-bar bridge. Has an adjustable width to a maximum of 105 mm. Also features a Ø26 mm computer mount bar for your convenience.

**Material** Nylon  
**Width** 85 mm - 105 mm  
**Weight** 54g / set



For Triathlon bar bridge

## WBC-DX001

Water bottle cage adapter for triathlon bar. Simple and effective.

**Material** AL6061-T6 full CNC made  
**Weight** 30g / pcs  
**Color** S.B Anodized Black



Clamping the water bottle cage For Triathlon bar

## WBC-TT003

For GIANT® 2016 Trinity aerodrive rest bar bridge. Increase rigidity when use a higher rest bar

**Material** AL7075-T6  
**Width** 120 mm / 142 mm  
**Weight** 30g  
**Color** S.B Anodized Black



Increase rigidity when use a higher rest bar

### WBC-BE001

The Fouriers® GOLF DIMPLE Bottle incorporates Jet Valve, a revolutionary self-sealing valve, into a spill- and splatter free bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption. The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle. Open/close the valve for safe travel and wide-mouth opening for easy cleaning.


<b>Material</b>	LDPE
<b>Range</b>	600cc
<b>Weight</b>	60g
<b>Color</b>	Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Vibrant Blue, Gorgeous Purple

Before use, open bottle valve



#### PRESSURE VALVE CAP

Special valve design allows clean and easy drinking. Open the cap and slightly squeeze the bottle for drinking. No squeezing = no water outflow, even with an open cap.



#### Fouriers® GOLF DIMPLE Bottles

are designed for maximum aero-dynamic flow, comfortable grip, and minimal drag.

### WBC-BE003-CA

The Fouriers® GOLF DIMPLE Bottle incorporates Jet Valve, a revolutionary self sealing valve, into a spill and splatter free, bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

Cover cap is included to keep the tip clean.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle. Open/close the valve for safe travel and wide-mouth opening for easy cleaning.

<b>Material</b>	LDPE
<b>Range</b>	600cc
<b>Weight</b>	60g
<b>Color</b>	Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Vibrant Blue, Gorgeous Purple



#### PRESSURE VALVE CAP

Special valve design allows clean and easy drinking. Open the cap and slightly squeeze the bottle for drinking. No squeezing = no water outflow, even with an open cap.

### WBC-BE002-E

The Fouriers® GOLF DIMPLE Bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle.

<b>Material</b>	LDPE
<b>Range</b>	600cc
<b>Weight</b>	60g
<b>Color</b>	Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Vibrant Blue, Gorgeous Purple



NEW

## WBC-DX004-C500

CARBON

Advanced carbon fiber injection technology forms beautiful lines at a competitive price. Stiff carbon arms keep your bottle locked in place.

**Material** Carbon with Nylon  
**Weight** 29,5g  
**Color** UD



## WBC-DX002

CARBON

Arcing arms keep the bottle secure in place and adds a bit of elegance to your bike.

**Material** Carbon fiber  
**Weight** 31g  
**Color** UD



NEW

## WBC-S004

Molded plastic arms provide smooth entry and exit of your bottles, while keeping them locked in place.

**Material** Plastic  
**Weight** 46g  
**Color** Black, Red



## WBC-S001

CARBON

Special designed aero dynamic water bottle cage. Cages includes the water bottle. L size can hold up to 600cc and S size 300cc of water.

**Material** Carbon UD cage+ Plastic water bottle  
**Volume** (L) 600cc, (S) 300cc  
**Weight** (L) 82.5g, (S) 62.5g, (CAGE) 26g



Easy for holding





NEW

**ADP-DISC-5**

Front 100mm hub change to boost 110mm hub.

**Material** AL6061-T6 full cnc made  
**Weight** 11g (without screws)  
**Color** S.B Anodized Black

**CR-S002**

Design to mount onto a 6 bolt disc-hub. This converts your bike into a fixed gear using the special adapter to fix on SHIMANO® cassette style hubs. The adapter is made from a lightweight alloy 6061-T6 disc. The cog is made from hardened cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Comes with 6 stainless bolts.

**Material** Cold forged Cr-mo heat treated steel (ASM4140) and AL6061-T6 for the adapter  
 N.E.N finished cog / Red anodize adapter  
**Spec** Use for disc HUB 6 hole and cassette HUB  
**Teeth** 16T - 23T  
**Weight** 56g / set - 103g / set

**CR-S001**

Complete cog and spacer kit for use with a Shimano-style freehub. Designed for quick single speed conversion, from a geared bike. Cog is made by harden cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Different sizes are available to cover most riders needs.

**Material** Cold forged Cr-mo heat treated steel (ASM4140)  
 N.E.N finished  
**Teeth** 12T - 23T  
 For cassette HUB  
 With lock ring x 1pcs & 10 mm x 1, 5 mm x 2, 3 mm x 3 Spacer

**AC-DX003 (SPACO)**

Unique cassette spacer for downhill riders. Professional downhill riders don't need bigger sprockets in their rear cassette. Riders use max 7 speed. Spaco replaces these bigger and heavier sprockets and adds more flare to your bike.

**Material** AL6061-T6  
**Spec** Max 19T Compatible with SHIMANO® CS-6700  
 Max 24T Compatible with SHIMANO® CS-M771-10  
**Weight** 20g  
**Color** Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange





## QR-S006

Heavy duty use quick release for thru-axle system. Full CNC machined aluminum lever can be repositioned by simple lift and lock.

**Material** AL7075 axle / AL6061 lever  
**Spec** Ø12 mm axle / 135 mm, 142 mm, 148 mm, 150 mm HUB  
 Ø15 mm axle with nut  
**Weight** 75g - 86g  
**Color** Black, Red  
 Max force to 150kgf-cm

HUB	AXLE	SPEC
100	146	M14 x 1.5
135	168	M12 x 1.75
142 (SHIMANO®)	171	M12 x 1.5
148 (SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75



## QR-S003

Aluminum full CNC machined axle and lever quick release for thru-axle system.

**Material** AL7075 axle / AL7075 lever  
**Spec** Ø12 mm axle / 135 mm, 142 mm, 148 mm, 150 mm HUB  
 Ø15 mm axle with nut  
**Option** M12 x 1.0 mm / M12 x 1.75 mm with nut  
**Weight** 76g / pcs (150 mm)  
**Color** Black, Red

HUB	AXLE	SPEC
100	128	M12 x 1.5
135	168	M12 x 1.75
142 (SHIMANO®)	171	M12 x 1.5
148 (SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75



## QR-DX001

**Material** Alloy with carbon fiber lever  
 Titanium axle ED black finish  
 (F)100 mm (R)130 mm, 135 mm  
**Weight** 43g / set (ROAD BIKE) / 46g / set (MTB)  
**Color** Black, Silver, Red, Gold, Gray  
**For** ROAD BIKE or MTB



## QR-S001

**Material** Alloy full CNC machined lever  
 Titanium axle ED black finish  
 (F)100 mm (R)130 mm, 135 mm  
**Weight** 45g / set (ROAD BIKE) / 47g / set (MTB)  
**Color** Black, Silver, Red, Gold, Gray  
**For** ROAD BIKE or MTB



## QR-E001

**Material** Alloy lever made anodized finish/10B21 axle  
 (F)100 mm (R)130 mm, 135 mm  
**Weight** 112g / set (ROAD BIKE) / 115g / set (MTB)  
**Color** S.B Anodized Black, Silver  
**For** ROAD BIKE or MTB



## QR-S002

**Material** Alloy full CNC machined lever  
 Titanium axle ED black finish  
 (F)100 mm (R)130 mm, 135 mm  
**Weight** 53.0g / set (ROAD BIKE) / 56.0g / set (MTB)  
**Color** Black, Silver, Red, Gold, Gray  
**For** ROAD BIKE or MTB

# FOURIERS' SILICONE GRIP REMAINS COMFORTABLE IN YOUR HAND ALL DAY.

Dimpled texture provides ample grip and airflow.  
Maximum control, all day comfort.  
GP-S001



## GP-S001

Ultra comfortable silicone material provides the rider with uncompromising grip. Relieve hand tension and remain in control. The dimpled surface provides a cooling space as your hands begin to sweat.

**Material** Silicone rubber foam  
**Spec** Ø30x130 mm / Ø32x130 mm  
**Color** Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow



## AC-PGN03-MB

Screw on plugs for handlebar cap, gives a secure hold to all tapes and grips.  
For handlebar ID: Ø17-21mm  
2 pieces a set.

**Material** Plastic plug with alloy bolts.  
**Weight** 24g / set




## AC-PG02-MB

Screw on plugs for handlebar cap, gives a secure hold to all tapes and grips.  
For handlebar ID: Ø17-21mm  
2 pieces a set.

**Material** Alloy cap with stainless bolts.  
**Weight** 41g / set





Our Polyurethane Bar Tape gives the rider supreme comfort and added style points.

Cooling perforations in the tape are appreciated when the riding heats up. Great color choices available for any color scheme.



### BP-S001-DC30

Double colored bar tape with the latest design PU material for better and more comfortable grip in any weather condition.

Material	PU
Spec	3 cm x 210 cm
Thickness	3.0 mm
Color	Black - Apple Green, Black - Pink, Black - White, Black - Yellow, Red - Blue, Red - White, Apple Green - Pink, Blue - Fluorescent Pink, Black - Red



### BP-S001

Bar tape with the latest design PU material for better and more comfortable grip in any weather condition.

Material	PU
Spec	3 cm x 210 cm
Thickness	3.0 mm
Color	Pink, Green, Red, Blue, Yellow, Tiffany Green, Black, White, Carbon Pattern



### AC-PG001-RC

Handlebar plugs to tightly secure the bar tape and grip. For handlebar ID: Ø17-21mm. Comes in 2 pieces a set.

Material	Plastic plug with alloy bolts.
Weight	20g / set





## PRODUCT SPECS

ITEM	Dura ace RD-9100	Dura ace RD-9000	Dura ace (DI2) RD-9000	Ultegra RD-6800 SS	Ultegra RD-6800 GS	Ultegra RD-5800	SRAM RED® e-Tap®	SRAM RED® / FORCE / RIVAL
CT-DX007	-	MAX 32T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-HCA1216	-	MAX 32T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-H1115	-	MAX 32T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-D15	-	MAX 28T	MAX 28T	MAX 28T	MAX 36T	-	-	-
CT-DX007-H1515	-	MAX 28T	MAX 28T	MAX 32T	MAX 36T	-	-	-
CT-DX007-H91-1216	MAX 30T	-	-	-	-	-	-	-
CT-DX007-HE05-D15	-	-	-	-	-	MAX 28T	-	-
CT DX017-TAPH1515	-	-	-	-	-	-	MAX 28T	-
CT-DX017-SR1515	-	-	-	-	-	-	-	MAX 28T



STEEL CONE WITH CERAMIC BEARING



FULL CERAMIC BEARING

## NEW

**CT-DX007-H91-1216** FULL CERAMIC BEARING

Oversize derailleur cage with 12T upper and 16T lower pulley. Pulleys are full CNC made from AL7075-T651 with full ceramic bearing. Compatible with SHIMANO® RD9100-SS.

<b>Material</b>	AL6061-T6 Cage / AL7075-T651 pulley
<b>Spec</b>	Fit SHIMANO® RD9100-SS.
<b>Weight</b>	80g / set
<b>Color</b>	S.b Black Anodized Cage / Anodized Pulley

**CT-DX007-HCA1216** FULL CERAMIC BEARING

Oversize derailleur cage with 12T upper and 16T lower pulley. Carbon big cage plate and alloy small cage to reduce weight, Pulleys are full CNC made from AL7075-T651 with full ceramic bearing. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

<b>Material</b>	Carbon Cage / AL6061-T6 Cage / AL7075-T651 pulley
<b>Spec</b>	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870
<b>Weight</b>	63g / set
<b>Color</b>	S.b Black Anodized & Carbon Cage Anodized Pulley

**CT-DX017-SRH1515** FULL CERAMIC BEARING  
**CT-DX017-SR1515**

Oversize derailleur cage with 15T upper and 15T lower pulley. Pulleys are full CNC made from AL7075-T651. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SRAM RED® / FORCE / RIVAL 11 speed.

<b>Material</b>	AL6061-T6 cage & AL7075-T651 pulley
<b>Spec</b>	Fit SRAM RED® / FORCE / RIVAL 11 speed
<b>Weight</b>	73g / set (CT-DX017-SR1515) / 92g / set (CT-DX017-SRH1515)
<b>Color</b>	S.b Black Anodized Cage Anodized Pulley
<b>Bear</b>	Full ceramic bearing / Stainless cone with ceramic bearing



CT-DX017-SRH1515



NEW

**CT DX017-TAPH1515** FULL CERAMIC BEARING

Oversize derailleur cage with 15T upper and 15T lower pulley. Pulley are full CNC made from aluminum AL 7075-T651 with full ceramic bearing. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SRAM RED® e-Tap® rear derailleur.

<b>Material</b>	AL6061-T6 CAGE and AL7075-T651 pulley
<b>Spec</b>	Fit SRAM RED® e-Tap® rear
<b>Weight</b>	82g / set
<b>Color</b>	S.B Black Anodize cage Black Anodize pulley / Red Anodize pulley

**CT-DX007-HE05-D15** FULL CERAMIC BEARING  
**CT-DX007-E05-D15**

Oversize derailleur cage with 15T upper and 15T lower pulley. Pulleys are full CNC made from AL7075-T651. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® 5800.

<b>Material</b>	AL6061-T6 Cage / AL7075-T651 pulley
<b>Spec</b>	Fit SHIMANO® RD 5800
<b>Weight</b>	87g / set
<b>Color</b>	S.B Black Anodized Cage Anodized pulley
<b>Bear</b>	Full ceramic bearing / Stainless cone with ceramic bearing



CT-DX007-D15

CT-DX007-H1515

**CT-DX007-H1515** FULL CERAMIC BEARING  
**CT-DX007-D15**

Oversize derailleur cage with 15T upper and 15T lower pulley. Pulley are full CNC made from AL7075-T651 Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

<b>Material</b>	AL6061-T6 Cage / AL7075-T651 Pulley
<b>Spec</b>	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870
<b>Weight</b>	75g / set (CT-DX007-D15) / 72g / set (CT-DX007-H1515)
<b>Color</b>	S.B Black Anodized Cage Anodized pulley
<b>Bear</b>	Full ceramic bearing / Stainless cone with ceramic bearing

**CT-DX007-H1115** FULL CERAMIC BEARING  
**CT-DX007**

Oversize derailleur cage with 11T upper and 15T lower pulley. Pulley are full CNC made from AL7075-T651 Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

<b>Material</b>	AL6061-T6 Cage / AL7075-T651 pulley
<b>Spec</b>	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870
<b>Weight</b>	70g / set (CT-DX007) / 72g / set (CT-DX007-H1115)
<b>Color</b>	S.b Black Anodized Cage Anodized pulley
<b>Bear</b>	Full ceramic bearing / Stainless cone with ceramic bearing



CT-DX007



CT-DX007-H1115



### SCL-S005-CA

Seatclamp with a rubber dust cover to protect your frame from dust creeping into your seat tube. Chamfered edge & oval clamping mechanism to protect carbon frames & seatpost.

<b>Material</b>	AL6061-T6 clamp with NBR cover
<b>Spec</b>	Ø31.8 (Ø27.2 seat post), Ø34.9 (Ø31.6 seat post) 17.5 mm
<b>Height</b>	16 mm
<b>Weight</b>	25g(Ø31.8) / 28g(Ø34.9)
<b>Color</b>	Clamp: S.B Anodized Black Cover: Black, Red, Blue, Appne Green, Orange, Pink, White, Yellow

### SCL-S001

Double M5 bolt. Chamfer edge & oval hole design to protect carbon frames & seatposts. Rubber cover helps prevent dust and water from getting into the seat tube.

<b>Material</b>	AL6066-T6
<b>Spec</b>	Ø31.8 mm (Fix Ø27.2 Seatpost) / Ø34.9 (Fix Ø31.6 Seatpost)
<b>Height</b>	17.5 mm
<b>Weight</b>	(Ø31.8) 24g / (Ø34.9) 27g
<b>Color</b>	Black, Silver, Red, Gray



Oval Hole For Carbon

### SCL-DN001

Special double nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm, Ø34.9 mm
<b>Height</b>	14 mm
<b>Weight</b>	(Ø31.8) 17.5g / (Ø34.9) 18.5g
<b>Color</b>	Black



### SCL-E001

Special nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm, Ø34.9 mm
<b>Height</b>	11 mm
<b>Weight</b>	(Ø31.8) 22.5g / (Ø34.9) 23.2g
<b>Color</b>	Black, Silver





## SCL-S006-CA

Extra security to prevent your seatpost from slipping past your seatclamp. Keeps your seat height consistent, and the dust out of your seat tube. Can be used with any seatclamp.

<b>Material</b>	AL6061-T6 clamp with NBR cover
<b>Spec</b>	Ø27.2, Ø30.9, Ø31.6 mm
<b>Height</b>	8.5g~11g
<b>Color</b>	Clamp: S.B Anodized Black Cover: Black, Red, Blue, Appne Green, Orange, Pink, White, Yellow

## SCL-QX001

Seat clamp with ultra-lightweight and rounded quick release. Chamfer edge & oval hole design to protect carbon frames.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm, Ø34.9 mm
<b>Height</b>	16 mm
<b>Weight</b>	(Ø31.8) 28g / (Ø34.9) 30.5g
<b>Color</b>	Black, Silver, Red, Gold, Gray



Oval Hole For Carbon

## SCL-QX002

Seat clamp with ultra-lightweight and sleek quick release. Chamfer edge & oval hole design to protect carbon.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm, Ø34.9 mm
<b>Height</b>	16 mm
<b>Weight</b>	(Ø31.8) 26g / (Ø34.9) 29g
<b>Color</b>	Black, Silver, Red, Gold, Gray




Oval Hole For Carbon

## SCL-QE001

(P.A.T)

Special seat clamp with a screw that can't be disassembled for the security of your seat post installation.

<b>Material</b>	AL6061-T6
<b>Spec</b>	Ø31.8 mm, Ø34.9 mm
<b>Height</b>	13.5 mm
<b>Weight</b>	(Ø31.8) 110g / (Ø34.9) 113g
<b>Color</b>	Black, Silver



Use machine to break screw, so the screw can't draw out.





**SR-S001** CARBON

Set of 4 spacers: 3, 5, 10 mm, Taper Spacer

**Diameter** ID: Ø28.6 mm / OD: Ø34 mm  
**Material** Carbon 3K AL6061-T6 (Taper Spacer)  
**Weight** 10.5g / set

**SR-S002** CARBON

Set of 4 spacers: 3, 5, 10 mm, Taper Spacer

**Diameter** ID: Ø28.6 mm / OD: Ø34 mm  
**Material** Carbon 3K AL6061-T6 (Taper Spacer)  
**Weight** 8.3g / set

**SR-S003**

Set of 3 spacers: 5 mm x 2 pcs, 10mm x 1 pcs.

**Diameter** ID: Ø28.6 mm / OD: Ø36 mm  
**Material** Transparent Nylon  
**Weight** 7.2g / set.  
**Color** White, Blue, Orange, Light Orange, Green, Transparent, Light Pink, Purple, Yellow



**SR-E001**


Set of 4 spacers: 3, 5, 10 mm, Taper Spacer

**Diameter** ID: Ø28.6 mm / OD: Ø36 mm  
**Material** AL6061-T6  
**Weight** 15.5g / set  
**Color** Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange

**SR-E002**

Set of 4 spacers: 3, 5, 10 mm, Taper Spacer

**Diameter** ID: Ø28.6 mm / OD: Ø36 mm  
**Material** AL6061-T6  
**Weight** 10.5g / set  
**Color** Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange



**HA-S008**

Integrated headset system. Angle contact seal bearing.

**Material** Top cover AL6061-T6  
**Spec** Integrated 1-1/8" Upper/1.5" Bottom (UP) Ø28.6 x Ø41.8 / (DOWN) Ø51.8 x Ø39.5 (UPPER) 41.8 x 45° x 8 (LOWER) 51.8 x 45° x 8  
**Bearing** 78g / set  
**Weight** 78g / set  
**Color** Black

**ADP-HB701**

Carbon fiber and nylon, in-board extensions for your grip. Ergonomically designed to give relief by an additional hand position for long days behind the handlebars. Your fingers have greater mobility and are free to work the brakes.

**Material** Carbon fiber with special nylon  
**Specifications** Diameter Ø22.2 mm  
**Weight** 17.8g / set



## TC-S001

With stainless steel screws bolt

**Material** AL6061-T6 CNC finished  
**Spec** Fit 1-1 / 8 fork  
**Weight** 23g  
**Color** Anodized Black, Silver



## TC-S002 CARBON

With stainless steel screws bolt

**Material** Carbon  
**Spec** Fit 1-1 / 8 fork  
**Weight** 23g  
**Color** UD



## TC-S003 TITANIUM

With Titanium bolt

**Material** Titanium-64  
**Spec** Fit 1-1 / 8 fork  
**Weight** 9.5g



## TC-S004

With stainless steel screws bolt

**Material** AL6061-T6 CNC made  
**Spec** 1-1 / 8"  
**Weight** 15g  
**Color** Anodized Black



## TC-S005

With stainless steel screws bolt

**Material** AL6061-T6 CNC made  
**Spec** 1-1 / 8"  
**Weight** 15g  
**Color** Anodized Red



## TC-S006

With stainless steel screws bolt

**Material** AL6061-T6 CNC made  
**Spec** 1-1 / 8"  
**Weight** 15g  
**Color** Anodized Red



## TC-S007

With stainless steel screws bolt

**Material** AL6061-T6 CNC made  
**Spec** 1-1 / 8"  
**Weight** 15g  
**Color** Anodized Black



## TC-E001

With stainless steel screws bolt

**Material** AL6061-T6  
**Spec** Fit 1-1 / 8 fork  
**Weight** 14.5g  
**Color** Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



## TC-E002

With stainless steel screws bolt

**Material** AL6061-T6  
**Spec** Fit 1-1 / 8 fork  
**Weight** 14.5g  
**Color** Anodized Black



NEW

**ADP-BOT-C500** CARBON

Lamp peg & Rear derailleur protector.  
For Front & Rear Wheel.

**Material** Carbon 3K Body & AL6061 Cap  
**Weight** 25g / set




NEW

**ADP-BOT-A011**

Lamp peg for front wheel.

**Material** AL6061-T6  
**Weight** 36g / set  
**Color** S.B Anodize Black



**HA-S007**

Comes with long screw, top cap and spacers.

**Material** AL6061-T6 body, Top cap, Spacer  
**Length** 50 mm (Adjust height 47.5 mm - 65.5 mm)  
90 mm (Adjust height 47.5 mm - 105.5 mm)  
120 mm (Adjust height 47.5 mm - 135.5 mm)  
**Weight** 154g - 230g  
**Color** S.B Anodized Black

X	Y	Z
50	47.5	65.5
90	47.5	105.5
120	47.5	135.5

**HA-S001**

CARBON

Canti Brake cable hanger.  
Carbon spacer can reduce brake noise.  
For Ø28.6 fork tube

**Material** Carbon 3K  
**Heigh** 4 mm  
**Weight** 29g / set

**AC-S007**

ALLOY

A lightweight seatpost shim to fit your seatpost in an oversized seat tube.

**Material Spec** AL6061-T6  
OD Ø31.6 mm x ID Ø30.9 mm  
OD Ø31.6 mm x ID Ø27.2 mm  
OD Ø30.9 mm x ID Ø27.2 mm  
**Length** 90 mm  
**Weight** 9g - 41g  
**Color** Anodized Black, Silver





## AC-DX001

Fits SHIMANO® 8, 9, 10, 11 speed  
CAMPAGNOLO® 9, 10, 11 speed

**Material** AL7075-T651 body, AL6061-T6 cap  
**Bearing** Steel Cone With Ceramic Bearing  
**Teeth** 11T  
**Weight** 21g / set  
**Color** Anodized Black, Sliver, Red, Gold, Gray



## AC-S004

SHIMANO® center lock disc hub adaptor. Change center lock disc hub to the international 6 bolt standard disc

**Material** AL6061-T6 body and lock ring/  
Stainless steel washer  
**Weight** 41g / set  
**Body Color** S.B Anodized Black, Sliver



## AC-S002

CARBON

Adapter for bar bore, available in 3 sizes. Carbon fiber has damping capacity to reduce vibration during riding.

**Material** Carbon UD  
**Spec** OD Ø35 mm to ID Ø31.8 mm,  
OD Ø31.8 mm to ID Ø26 mm,  
OD Ø31.8 mm to ID Ø25.4 mm  
**Width** 60 mm  
**Weight** 24g (Ø31.8 x Ø25.4 mm)



## AC-S001

CARBON

Adapter for the fork tube Ø31.8 mm to Ø28.6 mm.

**Material** Carbon UD  
**Spec** OD Ø31.8 mm to ID Ø28.6 mm  
**Length** 38 mm  
**Weight** 10g / set



## AC-A002

Adapter for bar bore Ø35 mm to Ø31.8 mm

**Material** AL6061  
**Spec** OD Ø35 mm to ID Ø31.8 mm  
**Width** 60 mm  
**Weight** 20g



## AC-A001

Adapter for the fork tube Ø31.8 mm to Ø28.6 mm.

**Material** AL6061  
**Spec** OD Ø31.8 mm to ID Ø28.6 mm  
**Length** 38 mm  
**Weight** 15g





NEW

### AC-MG004-F

Front mudguard to keep your fork and your face free from dirt and debris. Customizable cut lines on the under side of the guard. We use eco-friendly and recyclable PP (polypropylene) material.

<b>Material</b>	Polypropylene (PP)
<b>Thickness</b>	1.2 mm
<b>Weight</b>	37g
<b>Color</b>	Black



NEW

### AC-MG005-R

Assemble on saddle rail. We use eco-friendly and recyclable PP (polypropylene) material. Smart-Fix construction for quick removal.


<b>Material</b>	Polypropylene (PP)
<b>Thickness</b>	1.2 mm
<b>Weight</b>	30g
<b>Color</b>	Black



## AC-MG001-N2

Assemble on MTB suspension fork  
Not available in Europe


**Material** Polypropylene (PP)  
**Thickness** 0.8 mm  
**Weight** 28g  
**Color** Black, Apple Green, Orange, Pink, White, Yellow



## AC-MG003-N2

Front mudguard to keep your fork and your face free from dirt and debris.  
Customizable cut lines on the under side of the guard.  
We use eco-friendly and recyclable PP (polypropylene) material.  
Six striking colors to match your ride.

**Material** Polypropylene (PP)  
**Thickness** 0.8 mm  
**Weight** 28g  
**Color** Black, Apple Green, Orange, Pink, White, Yellow



## AC-MG002

Assemble on saddle rail  
Not available in U.S.A

**Material** Polypropylene (PP)  
**Thickness** 0.8 mm  
**Weight** 19g  
**Color** Black, Apple Green, Orange, Pink, White, Yellow



## VL-PE008-N

Tubeless valve (removable type) extender, can easily fixed by outer thread & nut.  
1set = 2pcs

Material	AL6061-T6
Length	40, 60 mm
Weight	8g (60mm)
Color	Anodized Black



## VL-PE007

Tire Valve Extensions: Simple, air-tight installation without tape or threadseal, while reducing noise and vibration on the road.  
1set = 2pcs

Material	AL6061-T6 Body, Nylon Ring
Length	38, 50, 60, 70, 80, 90, 100 mm
Weight	6.5g (60mm)
Color	Anodized Black



## VL-PE001

Presta valve extender CNC Machined, 1set = 2pcs

Material	AL6061-T6
Length	25, 38, 50, 60, 70, 80, 90, 100 mm
Weight	8g (60mm)
Color	Anodized Black, Silver



## VL-PE002

Presta valve extender, 1set = 2pcs

Material	AL6061-T6
Length	20, 30, 40, 50, 60, 70, 80, 90, 100 mm
Weight	7.5g (60mm)
Color	Anodized Black, Silver



## VL-PE003

Presta valve extender  
Only for Vittoria tubular tire, 1set = 2pcs

Material	AL6061-T6
Length	30, 40, 50, 60, 70 mm
Weight	9g (60mm)
Color	Anodized Black, Silver





## VL-US001

1 set = 2pcs

**Material** AL6061-T6 CNC made  
**Spec** USA valve  
**Weight** 18.7g / set  
**Color** Anodized Black, Sliver, Red, Gold, Gray



## VL-PE009

1 set = 2pcs

**Material** AL6061-T6 CNC made  
**Spec** Presta valve  
**Weight** 2g / set  
**Color** Anodized Black, Sliver, Red, Gold, Gray



## VL-PE006

1 set = 2pcs

**Material** AL6061-T6 CNC made  
**Spec** Presta valve  
**Weight** 2g / set  
**Color** Anodized Black, Sliver, Red, Gold, Gray



## VL-US002

1 set = 2pcs

**Material** AL6061-T6 CNC made  
**Spec** USA valve  
**Weight** 13.0g / set  
**Color** Anodized Black, Sliver, Red, Gold, Gray



## VL-PE004

1 set = 2pcs

**Material** AL6061-T6 CNC made  
**Spec** Presta valve  
**Weight** 2.9g / set  
**Color** Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange



## BN-M003

1 set = 2pcs

**Material** AL7075-T6 full CNC made  
**Spec** M5 x 0.8  
**Length** 17 mm  
**Weight** 1.3g / pcs  
**Color** Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



## VL-US003

1 set = 2pcs

**Material** AL6061-T6 CNC made  
**Spec** Presta change to USA valve  
**Weight** 2.3g / set  
**Color** Anodized Black, Sliver, Red, Gold, Gray



## BN-M001-SUS

1 set = 5 pair

**Material** Stainless  
**Spec** M8 x 0.75  
**Width** 4mm  
**Tool** Allen wrench 5 mm  
**Weight** 20g / set



## BN-M001

1 set = 5 pair

**Material** AL7075-T6 full CNC made  
**Spec** M8 x 0.75  
**Width** 5mm, 7 mm  
**Tool** Allen wrench 5 mm  
**Weight** 2.0g / pair (7 mm)  
**Color** Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



## VL-PE005

Disc wheel 90 degree adapter  
 Fix Presta valve rim tire

**Material** AL6061-T6 CNC made  
**Weight** 9.6g  
**Color** Anodized Black, Sliver



## ADP-S001

All CNC made, CO2 adapter.  
 Fits presta & USA valve without adapter.  
 The simple theaded valve allows easy use.

**Material** AL6061-T6 full CNC made  
**Weight** 17g  
**Color** Anodized Black, Sliver



## BN-M002

1 set = 2 pcs

**Material** AL7075-T6 full CNC made  
**Spec** M5 x 0.8  
**Length** 10 mm  
**Weight** 1.3g / pcs  
**Color** Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



# THE QUICK TRUE TOOL IS A PORTABLE WHEEL & ROTOR TRUING TOOL.

IT CAN BE ATTACHED TO THE FRAME OR FORK OF ANY BIKE!

You do not have to remove the wheels from the dropouts to true them. The rubber foot of the Quick True Tool, and the rubber straps, secure the tool to any frame or fork, for a steady platform to begin working on a wheel. Three planes of adjustment make it easy to set-up and quickly identify an area of the rim, out of true. The spring-loaded, plastic tip will not damage carbon, or other rims, as the tip comes in contact with points along the rim or rotor, that are out of true. An include Spoke Blade, has 2 sides which have wrench flats for the common nipple sizes of 3.23mm, 3.45mm. The tool can also be set-up and used on any brake rotor as well.



**NEW**

## ADP-WH001

Simple and easy to install, check wheel set offset and quick adjustment.


**Material** AL 6061-T6  
**Spec** Spoke tool 3.23 mm & 3.45 mm



## TL-ST041-6P

6 function bike tool set  
Hex 3 / 4 / 5 / 6 mm, PH2, T25


**Inner Tool Of Material** Chrome Vanadium with durable Matte Chrome plating  
**Frame** AL6061-T6 full CNC made. one-piece  
**Weight** 75g  
**Color** Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



## TL-ST042-8P

8 function bike tool set  
Hex 2 / 2.5 / 3 / 4 / 5 / 6 mm, PH2, T25


**Inner Tool Of Material** Chrome Vanadium with durable Matte Chrome plating  
**Frame** AL6061-T6 full CNC made. one-piece  
**Weight** 83g  
**Color** Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



## TL-ST060-17P

18 function bike tool set  
Hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm, PH2, SL4, T25  
Spoke wrench SHIMANO® 4.3 / 4.4 / Hex4.6 / MAVIC M7.  
bottle opener Chain breaker (9 / 10 / 11 speed) Tire lever

**Inner Tool Of Material** Chrome Vanadium with durable Matte Chrome plating  
**Frame** AL6061-T6 full CNC made  
**Weight** 178g  
**Color** Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



## TL-ST003-M

**Material** Heat treatment steel 6150 tool / Alloy body  
**Spec** Allen wrench 2, 2.5, 3, 4, 5, 6 mm,  
Torx T25, Slot, Philips  
**Weight** 145g / set  
**Color** ED



## TL-ST001

**Material** Heat treatment steel 6150 tool / Nylon body  
**Allen Wrench** 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm  
**Weight** 385g / set  
**Color** CP



## TL-S001

**Material** Heat treatment steel 6150 tool / Nylon body  
**Allen Wrench** 4, 5, 6 mm  
**Weight** 65 mm, 80 mm  
**Color** Body - Black, Blue, Red, Apple Green, Gray  
 Ring - Yellow 6 mm, Orange 5 mm, Purple 4 mm  
**Head Type** Ball or Hex wrench



## TL-ST002-T

**Material** Heat treatment steel 6150 tool / Nylon body  
**Allen Wrench** T10, T15, T20, T25, T27, T30, T40, T45, T50 mm  
**Weight** 268g / set  
**Color** ED




## TL-S003-1544

Lock ring tool with clean lines to blend in with your bike. Store on the water bottle braze-ons, or comfortably in your back pocket.

**Material** Hardened stainless steel / High polish finished  
**Spec** 15mm nut / locking (OD Ø42 - Ø44)  
**Weight** 80g




AC-S005-002



AC-S005-012



AC-S005-100



## AC-S005-100

Anti-puncture frame protector roll  
**Material** Polyurethane (PU)  
**Spec** (W) 100 mm x (L) 1500 mm  
**Weight** 110.5g



## AC-S005-002

Anti-puncture chain stay protector  
**Material** Polyurethane (PU)  
**Weight** 8g



## AC-S005-012

Anti-puncture frame protector  
**Material** Polyurethane (PU)  
**Weight** 15g

## AC-S006-001

Puncture protection tape  
 Type: Road bike (700C)  
**Material** Polyurethane (PU)  
**Spec** (W) 20 mm x (L) 2090 mm  
**Weight** 37.5g

## AC-S006-129

Puncture protection tape  
 Type: MTB wheels  
**Material** Polyurethane (PU)  
**Spec** (W) 31 mm x (L) 2350 mm  
**Weight** 71.5g



