

2016 NEW PRODUCTS

High Performance Bike Components

-

D

AR



Full CNC made narrow-wide front chainring for Cyclocross 1x system. Narrow-wide teeth together with Fouriers' snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut holes for mud clearance. For PCD/BCD 110mm x 5 arms standard.

Product Features:

Material :	Alloy 7075-T651: CNC made	
P.C.D :	Ø110 mm	
Teeth :	38T, 40T, 42T	
Weight :	81g (38T)	
Color :	S.B. Anodized Black, Red, Blue	

P.A.T Wave design profile Teardrop mud clearance technology Teardrop holes Teardrop cut holes for better mud clearance.

Teardrop holes



Narrow wide teeth Alternating thick and thin shapes to tightly fit chainring.

WAVE DESIGN

Wave Technology Wave shape profile on the ring side for snug fit.

CHAINRING CR-DX006-130

Full CNC made narrow-wide chainring for Cyclocross 1x system. Narrow-wide teeth together with Fouriers' snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut holes for mud clearance. For PCD/BCD 130mm x 5 arms standard.

Product Features:

Material :	Alloy 7075-T651: CNC made
P.C.D :	Ø130mm
Teeth :	38T, 40T, 42T
Weight :	81g (38T)
Color :	S.B. Anodized Black, Red, Blue

P.A.T Wave design profile Teardrop mud clearance technology



CHAINRING CR-DX007-OV

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect.

 $\ensuremath{\mathsf{N/W}}$ tooth design with our snug wave design have extreme chain retention qualities, CNC cut holes for mud clearance.

Product Features:

Black, Red, Blue

P.A.T Wave design profile Teardrop mud clearance technology



CHAINRING CR-GXP01

One piece full CNC machined GXP chainring, Narrow wide teeth with our snug fit wave design and CNC cut holes for mud clearance. Compatible with SRAM[®] XX1/ X0/ X9 and GXP cranks.

Product Features:

Material :	AL7075-T651
Teeth:	30t, 32t, 34t, 36t, 38t
Weight :	105g (34T)
Color :	S.B black, red, blue

P.A.T Wave design profile Teardrop mud clearance technology





CHAINRING CR-DX008-SKII

The evolution of 40/40T rear sprocket. A two piece design made for a stable and durable drivetrain. The teeth is made from very strong Cr-mo heat treated steel and body from AL6066 for its stiff- and lightness.

Challenge steep climbs and modify your SHIMANO cassette with the Mage SK2 40/42T sprocket. Recommended for 1x and 2x drivetrain systems. Comes with longer B-tension screw and redesigned 16T sprocket (CR-S005-16) for smoother shifting and tooth ratio. For installation take out the 15T & 17T sprocket and install the 16T between the 13T and 19T. Add the 40/42T after the largest sprocket.

Product Features:

Material :	Sprocket Cr-mo ASM4130 heat treated (a) AL6066-T6: CNC made body (b) CR-S005-16(16T): forged Cr-mo ASM4130 heat treated
Spec : Weight :	40T or 42T 40T: 110g / 42T: 115g
Color :	(a) S.B Anonized Black, Red, Gold, Blue, Apple Green, Orange (b) CR-S005-16 (16T): N.E.N finish

For 10-speed (Shimano[®] Deore XT / XTR)

For the best 1x10 setup, we recommend our CR-DX003-AH chainring.



CHAINRING CR-DX010-96

Full CNC made narrow wide chainring for 1x system. Narrow wide teeth together with our snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut teardrop holes for mud clearance.

Special made for P.C.D 96mm x 4 arms standard.

Product Features:

Material :	AL7075-T651: CNC made
P.C.D :	Ø96mm
Teeth :	32T, 34T, 36T, 38T
Weight :	52g (34T)
Color :	Anodized Black, Red, Blue

P.A.T Wave design profile Teardrop mud clearance technology



CHAINRING CR-DX9000

Narrow Wide chainrings for XTR M9000/M9020 11 speed crank with custom made crank cover caps. The narrow-wide profile with our snug fit wave design have extreme chain retention qualities. Each tooth has additional CNC cut teardrop holes for better mud clearance.

Product Features:

Material :	AL-7075-T651	
Spec :	30t, 32t, 34t, 36t	
Weight :	46g (34T)	
Color :	S.B black, red, blue	

For SHIMANOR[®] XTR M9000/M9020 Comes with customized crank cover caps. P.A.T Wave design profile Teardrop mud clearance technology



CHAINRING CR-DX9000-OV

Narrow Wide Oval chainrings for XTR M9000/M9020 11 speed crank with custom made crank cover caps. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. The narrow-wide profile with our snug fit wave design have extreme chain retention qualities. Each tooth has additional CNC cut teardrop holes for better mud clearance.

Product Features:

AL-7075-T651	
34t, 36t	
83g (34T)	
S.B black, red, blue	

For SHIMANOR[®] XTR M9000/M9020 Comes with customized crank cover caps. P.A.T Wave design profile Teardrop mud clearance technology











CHAINRING CR-DX009-CM

The evolution of narrow-wide single front chainrings. Made by Cr-mo heat treated steel for long lasting durability with pin point CNC finish. This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.

Product Features:

Material :	Cr-mo heat treated steel
P.C.D :	Ø104mm
Teeth :	32T, 34T, 36T, 38T
Weight :	125g (34T)
Color :	N.E.N, Ti-coating

P.A.T Wave design profile Teardrop mud clearance technology Compatible with SHIMANO®





Designed for MTB 1x system drive train. Special design for 28t~32t chainrings to avoid chain drops during heavy use. Simple but effective!

Product Features:

Material :	ALOY 6061T6 CNC made
Spec :	ISCG / ISCG 05
Size :	28t~32t
Thickness :	5mm
Weight :	52g
Color :	Anodized Black, Red, Blue





G.Impact 11 speed GXP Crankset. The G.Impact is entirely made of AL7075 aluminum material, resulting in an ultra lightweight crank arm with superior strength. Developed for maximum chain control, each tooth's thickness is precisely CNC-machined. The 30mm Hollow axle allows greater bearing durability and stronger crank construction. While the circle spider can convey more efficient power and withstand great impact.

Product Features:

Material : Length : Bottom : Color : AL7075-T651 175mm, 180mm BB30, Pressfit Black, Gray







BB30 External Bearing system.

Fix SRAM[®] GXP spider & GXP chainring.



Buster 11 speed Crankset. Latest technology and riding experience for Mountain Bike. Developed for maximum chain control, each tooth's thickness is precisely CNC-machined. The 30mm Hollow axle allows greater bearing durability and stronger crank construction. While the circle spider can convey more efficient power and withstand great impact.

Product Features:

Material : Length : Bottom : Color : AL7075-T651 175mm, 180mm BB30, Pressfit 30 Black, Gray





BB30 External Bearing system.



ADAPTER **ADP-GXP104**

Full CNC made spider adapter for P.C.D \emptyset 104 chainring compatible with SRAM[®] XX1/ X0/ X9 and GXP cranks.

Product Features:

Material	;
Weight :	
Color :	

AL 7075-T651 55.5g S.B black, red, blue



HANDLEBAR

Triple butted eccentric handlebar with Fouriers Control Curve Technology (CC) for absolute control and ergonomic comfort. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions, creating confident control. Flip over to adjust by +/- 5mm.

Product Features:

Material :	A
Spec :	Q
Back Sweep :	g
Eccentric :	5
Weight :	2
Color :	5

AL7050-T73 Ø31.8mm x W680, 760mm 9° 5mm 215g (W680mm) S.B Anodized Black

W/ Control curve bend

HANDLEBAR

Aluminum utilitarian trekking handlebar with Fouriers Control Curve Technology (CC) for absolute control and ergonomic comfort. Featuring a comfortable sweep for enduring rides, while giving additional leverage and more control. The con trol curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions. Best suited for long-distance off road riding.

Product Features:

Material :	AL7050-T73
Spec :	Ø31.8mm x W720mm
Back Sweep :	58 degrees
Rise :	20mm
Weight :	380g
Color :	S.B Anodized Black

W/ Control curve bend

HANDLEBAR

Double butted aluminum flat handlebar made from aluminum 7050 to reduce weight and maintain strength. This handlebar is made to endure anything and can load up to 800kgs pressure. Available in many striking anodized colors.

Product Features:

Material : Spec : Back Sweep : Overload : Weight : Color : AL7050-T73 Ø31.8mm x W720mm 5° 800kgs 275g S.B Anodized Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue

WATER BOTTLE

The Fouriers® GOLF DIMPLE Bottle incorporates Jet Valve, a revolutionary self-sealing valve, into a spill- and splatter free bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

The lightweight bottle is made of TruTaste[™] LDPE with HydroGuard[™] and lets you taste your water, not your bottle. Open/close the valve for safe travel and wide-mouth opening for easy cleaning.

Product Features:


Material :	LDPE
Volume :	600cc
Weight :	60g
Color :	Black, Red, White, Transparent







PRESSURE VALVE CAP Special valve design allows clean and easy drinking. Open the cap and slightly squeeze the bottle for drinking. No squeezing = no water outflow, even with an open cap.



AERO-DYNAMIC DIMPLE SURFACE Similar to golfballs, the dimple surface adds additional air penetration for greater aero-dynamics.

WATER BOTTLE

The Fouriers[®] GOLF DIMPLE Bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle.


Product Features:

Material :	LD
Volume :	60
Weight :	60
Color :	Bla

DPE D0cc Dg lack, Red, White, Transparent







AERO-DYNAMIC DIMPLE SURFACE Similar to golfballs, the dimple surface adds additional air

penetration for greater aero-dynamics.

STEM SM-RA009

Advanced lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Stem has ± 17 degree angle. Flip over to change stem angle to +/- ± 17 degrees. Available in 7 sizes between 80-140mm. For Road.

Product Features:

Material :	AL6066-T6 full CNC made
Handlebar Clamp :	Ø31.8mm
Fork Tube :	Ø31.8mm
Fork Stack Height :	40mm
Angle :	±17°
Length :	80 - 140mm
Weight :	155g (140mm)
Color :	Anodized Black



With Top Cap (TC-DX002) & Carbon shim for Ø28.6 (AC-S001)



The most popular short stem redesigned. Entirely made from CNC with smoother edges and improved handle. Special made for Ø31.8mm handlebars.

Product Features:

 Material :
 AL606i

 Handlebar Clamp :
 Ø31.8r

 Fork Tube :
 Ø28.6r

 Fork Stack Height :
 40mm

 Angle :
 0°

 Length :
 45mm

 Weight :
 144 g (

AL6066-T6: CNC made Ø31.8mm Ø28.6mm 40mm 0° 45mm 144 g (without TOP CAP)





AC-SOO

HEAD ACCESSORIES

SHIMANO[®] DI2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a cleaner and professional look. Choose out of 2 different angles.

Product Features:

Material :	AL6061-T6: CNC made
	Ø28.6 Fork
Angle :	6° & 17°
C-C Length :	42/45/50/55/60
Weight :	6.5g
Color :	black, red, gray

Compatible with SHIMANO® Di2 Junction





HEAD ACCESSORIES

SHIMANO[®] DI2 Junction adapter. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a cleaner and professional look. Choose out of 2 different angles.

Product Features:

Nylon body, AL6061-T6 spacer
Ø28.6 fork
6° & 17°
32/44
7g/pcs
black

Compatible with SHIMANO® Di2 Junction



BRAKE SYSTEM

Unique two piece design disc rotor. Stainless steel blade for reliable braking power and Alloy body for sturdy and lightweight performance. The special dimple surface on the body optimizes heat distribution and gives it aero qualities.

Product Features:

Material :	Stainless steel disc AL6061 CNC made body
Od Size :	Ø140mm, Ø160mm, Ø180mm, Ø203mm
Weight :	136g (Ø180mm)
Thickness :	1.7mm
Color :	S.B. Anodized Red

Compatible with international standard 6 hole (IS mount)



Enhanced cooling area Additional contact area

ADAPTER

Adaptor to mount larger disc brake rotor. Fits 74mm post mount caliper and post mount fork.

Product Features:

Material :	AL6061-T6: CNC made
Post Mount:	74mm
Spec :	140mm to 160mm 160mm to 180mm
Weight : Color :	11g/pcs S.B. Anodized Black, red, gray

Post mount to post mount



.

.





Adaptor to mount larger disc brake rotor. Fits 74mm post mount caliper and post mount fork.

Product Features:

Material :	AL6061-T6: CNC made
Post Mount:	74mm
Spec :	160mm to 203mm
Weight :	23g/pcs
Color :	S.B. Anodized Black, red, gray





Post mount to post mount

MUDGUARD

Front fork mudguard can efficiently prevent mud splashes. This smart design has special cut lines on the belly side for customization.


We use eco-friendly and recyclable PP (polypropylene) material. Choose out of six striking colors.

Product Features:

Material :	Polypropylene (PP)
Thickness :	0.8mm
Weight :	28g
Color :	Black, Apple Green, Orange, Pink, White, Yellow

Assemble on MTB suspension fork





SPACER SR-E003

Classic aluminum spacer with high polished anodized center piece in different colors.

Product Features:

ID: Ø28.6mm / OD: Ø34mm
AL6061-T6: CNC Made
12g/set
5mm
Black, Silver, Red, Gold, Gray

Set of 4 spacers





TOOL **TL-ST001**

This is a Brand New 9-Piece Metric Ball End Hex key L-Wrench Set. Eye-catching colors and simple design. Special heat treated process and Japanese steel for prolonged tool life. Soon to be your favorite tool.

Product Features:

5

Material :
Allen Wrench
Weight :
Color :

Heat treatment steel 6150 tool / Nylon body 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm 385g/set CP



TOOL TL-ST002-T

This is a Brand New 9-Piece Torx End Hex key L-Wrench Set. Eye-catching colors and simple design. Special heat treated process and Japanese steel for prolonged tool life. Soon to be your favorite tool

Product Features:

Material : Torx Spec: Weight : Color : Heat treatment steel 6150 tool / Nylon body T10, T15, T20, T25, T27, T30, T40, T45, T50mm 268g/set ED



TOOL TL-ST003-M

This is a Brand New 9-Piece tools Set. Eye-catching colors and simple design. Special heat treated process and Japanese steel for prolonged tool life. Soon to be your favorite tool

Product Features:

Material :	Heat treatment steel 6150 tool / Nylon body
Spec:	Allen wrench 2mm, 2.5mm, 3mm, 4mm, 5mm
	Torx T25, Slot, Philips
Weight :	145g/set
Color :	ED





Route your existing brake cable and housing from your current drop levers through these ergonomic lever. Allows you to control your speed from multiple hand positions. Can use independently. Split clamp for easy installation. Adjustable reach and return spring

Product Features:

Material :	
For :	
Weight :	
Color :	

AL6061-T6 forged. Ø31.8 handlebar 128g/pair S.B Black, Silver

Canti or caliper compatibility. With Ø24mm shim









COMPUTER MOUNT

Triathlon bar computer mount for GARMIN Edge[®] & MIO[®] Conveniently keep track of your data.

Product Features:

Material :	AL6061-T6 body, plastic adapter
Weight :	42.5g
Heigh :	S.B. Anodized Black, Red, Gray body Black Plastic adapter

Compatible with GARMIN Edge[®] & MIO[®]







COMPUTER MOUNT

Computer mount for handlebar. Stable clamp for easy reading. Compatible with GARMIN $\text{Edge}^{\otimes}\,\text{MIO}^{\otimes}$.

Product Features:

Material	:
Weight :	
Color :	

AL6061-T6 body, plastic adapter 40.5g S.B. Anodized Black, Red, Gray body Black plastic adapter

Compatible with GARMIN Edge[®] & MIO[®] For Ø31.8mm handle bar Arm length adjustable Comes with Ø25.4 x Ø22.2 shim



GARMIN®





COMPUTER MOUNT

Computer mount for stem. Compatible with GARMIN Edge[®] & MIO[®] & GoPro[®] camera. Record your best moments from a unique stem viewpoint.


Product Features:

Material :	AL6061-T6
Weight :	40g
Color :	S.B. Anodized Black, red, gray

For stem front cap (Screw center distance: 9 - 33mm) Compatible with GARMIN Edge[®] & MIO[®] & GoPro[®] Fits all Fouriers stems







COMPUTER MOUNT

Handlebar computer mount for GARMIN Edge[®] & MIO[®]. Dedicated and stable adaptor for the best recordings.

Product Features:

Material :	AL6061-T6 body, plastic adapter
Weight :	41g
Color :	Sandblast black anodize

Compatible with GARMIN Edge[®] 1000 & MIO[®] For Ø31.8 handle bar Arm length adjustable

COMPUTER MOUNT

Handlebar computer mount for GARMIN Edge[®] & MIO[®] & GoPro[®]. Dedicated and stable adaptor for the best recordings.

Product Features:

Material :	AL6061-T6 body, plastic adapter
Weight :	41g
Color :	Sandblast black anodize

Compatible with GARMIN Edge[®] 1000 & MIO[®] & GoPro[®] For Ø31.8 handle bar Arm length adjustable









fouriers-bike.com/ zt_zh-Chinese/



FOURIERS Bike facebook