



**PASSION  
DRIVES  
INNOVATION.**

## **PASSION x DRIVES x INNOVATION**

FOURIERS Bicycle Components is an exceptional Taiwanese manufacturing company. Behind FOURIERS is a family firm of engineers and riders with a passion for bicycles and more than 20 years experience in developing and manufacturing high-end bike components. FOURIERS was created with the intention to share our experience and passion with the rest of the world, in the hope that everybody can enjoy the sport.

## **QUALITY x SAFETY x PERFORMANCE**

We use the strongest and lightest materials for our components. Durable grades of aluminum, highest quality carbon fiber, and quality plastic imported from Switzerland. FOURIERS is a world class manufacturer, and we rely on our sponsored riders to prove our ability to continuously develop and fabricate top tier bicycle components.

**We Ride all bike types.**

**We Invest in our people, machines and riders.**

**We Discover new ideas and improve on others.**

**We Engineer every product from sketch to manufacturing.**

**We Refine existing products from good to excellent.**

**NON STOP RIDING  
LET THE WORLD SEE US**



08 | ROAD HANDLEBAR

10 | MTB HANDLEBAR

13 | SEATPOST

14 | STEM

16 | BRAKE SYSTEM

18 | DISC ROTOR & ADAPTER

20 | BB SYSTEM

22 | CHAINRING

24 | CHAIN CATCHER

25 | CHAIN GUARD

26 | ROLLER KIT

28 | QUICK RELEASE

29 | DI2 JUNCTION SPACER

32 | COMPUTER MOUNT

36 | TRIATHLON BAR

38 | GRIP & BAR TAPE

41 | WATER BOTTLE & CAGE

42 | SEAT CLAMP

43 | HEADSET & SPACER

44 | TOP CAP

45 | ACCESSORIES

46 | VALVE CAP & BOLT

48 | PROTECTION

50 | TOOL

# POWER METER



# Quantify your output to exceed your inner potential



## CK-GRA

FOURIERS crankset design with removable crank. Rider can choose the length of crank and BB to fit their need. Moreover, the crankset with SRM power meter makes more challenge and fun for your ride.

Material: (Arm) AL6066-T6  
(Axle) 24mm: Steel / 30mm: AL2024  
(Chaining) AL7075-T651

Axle: 24mm / 30mm

Arm Length: 145, 150, 155, 160, 165, 167.5, 170, 172.5, 175mm


Teeth: 34+50T, 36+52T, 39+53T, 42+54T, 42+55T

Color: Anodized black, S.B anodized black

Weight: 845g (L: 170mm/36+52T)

# ROAD HANDLEBAR

Avoid discomfort during riding and choose the handlebar that fits your needs.




Item	Material	Spec	Drop	Reach	Rise	Width	Flare	Type
HB-RA001-N2	CARBON	Ø31.8	130	80	-	400 - 440	2°	Anatomic Bend
HB-RA002-N2	CARBON	Ø31.8	130	80	-	380 - 440	2°	Compact Bend
HB-RA003-N2	CARBON	Ø35	128	78	-	400 - 440	2°	Compact Bend
HB-RA006	7050	Ø31.8	130	85	-	380 - 440	2°	Anatomic Bend
HB-RA006-A6	6061	Ø31.8	130	85	-	380 - 440	2°	Anatomic Bend
HB-RA007	7050	Ø31.8	130	85	-	380 - 440	2°	Compact Bend
HB-RA007-A6	6061	Ø31.8	130	85	-	380 - 440	2°	Compact Bend
HB-RA008	7050	Ø31.8	130	80	-	380 - 440	2°	Anatomic Bend
HB-RA008-A6	6061	Ø31.8	130	80	-	380 - 440	2°	Anatomic Bend
HB-RA009-FL25	6061	Ø31.8	135	110	-	480 - 500	25°	Compact Bend
HB-RA010-FL12	6061	Ø31.8	130	80	-	380 - 440	12°	Compact Bend
HB-RA011-A6-M	6061	Ø31.8	125	80	15	320-420	2°	Compact Bend
HB-RA012-A6-T	6061	Ø31.8	125	75	-	320-420	2°	Compact Bend



***Listen to your body, and  
choose the handlebar that  
suits your needs.***

## MTB HANDLEBAR



Item	Material	Spec	Back Sweep	Up Sweep	Rise	Eccentric	Width	Type
HB-MB001-N2	CARBON	Ø35	9°	5°	20 / 30	-	800	Riser Bar
HB-MB002-N2	CARBON	Ø31.8	9°	5°	20	-	800	Riser Bar
HB-MB003-N2	6066	Ø35	9°	5°	20	-	780	Riser Bar
HB-MB007-N5	7050	Ø31.8	9°	-	-	5	720	Eccentric Bar
HB-MB007-N5-A6	6061	Ø31.8	9°	-	-	5	740	Eccentric Bar
HB-MB008-N5	CARBON	Ø31.8	9°	-	-	5	750	Eccentric Bar
HB-MB009-N2	6061	Ø31.8	5°	-	-	-	680	Flat Bar
HB-MB010-N2	7050	Ø31.8	5°	-	-	-	680	Flat Bar
HB-MB010-N2-H	7050	Ø31.8	5°	-	-	-	720	Flat Bar
HB-MB011-N2	6061	Ø31.8	9°	5°	20 / 25 / 30	-	720 / 780	Riser Bar
HB-MB012-N2	7050	Ø31.8	9°	5°	20 / 25 / 30	-	780	Riser Bar





## Design for Di2 cable hole

The inner cable of Di2 is getting popular, so Fouriers make change for all types of road bike handlebar, we drill the hole for Di2 inner cable to make the handlebar look more clean.

### HB-RA001-N2

**Material:** Carbon fiber  
**Spec:** Ø31.8mm  
**Width:** 400, 420, 440mm  
**Drop:** 130mm  
**Reach:** 80mm  
**Bar Type:** Anatomic bend  
**Weight:** 225g (W420mm)



Pass EFBE test

**EFBE**  
PROFTECHNIK

P1206089 / P1206090 / P1206091

### HB-RA002-N2

**Material:** Carbon fiber  
**Spec:** Ø31.8mm  
**Width:** 380, 400, 420, 440mm  
**Drop:** 130mm  
**Reach:** 80mm  
**Bar Type:** Compact bend  
**Weight:** 225g (W420mm)



Pass EFBE test

**EFBE**  
PROFTECHNIK

P1206089 / P1206090 / P1206091

### HB-RA003-N2

**Material:** Carbon fiber  
**Spec:** Ø35mm  
**Width:** 400, 420, 440mm  
**Drop:** 128mm  
**Reach:** 78mm  
**Bar Type:** Compact bend  
**Weight:** 240g (W420mm)



Pass EFBE test

**EFBE**  
PROFTECHNIK

P1206086 / P1206087 / P1206088



### HB-RA011-A6-M

**Material:** AL6061-T6  
**Spec:** Ø31.8mm  
**Width:** 320, 340, 360, 380, 400, 420mm  
**Drop:** 125mm  
**Reach:** 80mm  
**Rise:** 15mm  
**Bar Type:** Compact bend  
**Weight:** 302g (W420mm)  
**Color:** S.B Anodized Black





## HB-RA012-A6-T

**Material:** AL6061-T6  
**Spec:** Ø31.8mm  
**Width:** 320, 340, 360, 380, 400, 420mm  
**Drop:** 125mm  
**Reach:** 75mm  
**Bar Type:** Compact bend  
**Weight:** 300g (W420mm)  
**Color:** S.B Anodized Black



## HB-RA008-S HB-RA008-A6-S

**Material:** AL6061-T6 / AL7050-T73  
**Spec:** Ø31.8mm  
**Width:** 380, 400, 420, 440mm  
**Drop:** 130mm  
**Reach:** 80mm  
**Bar Type:** Compact bend  
**Weight:** 285g (AL7050-T73 / W420mm)  
320g (AL6061-T6 / W420mm)  
**Color:** S.B Anodized Black



## HB-RA010-FL12-O

It's made for all condition, special design offer 12 degrees flare in the drops, boosts comfortable and usability.

**Material:** AL6061-T6  
**Spec:** Ø31.8mm  
**Width:** 380, 400, 420, 440mm  
**Drop:** 130mm  
**Reach:** 80mm  
**Bar Type:** Compact bend 12 degrees of flare  
**Weight:** 295g (W420mm)  
**Color:** S.B Anodized Black



## HB-RA009-FL25-W

It's made for touring and singletrack, special design offer 25 degrees flare in the drops, boosts comfortable and usability.

**Material:** AL6061-T6  
**Spec:** Ø31.8mm  
**Width:** 480, 500mm  
**Drop:** 135mm  
**Reach:** 110mm  
**Bar Type:** Compact bend 25 degrees of flare  
**Weight:** 340g (W480mm)  
**Color:** S.B Anodized Black



## HB-RA007-K HB-RA007-A6-K

**Material:** AL6061-T6 / AL7050-T73  
**Spec:** Ø31.8mm  
**Width:** 380, 400, 420, 440mm  
**Drop:** 130mm  
**Reach:** 85mm  
**Bar Type:** Compact bend  
**Weight:** 275g (AL7050-T73 / W420mm)  
310g (AL6061-T6 / W420mm)  
**Color:** S.B Anodized Black



## HB-RA006-X HB-RA006-A6-X

**Material:** AL6061-T6 / AL7050-T73  
**Spec:** Ø31.8mm  
**Width:** 380, 400, 420, 440mm  
**Drop:** 130mm  
**Reach:** 85mm  
**Bar Type:** Anatomic bend  
**Weight:** 275g (AL7050-T73 / W420mm)  
310g (AL6061-T6 / W420mm)  
**Color:** S.B Anodized Black



## HB-MB001-N2

Material: Carbon fiber  
 Spec: Ø35mm  
 Width: 800mm  
 Rise: 20mm, 30mm  
 Back Sweep: 9°  
 Up Sweep: 5°  
 Weight: 295g

Pass EFBE test

**EFBE**  
 PROFITECHNIK

P1306487 / P1306488 / P1306489



## HB-MB002-N2

Material: Carbon fiber  
 Spec: Ø31.8mm  
 Width: 800mm  
 Rise: 20mm  
 Back Sweep: 9°  
 Up Sweep: 5°  
 Weight: 280g

Pass EFBE test

**EFBE**  
 PROFITECHNIK

P1306490 / P1306491 / P1306492



## HB-MB008-N5

Material: Carbon fiber  
 Spec: Ø31.8mm  
 Width: 750mm  
 Eccentric: 5mm  
 Back Sweep: 9°  
 Weight: 170g



## HB-MB007-N5 HB-MB007-N5-A6

Material: AL7050-T73 / AL6061-T6  
 Spec: Ø31.8mm  
 Width: 720mm (7050) / 740mm (6061)  
 Eccentric: 5mm  
 Back Sweep: 9°  
 Weight: 235g (7050) / 330g (6061)  
 Color: S.B Anodized Black, Red, Gray

Pass EFBE test

**EFBE**  
 PROFITECHNIK

P1206022 / P1206023 / P1206024



## HB-MB003-N2

Material: AL6066-T6  
Spec: Ø35mm  
Width: 780mm  
Rise: 20mm  
Back Sweep: 9°  
Up Sweep: 5°  
Weight: 428g  
Color: S.B Anodized Black, Silver, Red, Gold, Gray



Pass EFBE test

**EFBE**

PRÜFTECHNIK

P1206028 / P1206029 / P1206030

## HB-MB009-N2

Material: AL6061-T6  
Spec: Ø31.8mm  
Width: 680mm  
Back Sweep: 5°  
Weight: 210g  
Color: S.B Anodized Black, Red, Gold, Gray, Blue,  
Apple Green, Orange, Purple, Pink, Ocean Blue



## HB-MB010-N2-H

Material: AL7050-T73  
Spec: Ø31.8mm  
Width: 800mm  
Back Sweep: 5°  
Overload: 800kg  
Weight: 275g  
Color: S.B Anodized Black, Red, Gold, Gray, Blue,  
Apple Green, Orange, Purple, Pink, Ocean Blue



## HB-MB010-N2

Material: AL7050-T73  
Spec: Ø31.8mm  
Width: 680mm  
Back Sweep: 5°  
Weight: 210g  
Color: S.B Anodized Black



## HB-MB016-CC

Fouriers' Control Curve Technology comes to life in this triple butted, eccentric handlebar. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions, creating confident control.



Material: AL7050-T73  
 Spec: Ø31.8mm  
 Width: 760 / 800mm  
 Back Sweep: 9°  
 Eccentric: 5mm  
 Weight: 260g (W800mm)  
 Body: S.B Anodized Black  
 Sticker: Red, Gray, Apple Green



## HB-MB017-M HB-MB017-A6-M

The "Trailhead Handlebar" is a utilitarian and trekking handlebar that will take you to the trailhead and beyond. Featuring a comfortable sweep for enduring rides, while giving additional leverage and more control. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions.

Material: AL7050-T73 / AL6061-T6  
 Spec: Ø31.8mm  
 Width: 720mm  
 Back Sweep: 35°  
 Rise: 20mm  
 Weight: 289g (7050) / 334g (6061)  
 Body: S.B Anodized Black  
 Sticker: Red, Gray, Apple Green



## HB-MB011-N2

Material: AL6061-T6  
 Spec: Ø31.8mm  
 Width: 720 / 780mm  
 Back Sweep: 9°  
 Up Sweep: 5°  
 Rise: 20, 25, 30mm  
 Weight: 280g (720mm) / 375g (780mm)  
 Color: S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Pink, Ocean Blue



## HB-MB012-N2

Material: AL7050-T73  
 Spec: Ø31.8mm  
 Width: 780mm  
 Back Sweep: 9°  
 Up Sweep: 5°  
 Rise: 20, 25, 30mm  
 Weight: 375g  
 Color: S.B Anodized Black



## SP-S001 SP-S001-DI2

Extreme lightweight carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. It's the best choice to reduce road vibrations. Double bolt clamp design for easy angle adjustment. 20mm offset, best used for Road.

**Material:** UD Carbon fiber, Carbon clamp  
**Spec:** Ø27.2, Ø30.9, Ø31.6mm  
**Length:** 400mm  
**Offset:** 20mm  
**Weight:** 240g (Ø31.6/400mm)

Pass EFBE test

**EFBE**  
PRÜFTECHNIK



P1206092 / P1206093  
Pass overload 300kg



## SP-S003 SP-S003-DI2

Extreme lightweight full carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. Best choice to shave off weight. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

**Material:** UD Carbon tube, Carbon clamp  
**Spec:** Ø27.2, Ø30.9, Ø31.6mm  
**Length:** 400mm  
**Offset:** 0mm  
**Weight:** 235g (Ø31.6/400mm)



Please follow instructions on the warning sticker before tightening carbon clamp



## SP-DX001

Extreme lightweight full CNC aluminum seatpost. Great aesthetics and unique design. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

**Material:** AL6066-T6 full CNC made  
**Spec:** Ø27.2, Ø31.6mm  
**Length:** 400mm  
**Offset:** 0mm  
**Weight:** 320g (Ø31.6/400mm)  
**Color:** Anodized Black



## SP-AG12

Durable, strong, and good looking 3D forged seatpost. Double bolt clamp design for easy angle adjustment. 12mm offset.

**Material:** 3D forged one-piece AL6061-T6 shaft  
**Spec:** Ø27.2, Ø30.9, Ø31.6mm  
**Length:** 400mm  
**Offset:** 12mm  
**Weight:** 345g (Ø31.6/400mm)  
**Color:** S.B Anodized Black





**SM-MB114-G17**  
**SM-MB114-G25**

A stunning MTB stem designed to be stiff and unique shape. -17 / -25 degree low rise, and length start from 80-120mm.

Material: AL6061-T6 full CNC made  
Handlebar Clamp: Ø31.8  
Fork Tube: Ø28.6  
Fork Stack Height: 28mm  
Angle: -17° / -25°  
Length: 80 - 120mm  
Weight: 206g (100mm)  
Color: Anodized Black

**SM-MB007**

Good for Enduro.

Material: AL6066-T6 full CNC made / Titanium bolts  
Handlebar Clamp: Ø31.8mm  
Fork Tube: Ø28.6mm  
Fork Stack Height: 40mm  
Angle: 0°  
Length: 45mm  
Weight: 144g  
Color: Anodized Black, Gray



**SM-MB113-G0**

Good for Enduro.

Material: AL6066-T6 full CNC made / Titanium bolts  
Handlebar Clamp: Ø31.8mm  
Fork Tube: Ø28.6mm  
Fork Stack Height: 34.5mm  
Angle: 0°  
Length: 35mm  
Weight: 103g  
Color: S.B Anodized Black



**SM-MB001**

Loud and proud, our SM-MB001 stem is looking to get wild, good for Enduro.

Material: AL6066-T6 full CNC made  
Handlebar Clamp: Ø35mm  
Fork Tube: Ø31.8mm  
Fork Stack Height: 40mm  
Angle: 0°  
Length: 50mm  
Weight: 205g  
Color: Anodized Black, Gray



**SM-DH001**

The DH Direct Mount stem.

Material: AL6066-T6 full CNC made  
Direct Mount: Boxxer  
Handlebar Clamp: Ø35mm  
Offset height: 17.3mm  
Weight: 92g  
Color: S.B Anodized Black, Gray



**SM-MB002**

Material: AL6066-T6 full CNC made  
Handlebar Clamp: Ø35mm  
Fork Tube: Ø31.8mm  
Fork Stack Height: 40mm  
Angle: 0°  
Length: 40mm  
Weight: 140g/set  
Color: Anodized Black



**SM-MB003**

The DH Direct Mount stem.

Material: AL6066-T6 full CNC made  
Offset Height: 25mm  
Handlebar Clamp: Ø35mm  
Weight: 171g  
Color: Anodized Black, Gray





## SM-MB115-MT6

A stunning MTB stem integrated cycling computermount. Compatible shape can compatible with GARMIN Edge® & MIO® & Bryton®.

Material: AL6061-T6 full CNC made  
 Clamp: Ø31.8  
 Fork Tube: Ø28.6  
 Fork Stack Height: 35.5mm  
 Angle: -6°  
 Length: 80 - 120mm  
 Weight: 186g (100mm)  
 Color: Anodized Black  
 Comes with top cap

## SM-RA001

Extreme lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material: AL6066-T6 full CNC made / Titanium bolts  
 Handlebar Clamp: Ø35mm  
 Fork Tube: Ø31.8mm  
 Fork Stack Height: 40mm  
 Angle: ±8°  
 Length: 80 - 140mm  
 Weight: 145g (100mm)  
 Color: Anodized Black



## SM-RA002

Extreme lightweight full CNC made stem.

Material: AL6066-T6 full CNC made / Titanium bolts  
 Handlebar Clamp: Ø31.8mm  
 Fork Tube: Ø28.6mm  
 Fork Stack Height: 40mm  
 Angle: ±6°  
 Length: 80 - 140mm  
 Weight: 133g (100mm)  
 Color: Anodized Black



Pass EFBE test

**EFBE**  
 PRÜFTECHNIK

P1306487 / P1306488 / P1306489

Pass EFBE test

**EFBE**  
 PRÜFTECHNIK

P1306490 / P1306491 / P1306492

## SM-RA009

Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Stem has ±17 degree angle.

Material: AL6066-T6 full CNC made / Titanium bolts  
 Handlebar Clamp: Ø31.8mm  
 Fork Tube: Ø31.8mm  
 Fork Stack Height: 40mm  
 Angle: ±17°  
 Length: 80 - 140mm  
 Weight: 153g (100mm)  
 Color: Anodized Black



## SM-RA010

Material: AL6061-T6 3D forged  
 Handlebar Clamp: Ø31.8mm  
 Fork Tube: Ø28.6mm  
 Fork Stack Height: 40mm  
 Angle: ±7°, ±17°  
 Length: 60 - 130mm  
 Weight: 152g (100mm)  
 Color: S.B Anodized Black



## SM-MB109-G7

Material: AL6061-T6 3D forged  
 Handlebar Clamp: Ø31.8mm  
 Fork Tube: Ø28.6mm  
 Fork Stack Height: 40mm  
 Angle: ±7°  
 Length: 70 - 110mm  
 Weight: 150g (100mm)  
 Color: S.B Anodized Black



## SM-MB110-G0

Material: AL6061-T6 3D forged  
 Handlebar Clamp: Ø31.8mm  
 Fork Tube: Ø28.6mm  
 Fork Stack Height: 40mm  
 Angle: ±0°  
 Length: 35, 45, 55, 65mm  
 Weight: 118g (45mm)  
 Color: S.B Anodized Black





### BR-DX006

Fits GIANT® TRINITY Advanced PRO 0 / PRO 1 / PRO 2 system.  
 Direct mount aero v-brake.  
 Liner spring adjustment system.  
 Use Swiss Stop brake pad for alloy wheel.

Material: AL6066-T6 Full CNC made  
 Weight: 275g/bike  
 Color: Anodized Black

### BR-DX005

Applicable for GIANT® PROPEL 2017 and older versions.  
 Direct mount aero V-brake / Linear spring adjustment system  
 Quick width switch for different rim width comes with SWISS STOP® brake shoes.

Material: AL6066-T6 full CNC made  
 Weight: 225g/bike  
 Color: Anodized Black



### BR-S005

Applicable for GIANT® PROPEL 2017 and older versions.  
 Direct mount aero V-brake / Linear spring adjustment system  
 Quick width switch for different rim width.

Material: AL6061-T6 3D forged  
 Weight: 230g/bike  
 Color: S.B Anodized Black



### BR-DX001

Extreme lightweight full CNC caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. With a titanium bolt and SWISS STOP® brake shoe.

Material: AL6066-T6 full CNC made  
 Brake Shoes: CNC cassette  
 Bolt: Main bolt Ti-64  
 Dimension: C-C 39-51mm  
 Weight: 210g/bike  
 Color: Anodized Black, Silver, Red, Gold, Gray



### BR-S003

Extreme lightweight caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power.

Material: AL6066-T6 forged made  
 Brake Shoes: Forged cassette  
 Bolt: Main bolt Cr-Mo  
 Dimension: C-C 39-51mm  
 Weight: 245g/bike  
 Color: Anodized Black, Silver, Red, Gold, Gray





## BR-DPS-SH-02-S-F

Disc Pad Model select:

- \* SHIMANO® DEORE BR-M515, 525, 575, 415, 465, 475, 485, 495
- \* SHIMANO® NEXAVE BR-C501, 601, 607
- \* TEKTRO Orion, Auriga Pro, E-Comp, Auriga SUB, E-SUB 2013 D2, WS, Aquila

Material: (Backing) Steel  
(Compound) Semi Metal

Weight: 22g/wheel



## BR-DPS-SH-04-S-F

Disc Pad Model select:

- \* SHIMANO® XTR M965, M966, M975, M975P
- \* SHIMANO® DEORE XT M776/M775
- \* SHIMANO® DEORE LX M585
- \* SHIMANO® Saint M800

Material: (Backing) Steel  
(Compound) Semi Metal

Weight: 18g/wheel



## BR-DPS-SH-06-S-SI

Disc Pad Model select:

- \* SHIMANO® XTR BR-M985
- \* SHIMANO® XT BR-M8000, M785
- \* SHIMANO® SLX M675, M666
- \* SHIMANO® Deroe BR-M6000, M615
- \* SHIMANO® Alfine

Material: (Backing) AL6061-T6  
(Compound) Semi Metal

Weight: 17g/wheel



## BR-DPS-SH-07-S-F

Disc Pad Model select:

- \* SHIMANO® Dura-Ace BR-R9170
- \* SHIMANO® Ultegra BR-R8070
- \* SHIMANO® 105 BR-R7070
- \* SHIMANO® Tiagra BR-R4770
- \* SHIMANO® GRX BR-RX810, BR-RX400
- \* SHIMANO® XTR BR-M9100, BR-RS805, BR-RS505, BR-RS405, BR-RS305
- \* Tektro HD-R310
- \* Rever MCX1 Flat Mount

Material: (Backing) Steel  
(Compound) Semi Metal

Weight: 16g/wheel



## BR-E001

Compatible with SHIMANO® caliper system.  
Adjustable angle with curve washer.

Material: AL6066-T6 full CNC made

Weight: 59g/bike

Color: Anodized Black, Silver, Red



## BR-E010


Replacement pad cartridges.

Rims: Aluminum, Carbon

Fits: SHIMANO® & SRAM® / Campagnolo®

Weight: 13g/wheel






### BR-D1P-2

Disc brake rotor. Compatible with the international standard 6 hole (IS mount).




**Material:** Stainless steel  
**OD Size:** Ø140, Ø160, Ø180, Ø203mm  
**Thickness:** 1.7mm  
**Weight:** 85g (Ø160mm)  
**Color:** Ti-Coating



### BR-D1P-2-LK

Disc brake rotor. Compatible with center lock system.

**Material:** Stainless steel rotor,  
 AL6061-T6 adapter and lock ring  
 Stainless steel washer  
**OD Size:** Ø140, Ø160, Ø180, Ø203mm  
**Thickness:** 1.7mm  
**Weight:** 110g (Ø160mm)  
**Color:** Ti-Coating rotor, S.B Anodized Black adapter  
 S.B Anodized Gold lock ring



Enhanced cooling area



Additional contact area

### BR-DSK001

Two piece brake rotor, functionally designed with heat dissipating "dimple" surface. Stainless steel disc with AL6061 carrier piece. Compatible with the international standard 6 hole (IS mount).

**Material:** Stainless steel disc  
 AL6061-T6 CNC made body  
**OD Size:** Ø140, Ø160, Ø180, Ø203mm  
**Weight:** 136g/pcs (Ø180mm)  
**Thickness:** 1.7mm  
**Color:** Ti-coating

## ADP-DISC-SH

SHIMANO® center lock disc hub adaptor. Change center lock disc hub to the international 6 bolt standard disc.

Material: AL6061-T6 body and lock ring  
Stainless steel washer

Weight: 25g/set

Body Color: S.B Anodized Black



## ADP-DISC-SH-BF

Center Lock System.

Front Ø15 x 100mm hub change to boost 110mm hub.

Material: AL6061-T6 body and lock ring  
Stainless steel washer

Weight: 35g/set

Color: Anodized Black



## ADP-DISC-SH-BR

Center Lock System.

Rear Ø12 x 142mm hub change to boost 148mm hub.

Material: AL6061-T6 body and lock ring  
Stainless steel washer

Weight: 31g/set

Color: Anodized Black



## ADP-DISC-BF501

Front Ø15 x 100mm hub change to boost 110mm hub.

Material: AL6061-T6 full CNC made

Weight: 11g/set (without screws)

Color: Anodized Black



## ADP-DISC-BR301

Rear Ø12 x 142mm hub change to boost 148mm hub.

Material: AL6061-T6 full CNC made

Weight: 11g/set (without screws)

Color: Anodized Black



## ADP-PM001

Adapter to mount larger disc brake rotor.  
Fits 74mm post mount caliper and post mount fork.

Material: AL6061-T6 CNC made

Post Moun: 74mm

Spec: 140mm to 160mm / 160mm to 180mm

Weight: 11g/pcs

Color: S.B Anodized Black, Red, Gray



## ADP-PM002

Adapter to mount larger disc brake rotor.  
Fits 74mm post mount caliper and post mount fork.


Material: AL6061-T6 CNC made

Post Moun: 74mm

Spec: 160mm to 203mm

Weight: 23g/pcs

Color: S.B Anodized Black, Red, Gray



## BB-S001

Fit PressFit 30 frame (Ø46mm x 68 / 73mm) to BB30 crankset (30mm axle). Enduro® bearings inside for top class quality.

**Material:** Plastic bearing cup, alloy side cover

**Bearing:** Enduro® sealed bearing

**Weight:** 83g

Product name	Product diameter		Frame bottom bracket diameter		
BB-S001-010	Ø46	+0.13	Ø46	+0.1	
		+0.11		+0.06	
BB-S001-005	Ø46	+0.08	Ø46	+0.05	
		+0.06		+0.01	
BB-S001-001	Ø46	+0.06	Ø46	+0.0	(Standard)
		+0.02		-0.05	



## TL-BB386

Precision CNC machined aluminum tool for the installation and removal of 16-notch external bearing bottom brackets.

**Material:** AL6061-T6 Full CNC made

**Fix:** FSA® MegaEVO® (16 notch 48.5mm OD cup)

Wheels® PF30 (16 notch 49.3mm OD cup)

Fouriers BSA30

**Weight:** 50g

**Color:** S.B Anodized Black



## CR-S002

Design to mount onto a 6 bolt disc-hub. This converts your bike into a fixed gear using the special adapter to fix on SHIMANO® cassette style hubs.

The adapter is made from a lightweight alloy 6061-T6 disc.

**Material:** Cold forged Cr-Mo heat treated steel (ASM4140) and AL6061-T6 for the adapter

N.E.N finished cog / Red anodize adapter

**Spec:** Use for disc hub 6 hole and cassette hub

**Teeth:** 16T-23T

With lock ring x 1pcs & 10mm x 1, 5mm x 1, 3mm x 3 Spacer



## CR-S001

Complete cog and spacer kit for use with a SHIMANO-style freehub. Designed for quick single speed conversion, from a geared bike.

**Material:** Cold forged Cr-Mo heat treated steel (ASM4140)  
N.E.N finished

**Spec:** For cassette hub

**Teeth:** 12T, 16T-23T

With lock ring x 1pcs & 10mm x 1, 5mm x 2, 3mm x 3 Spacer





## CR-SHM8000

Aircraft material and full cnc made high quality chainring, compatible with SHIMANO® FC-R8000 crankset. New design chainring gives smooth shifting and reliable quality.

Material: AL7075-T651 full cnc made

P.C.D: Ø110mm

Teeth: 34T+50T, 36T+52T, 39T+53T, 42T+54T, 42T+55T

Weight: 29g/pcs (34T), 128g/pcs (50T)

Color: S.B Anodized Black, Red, Blue, Green,  
Ti-coating for large chainring

ITEM	FIX CRANKSET	TEETH
CR-SHM8000	SHIMANO® FC-R8000	34T + 50T
		36T + 52T
		39T + 53T
		42T + 54T
		42T + 55T



## CR-SHM110

Aircraft material and full cnc made high quality chainring, compatible with SHIMANO® crankset. New design chainring gives smooth shifting and reliable quality.

Material: AL7075-T651 full cnc made

P.C.D: Ø110mm

Teeth: 34T+50T, 36T+52T, 39T+53T

Weight: 27g/pcs (34T), 134.5g/pcs (50T)

Color: S.B Anodized Black, Red, Blue, Green,  
Ti-coating for large chainring

ITEM	FIX CRANKSET	TEETH
CR-SHM110-58	SHIMANO® FC-5800	
CR-SHM110-68	SHIMANO® FC-6800	34T + 50T
		36T + 52T
		39T + 53T
CR-SHM110-90	SHIMANO® FC-9000	



## CR-CBE-R5800 CR-CBE-R6800

Narrow Wide chainrings for SHIMANO® FC5800 105 / FC- 6800 ULTEGRA crank set. For 1X system P.C.D Ø110mm 4 arm standard. Includes carbon with nylon cover cap to fit the SHIMANO® crankset.

Material: AL7075-T651

P.C.D: Ø110mm

Weight: 92g/pcs (40T)

Color: S.B Anodized Black, Red, Blue

ITEM	FIX CRANKSET	TEETH
CR-E1-DX5800-110	SHIMANO® FC-5800	40T ~ 48T
CR-E1-DX6800-110	SHIMANO® FC-6800	40T ~ 48T



## CR-CBE-R8000-HA

Compatible with 11, 12 speed system. Full CNC made narrow wide tooth could better work with chain, decrease the chance of chain drop. The hole design is to breed out the sediment. Some parts use hard anodized could increase the usage of chainring.

Material: AL7075-T651  
P.C.D: Ø110mm

Weight: 88g (42T) / 151g (56T)  
Color: Hard Anodized Black

ITEM	FIX CRANKSET	TEETH
CR-CBE-R8000-HA	SHIMANO® FC-R8000	42T ~ 48T
		54T ~ 58T



CR-RAFA-157-HA

CR-RAFA-OF3-HA

## CR-RAFA-157-HA / CR-RAFA-OF3-HA

Compatible with 11, 12 speed system. Full CNC made narrow wide tooth could better work with chain, decrease the chance of chain drop. The hole design is to breed out the sediment. Some parts use hard anodized could increase the usage of chainring.

Material: AL7075-T651  
SPEC: RaceFace® CINCH system

Weight: 90g (157/36T) / 80g (OF3/36T)  
Color: Hard Anodized Black

ITEM	FIX CRANKSET	TEETH
CR-RAFA-OF3-HA	RaceFace® CINCH system + Boost 148 HUB	32T ~ 38T
CR-RAFA-157-HA	RaceFace® CINCH system + Super Boost 157 HUB	32T ~ 38T



CR-GXP12-157-HA

CR-GXP12-OF3-HA

## CR-GXP12-157-HA / CR-GXP12-OF3-HA

Compatible with 11, 12 speed system. Full CNC made narrow wide tooth could better work with chain, decrease the chance of chain drop. The hole design is to breed out the sediment. Some parts use hard anodized could increase the usage of chainring.

Material: AL7075-T651  
SPEC: SRAM® GXP system

Weight: 92g (157/36T) / 85g (OF3/36T)  
Color: Hard Anodized Black

ITEM	FIX CRANKSET	TEETH
CR-GXP12-OF3-HA	SRAM® GXP system + Boost 148mm HUB	32T ~ 38T
CR-GXP12-157-HA	SRAM® GXP system + Super Boost 157mm HUB	38T ~ 42T

## CR-CBE-94 / CR-CBE-96 / CR-CBE-104 / CR-CBE-120

Compatible with 11, 12 speed system. Full CNC made narrow wide tooth could better work with chain, decrease the chance of chain drop. The hole design is to breed out the sediment.

Material: AL7075-T651  
P.C.D: Ø94mm / Ø96mm / Ø104mm / Ø120mm

Weight: 66g (Ø104mm-38T)  
Color: S.B Anodized Black

ITEM	FIX CRANKSET	TEETH
CR-CBE-94	P.C.D Ø94mm	36T ~ 40T
CR-CBE-96	P.C.D Ø96mm	36T ~ 40T
CR-CBE-104	P.C.D Ø104mm	36T ~ 40T
CR-CBE-120	P.C.D Ø120mm	38T ~ 40T



## CR-CBE-M8000 / CR-CBE-M9000

Compatible with 11, 12 speed system. Full CNC made narrow wide tooth could better work with chain, decrease the chance of chain drop. The hole design is to breed out the sediment.

Material: AL7075-T651  
P.C.D: Ø96mm

Weight: 62g (36T)  
Color: S.B Anodized Black

ITEM	FIX CRANKSET	TEETH
CR-CBE-M8000	SHIMANO® XT-M8000	36T ~ 40T
CR-CBE-M9000	SHIMANO® XTR-M9000	36T ~ 40T





## CR-CBE-M9871-HA

Compatible with SHIMANO® XTR, XT 12 pseed.

This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.

Material: AL7075-T651  
 P.C.D: SHIMANO® XTR, XT system  
 Weight: 84g/pcs (34T)  
 Color: Hard Anodized Black

ITEM	FIX CRANKSET	TEETH
CR-CBE-M9871-HA	SHIMANO® XTR · XT	30T ~ 36T



## CR-DX009-CM

The evolution of narrow-wide chainrings.

This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.

Material: Cr-Mo heat treated steel  
 P.C.D: Ø104mm  
 Weight: 125g/pcs (34T)  
 Color: Ti-coating

ITEM	FIX CRANKSET	TEETH
CR-DX009-CM	P.C.D Ø104mm	32T ~ 38T



## CR-DX005

The evolution of narrow-wide chainrings.

This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.

Material: AL7075-T651 full CNC made  
 P.C.D: Ø110mm  
 Weight: 68g/pcs (38T)  
 Color: S.B Anodized Black, Red, Blue

ITEM	FIX CRANKSET	TEETH
CR-DX005	P.C.D Ø110mm	38T ~ 42T



## CR-DX006

The evolution of narrow-wide chainrings.

This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.

Material: AL7075-T651 full CNC made  
 P.C.D: Ø130mm  
 Weight: 47g/pcs (38T)  
 Color: S.B Anodized Black, Red, Blue

ITEM	FIX CRANKSET	TEETH
CR-DX006	P.C.D Ø130mm	38T ~ 42T

## ADP-GXP104 / ADP-GXP120

Full CNC made spider adapter for P.C.D Ø104 chainring compatible with SRAM® XX1 / XO / X9 and GXP cranks.

Material: AL7075-T651 full CNC made  
 Weight: 56g/pcs  
 Color: S.B Anodized Black, Red, Blue




ITEM	FIX CRANKSET
ADP-GXP104	P.C.D Ø104mm
ADP-GXP120	P.C.D Ø120mm

PREVENT A CHAIN DROP,  
PROTECT YOUR FRAME

### AC-DX002-TM

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design with magnet for SRM Powermeter.

**Material:** AL6061-T6 full CNC made  
**Range:** 34T-50T, 36T-52T, 39T-53T  
**Weight:** 15g/pcs (without bolt)  
**Color:** Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



### AC-DX002-16-L

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design.

**Material:** AL6061-T6 full CNC made  
**Range:** 34T-50T, 36T-52T, 39T-53T  
**Weight:** 11g/pcs (without bolt)  
**Color:** Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



### AC-S003

Fouriers chain catcher protects your bottom bracket from chain contact during rigorous riding. Featherweight design with carbon wrap.

**Material:** AL6061-T6 Carbon coating  
**Range:** 34T-50T, 36T-52T, 39T-53T  
**Weight:** 7.5g/pcs (without bolt)



### CT-FD007

Seat tube clamp chain guide, prevents the chain from dropping off the upper side.

**Material:** AL6061-T6  
**Spec:** Ø34.9mm (with Ø31.8mm shim)  
**Weight:** 54g/set  
**Color:** S.B Anodized Black, Black Plastic



### CT-FD006-LD

A low-profile, E-type mount low direct mount chain guard for 1X drivetrains. Fully CNC machined body, with a nylon guide that is easy to adjust and quiet on your chain.

**Material:** AL7075-T651  
**Spec:** 28T-36T  
**Weight:** 20g/set  
**Color:** Anodized Black, Black Plastic



### CT-FD002

Seat tube clamp chain guide, prevents the chain from dropping off the upper side.

**Material:** AL6061-T6  
**Spec:** Ø34.9mm (with Ø31.8mm shim)  
**Weight:** 76g/set  
**Color:** S.B Anodized Black, Black Plastic



### CT-FD004-N2-S


A minimalist, direct mount chainguide featuring a full CNC body and a nylon guide. For use with any 1X drivetrain.

**Material:** AL6061-T6  
**Spec:** Direct mount type guard 30-38T, Suitable for 1x9 1x10 1x11 system speed drive train with plastic upper guard  
**Weight:** 46g/set  
**Color:** Anodized Black, Black Plastic





## ISCG 05



### CT-CS001-500


A carbon long fiber body with nylon guide, this minimalist chainguide is a lightweight powerhouse for your 1X drivetrain.

Easy to set up for 30T-36T chainrings.

**Material:** Carbon with nylon  
**Spec:** ISCG-05  
**Range:** 30T-36T  
**Weight:** 25g/set



## ISCG



### CT-E1-DX001

Robust and economical, this fully enclosed chainguide keeps your chain fully wrapped around your 1X chainring for the rowdiest conditions.

**Material:** AL6061-T6  
**Spec:** ISCG or ISCG-05  
**Range:** 32T-40T  
**Weight:** 174g/set  
**Color:** S.B Anodized Black, Red



### CT-DX009

Lightweight enclosed chain guide with bash guard. Perfect for 1X system. The redesigned bash guard effectively protects the chainring and easily glides over rocks and obstacles.

**Material:** AL6061-T6  
**Spec:** ISCG or ISCG-05  
**Thickness:** 5mm  
**Range:** 32T-38T  
**Weight:** 116g/set (Without adapter)  
**Color:** S.B Anodized Black, Red



### CT-E1-DX002

Robust and economical, this half-caged chainguide keeps your chain fully wrapped around your 1X chainring for the rowdiest conditions.

**Material:** AL6061-T6  
**Spec:** ISCG or ISCG-05  
**Range:** 32T-40T  
**Weight:** 169g/set  
**Color:** S.B Anodized Black, Red



### CT-DX011-N2

Designed for MTB 1X system drive train. Special design for 28t-32t chainrings to avoid chain drops during heavy use. Simple but effective!

**Material:** AL6061-T6  
**Spec:** ISCG or ISCG 05  
**Thickness:** 5mm  
**Size:** 28T-32T  
**Weight:** 52g/set  
**Color:** S.B Anodized Black, Red



### CT-E1-DX005

A full protection option for your 1X drivetrain. Swiss plastic and AL6061 provide strength and solid impact protection for the most demanding terrain.


**Material:** AL6061-T6  
**Spec:** ISCG or ISCG-05  
**Range:** 32T-38T  
**Weight:** 195g/set  
**Color:** S.B Anodized Black, Red



### CG-DX002

Full CNC light weight bash guard. Protect your chainring with minimal material. For MTB.

**Material:** AL6061-T6  
**P.C.D:** Ø104mm  
**Size:** 30T-32T (OD: 147mm)  
           34T-36T (OD: 160mm)  
           38T-40T (OD: 180mm)  
**Weight:** 85g/set (OD: 160mm)  
**Color:** Anodized Black, Red, Blue



### ADP-N001

Adapter for ISCG or ISCG05 to E-type.

**Material:** AL6061-T6  
**Spec:** Ø59.2mm (ISCG), Ø73mm (ISCG-05)  
**Weight:** 16g/pcs (ISCG), 30g/pcs (ISCG-05)  
**Color:** S.B Anodized Black



ISCG

ISCG-05

FOURIERS & SHIMANO®	System	DURA-ACE				ULTEGRA				
		New		New		New		New		
		Model	R9100	R9150 (DI2)	R9000	R9070 (DI2)	R8000		R8050 (DI2)	
		ITEM	RD-R9100-SS	RD-R9150	RD-9000-SS	RD-9070-SS	RD-R8000-SS	RD-R8000-GS	RD-R8050-SS	RD-R8050-GS
CT-DX007	◎ 11T+11T	-	-	MAX 32T	MAX 28T	-	-	-	-	
CT-DX007-H1115-N1	★ 11T+11T	-	-	MAX 32T	MAX 28T	-	-	-	-	
CT-DX007-HCA-N1	★ 12T+16T	-	-	MAX 32T	MAX 28T	-	-	-	-	
CT-DX007-E05-N1	◎ 15T+15T	-	-	-	-	-	-	-	-	
CT-DX007-HE05-N1	★ 15T+15T	-	-	-	-	-	-	-	-	
CT-DX007-H7000	★ 12T+16T	-	-	-	-	-	-	-	-	
CT-DX007-H8050	★ 12T+16T	-	-	-	-	-	-	-	MAX 34T	
CT-DX007-HCA8050	★ 12T+16T	-	-	-	-	-	-	-	MAX 34T	
CT-DX007-H91-N1	★ 12T+16T	MAX 30T	MAX 30T	-	-	MAX 30T	MAX 34T	MAX 30T	-	
CT-DX007-HCA91	★ 12T+16T	MAX 30T	MAX 30T	-	-	MAX 30T	MAX 34T	MAX 30T	-	

★ Use full ceramic bearing ◎ Use stainless cone with ceramic bearing

## CT-DX007-HCA8050

Compatible with SHIMANO® ULTEGRA RD-R8050-SS / RD-R8050-GS rear derailleur.

**Material:** Carbon Cage + AL6061-T6 Cage / AL7075-T651 pulley

**Teeth:** 12T + 16T

**Weight:** 75g

**Color:** S.B Anodized Black & Carbon cage Anodized Pulley



## CT-DX007-H8050

Compatible with SHIMANO® ULTEGRA RD-R8050-SS / RD-R8050-GS rear derailleur.

**Material:** AL6061-T6 cage & AL7075-T651 pulley

**Teeth:** 12T + 16T

**Weight:** 83g

**Color:** S.B Anodized Black Cage Anodized Pulley



## CT-DX007-HCA91

Compatible with SHIMANO® DURA-ACE RD-R9100-SS / RD-R9150, ULTEGRA RD-R8000-SS / RD-R8000-GS rear derailleur.

**Material:** Carbon Cage + AL6061-T6 Cage / AL7075-T651 pulley

**Teeth:** 12T + 16T

**Weight:** 75g

**Color:** S.B Anodized Black & Carbon cage Anodized Pulley



## CT-DX007-H91-N1

Compatible with SHIMANO® DURA-ACE RD-R9100-SS / RD-R9150, ULTEGRA RD-R8000-SS / RD-R8000-GS rear derailleur.

**Material:** AL6061-T6 cage & AL7075-T651 pulley

**Teeth:** 12T + 16T

**Weight:** 83g

**Color:** S.B Anodized Black Cage Anodized Pulley



## CT-DX007-HCA-N1

Compatible with SHIMANO® DURA-ACE RD-R9000-SS, RD-R9070-SS, ULTEGRA RD-R6800-SS, RD-R6800-GS rear derailleur.

**Material:** Carbon Cage / AL6061-T6 Cage / AL7075-T651 pulley

**Teeth:** 12T + 16T

**Weight:** 67g

**Color:** S.B Anodized Black & Carbon cage Anodized Pulley



## CT-DX007-H7000

Compatible with SHIMANO® 105 RD-R7000-SS, RD-R7000-GS rear derailleur.

**Material:** AL6061-T6 cage & AL7075-T651 pulley

**Teeth:** 12T + 16T

**Weight:** 83g

**Color:** S.B Anodized Black Cage Anodized Pulley



FOURIERS & SHIMANO®	ULTEGRA				105				
	R6800		R6870 (DI2)		New		R5800		
	R6800		R6870 (DI2)		R7000		R5800		
	RD-R6800-SS	RD-R6800-GS	RD-R6870-SS	RD-R6870-GS	RD-R7000-SS	RD-R7000-GS	RD-R5800-SS	RD-R5800-GS	
CT-DX007	◎	MAX 32T	MAX 36T	-	-	-	-	-	-
CT-DX007-H1115-N1	★	MAX 32T	MAX 36T	-	-	-	-	-	-
CT-DX007-HCA-N1	★	MAX 32T	MAX 36T	-	-	-	-	-	-
CT-DX007-E05-N1	◎	-	-	-	-	-	MAX 28T	MAX 28T	-
CT-DX007-HE05-N1	★	-	-	-	-	-	MAX 28T	MAX 28T	-
CT-DX007-H7000	★	-	-	-	MAX 30T	MAX 34T	-	-	-
CT-DX007-H8050	★	-	-	-	-	-	-	-	-
CT-DX007-HCA8050	★	-	-	-	-	-	-	-	-
CT-DX007-H91-N1	★	-	-	-	-	-	-	-	-
CT-DX007-HCA91	★	-	-	-	-	-	-	-	-

## CT-DX007-H1115 CT-DX007

Compatible with SHIMANO® DURA-ACE RD-R9000-SS, RD-R9070-SS, ULTEGRA RD-R6800-SS, RD-R6800-GS rear derailleur.

**Material:** AL6061-T6 Cage & AL7075-T651 pulley  
**Teeth:** 11T + 15T  
**Weight:** 72g  
**Color:** S.B Anodized Black Cage  
 Anodized Pulley



CT-DX007-H1115

CT-DX007

## CT-DX007-HE05-N1 CT-DX007-E05-N1

Compatible with SHIMANO® 105 RD-R5800-SS, RD-R5800-GS rear derailleur.

**Material:** AL6061-T6 Cage & AL7075-T651 pulley  
**Teeth:** 15T + 15T  
**Weight:** 87g  
**Color:** S.B Anodized Black Cage  
 Anodized Pulley



CT-DX007-HE05-N1

CT-DX007-E05-N1

## CT-DX017-TAPH-N1

Compatible with SRAM RED® e-TAP rear derailleur.

**Material:** AL6061-T6 cage & AL7075-T651 pulley  
**Teeth:** 15T + 15T  
**Weight:** 82g  
**Color:** S.B Anodized Black Cage  
 Anodized Pulley



## CT-DX017-SRH CT-DX017-SR

Compatible with SRAM RED®, Force®, Rival® rear derailleur.

**Material:** AL6061-T6 cage & AL7075-T651 pulley  
**Teeth:** 15T + 15T  
**Weight:** 92g  
**Color:** S.B Anodized Black Cage  
 Anodized Pulley



FOURIERS & SRAM®	System	RED	FORCE	RIVAL		
	Model	RED® e-TAP	RED®	Force®	Rival®	
	ITEM	RED® e-TAP	RED®	Force®	Rival®	
CT-DX017-SR-N1	◎	15T+15T	-	MAX 28T	MAX 28T	MAX 28T
CT-DX017-SRH-N1	★	15T+15T	-	MAX 28T	MAX 28T	MAX 28T
CT-DX017-TAPH-N1	★	15T+15T	MAX 28T	-	-	-

## QR-WH001

Chain hanger is a special design for thru axle system rear wheel. Use chain hanger could avoid your bike get damage from chain when traveling. Moreover, the brush design on the roller could also clean the sediment in the chain. On the end of axle with replaceable tooth design.

**Material:** Carbon fiber quick release handle / AL6061 axle / plastic roller

**Weight:** 88g

**Color:** Anodize Black axle, Anodized Blue lever  
Include M12x1.0, M12x1.5, M12x1.75 teeth nut



## QR-S007

Quick release for thru-axle system. Full CNC machined axle with carbon injection lever can be repositioned by simple lift and lock.

**Material:** AL7075 axle / Carbon with nylon lever

**Spec:** Ø12mm axle / 100, 135, 142, 148, 150mm HUB

**Weight:** 75g - 86g

**Color:** Anodized Black



## QR-E003

QR-type chain hanger and try to avoid your bike crack.

**Material:** Plastic

**Spec:** 142, 148, 150mm

**Weight:** 47g

**Color:** Black



## QR-S001

Lightweight design with a rounded aluminum quick release lever. Its CNC made body and titanium axle make this the perfect combination for an ultra lightweight quick release.

**Material:** Alloy full CNC machined lever  
Titanium axle ED black finish

**Effective Distance:** (F)100mm (R)130, 135mm

**Weight:** 45g/set (ROAD BIKE), 47g/set (MTB)

**Color:** Anodized Black, Silver, Red, Gold, Gray  
For ROAD BIKE or MTB



## QR-DX001

Extreme lightweight quick releases. The titanium axle with alloy body and bonded lever combine perfectly lightweight and quality.

**Material:** Alloy with carbon fiber lever  
Titanium axle ED black finish

**Effective Distance:** (F)100mm (R)130, 135mm

**Weight:** 43g/set (ROAD BIKE), 46g/set (MTB)

**Color:** Anodized Black, Silver, Red, Gold, Gray  
For ROAD BIKE or MTB



## QR-E001

Reliable quick release following a classic design. Great overall use.

**Material:** Alloy lever made anodized finish/10B21 axle


**Effective Distance:** (F)100mm (R)130, 135mm

**Weight:** 112g/set (ROAD BIKE), 115g/set (MTB)

**Color:** S.B Anodized Black, Silver  
For ROAD BIKE or MTB



	HUB		AXLE	TEETH	NUT
MTB	135	SHIMANO®	168	M12 x 1.75	✓
MTB	142	SHIMANO®	171	M12 x 1.5	✓
MTB	148	SHIMANO®	177	M12 x 1.5	✓
MTB	150	SHIMANO®	183	M12 x 1.75	✓
ROAD	100	-	122	M12 x 1.5	x
ROAD	100	SHIMANO®	118	M12 x 1.5	x
ROAD	142	-	167	M12 x 1.5	x
ROAD	142	SHIMANO®	160	M12 x 1.5	x



## HA-S025-DI2

For Campagnolo EPS V3.

Material: Stainless steel  
 Angle: 6°  
 Weight: 9g  
 Color: ED Black



## HA-S018-DI2-DIOD2

SHIMANO® Di2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties.

A simple spacer installation for a clean and professional look.

Material: AL6061-T6 CNC made  
 Spe: Ø31.8mm  
 C-C Length: 45mm / 55mm  
 Angle: 6° & 17°  
 Weight: 6g/pcs (45mm)  
 Color: S.B Anodized Black, Red, Blue



## HA-S018-DI2

SHIMANO® Di2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties.

A simple spacer installation for a clean and professional look.

Material: AL6061-T6 CNC made  
 Spe: Ø28.6mm  
 C-C Length: 42mm / 45mm / 50mm / 55mm / 60mm  
 Angle: 6° & 17°  
 Weight: 6.5g/pcs (42mm)  
 Color: S.B Anodized Black, Red, Gray




## HA-S016-DI2

SHIMANO® Di2 Junction adapter. Securely install your Di2 Junction underneath your stem without any zip-ties.

A simple spacer installation for a clean and professional look.

Material: Nylon body, AL6061-T6 spacer  
 C-C Length: 32mm / 44mm  
 Angle: 6° & 17°  
 Weight: 7g/pcs (44mm)




C-C 長度	立管 長度	80 mm	90 mm	100 mm	110 mm	120 mm	130 mm	140 mm
32mm		○						
42mm		○						
45mm			○	○				
50mm				○	○			
55mm						○	○	
60mm							○	○



圖示為 HA-S018 示意 (不同型號的產品, 因裝配需要, 外型而有所差異)









### ADP-MOUNT-GIANT

GIANT® NEOSTRACK



### ADP-MOUNT-WAHOO

WAHOO® ELEMNT - ELEMNT BOLT -  
ELEMNT MINI / PIONEER® SGX-CA600



### ADP-MOUNT-MIO

MIO® Cyclo 100 - 200 - 205 - 210 -  
315 - 315HC - 400 - 405 - 405HC -  
500 - 505 - 505HC - 605HC

# COMPUTER MOUNT

Change freely, compatible with all major brands.



### ADP-MOUNT-BRYTON

BRYTON® 530 - 330 - 310 - 100



### ADP-MOUNT-GARMIN

GARMIN EDGE® 1030 - 1000 - 830 -  
820 - 810 - 800 - 530 - 520 Plus -  
510 - 500 - 200 - 130





## HA-S024-4CA-N2

Special for 2021 GIANT® TCR SL/SLR stem or 2018 GIANT® PROPEL STEM, with removable GoPro adaptor and compatible with GARMIN Edge® & MIO® & Bryton®.

Material: AL6061-T6 body, plastic adapter  
Weight: 31g/set  
Color: S.B Anodized Black



## HA-S026-3CA

Steerer tube type cycling computer mount, compatible with GARMIN Edge® & MIO® & Bryton®.

Material: AL6061-T6  
Spec: Ø28.6  
Thickness: 7mm  
Angel: -6°  
Weight: 19g  
Color: S.B Anodized Black



## HA-S022-4CA-N2

For stem front cap. Compatible with GARMIN Edge® & MIO® & Bryton® and with removable GoPro adaptor.

Material: AL6061-T6  
Screw Center Distance: 23 - 40mm  
Angle Adjustable: ±20°  
Weight: 42g/set  
Color: S.B Anodized Black



## HA-S014

For stem front cap. Compatible with GARMIN Edge® & MIO® & GoPro® & Bryton®.

Material: AL6061-T6 body, plastic adapter  
Screw Venter Distance: 9 - 33mm  
Weight: 42g/set  
Color: S.B Anodized Black



## HA-GAMPR12

Compatible with GARMIN Edge® & MIO® & Bryton® and with removable GoPro adaptor.  
For Ø31.8 handlebar.

Material: AL6061-T6 body, plastic adapter  
Weight: 56g/set  
Color: S.B Anodized Black, Red, Gray



## HA-S017-N2

Compatible with GARMIN Edge® & MIO® & Bryton®.  
For Ø31.8 handlebar. Arm length adjustable.  
With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2.

Material: AL6061-T6 body, plastic adapter  
Weight: 43g/set  
Color: S.B Anodized Black, Red, Gray



## HA-GAMPR20

Compatible with GARMIN Edge® & MIO® & Bryton® and with removable GoPro adaptor.  
For Ø31.8 handlebar.

Material: AL6061-T6 body, plastic adapter  
Weight: 56g/set  
Color: S.B Anodized Black, Red, Gray



## HA-S023-TT

Compatible with GARMIN Edge® & MIO® & Bryton®.  
For triathlon arm rest tube Ø22.2.

Material: AL6061-T6 body, plastic adapter  
Weight: 48g/set  
Color: S.B Anodized Black



## HA-S039

Design for integrated type handlebar use. With removable GoPro adaptor and compatible with GARMIN Edge® & MIO® & Bryton®.

Material: AL6061-T6 body & Plastic mount  
Screw (C-C): 8.5-45mm  
Weight: 65g  
Color: S.B Anodized Black



## HA-S029

Special designed for GIANT® Contact SLR. Aero Integrated Handlebar & Stem. Compatible with GARMIN Edge® & MIO® & GoPro® & Bryton®.

Material: AL6061-T6 body & Plastic mount  
Weight: 40g  
Color: S.B Anodized Black



## HA-S027-TP

Top cap computer mount. It could compatible with Garmin Edge® & MIO® & Bryton® computer.

Material: AL6061-T6 body & Plastic mount  
Weight: 19g  
Color: S.B Anodized Black



## ADP-STK01-GARMIN

Compatible with Garmin® computer mount. Use 3MVHB tape to fit on device cover.

Material: Polycarbonate  
Weight: 10g  
Color: Black



## ADP-MOUNT-CAR

Garmin® computer mount with steel plate. Put on your smart phone soon and easy in car when you use ADP-STK01-GARMIN on your smartphone.

Material: Nylon & Stainless steel  
Weight: 11g  
Color: Black



## HA-S002

For Ø31.8mm handlebar. Ø26 Carbon tube for computer mounting.

Material: AL6061-T6  
Spec: Ø31.8mm  
Weight: 34g



## HA-WM001

Special mount for sport watch. Attach it to restbars and keep a close eye on your performance.

Material: AL6061-T6  
Clamp: Ø22.2mm  
Weight: 60g/set  
Color: S.B Anodized Black



## HA-WA002

Special mount for sport watch. Attach it to handlebars and keep a close eye on your performance.

Material: AL6061-T6  
Clamp: Ø31.8mm  
Weight: 82g/set  
Color: S.B Anodized Black





## CONVENIENCE GoPro® MOUNT SYSTEM

### HA-GP01-X2

Convert GoPro® mount into double mounts.

Material: AL6061-T6  
Weight: 29g/set  
Color: S.B Anodized Black



### HA-GP02-LT

GoPro® mount convert to light holder.

Material: AL6061-T6  
Weight: 17g/set  
Color: S.B Anodized Black



### HA-GP03

GoPro® mount convert extension arm.

Material: AL6061-T6  
Weight: 33g/set  
Color: S.B Anodized Black



### HA-GP04

Saddle rail mount for GoPro® interface device.  
Fits all standard two rail saddles.

Material: AL6061-T6  
Weight: 63g  
Color: S.B Anodized Black



### HA-GP05

Compatible with Garmin Edge® interface, for GoPro® mount.

Material: Plastic  
Weight: 10g  
Color: Black



### HA-S020-GMSP

Sport camera GoPro® mount on seatpost.  
Record exciting ride video behind you.

Material: AL6061-T6  
Clamp: Ø31.6mm (with shim Ø27.2mm)  
Weight: 39g/set  
Color: S.B Anodized Black



## HB-TR003

Triathlon arm rest. Arm rest height adjustable with 20-60mm adapter. For Ø31.8 handlebar

**Material:** AL6061-T6 Body  
Carbon or AL6061-T6 Tube  
**Weight:** 470g/set



### HB-TR003-101

With Alloy S tube (HB-TUB-101)  
Angle 17° / 340mm



### HB-TR003-101C

With Carbon fiber S tube (HB-TUB-101C)  
Angle 17° / 340mm



### HB-TR003-201

With Alloy J1 tube (HB-TUB-201)  
Angle 17° / 310mm



### HB-TR003-201C

With Carbon fiber J1 tube (HB-TUB-201C)  
Angle 17° / 310mm



### HB-TR003-301

With Alloy J2 tube (HB-TUB-301)  
Angle 50° / 300mm



### HB-TR003-301C

With Carbon fiber J2 tube (HB-TUB-301C)  
Angle 50° / 300mm



### HB-TR003-401

With Alloy JS tube (HB-TUB-401)  
Angle 17° / 180mm



### HB-TR003-401C

With Carbon fiber I tube (HB-TUB-401C)  
Angle 0° / 300mm



## HB-TUB-J4011

Longer tube with 40 degree angle for you to change your cycling position.

**Material:** AL6061-T6  
**Spec:** Ø22.2mm  
**Angle:** 40°  
**Length:** 435mm  
**Weight:** 247g/pair  
**Color:** S.B Anodized Black



## HB-TUB-J5011

Longer tube with 50 degree angle for you to change your cycling position.

**Material:** AL6061-T6  
**Spec:** Ø22.2mm  
**Angle:** 50°  
**Length:** 435mm  
**Weight:** 253g/pair  
**Color:** S.B Anodized Black



## HB-TR002

Triathlon tri-bar bridge. Has an adjustable width to a maximum of 105mm. Also features a Ø26mm computer mount bar for your convenience.

**Material:** Nylon  
**Width:** 85mm - 105mm  
**Weight:** 54g/set



For Triathlon bar bridge



## WBC-DX001


Water bottle cage adapter for extension bar. Simple and effective.

**Material:** AL6061-T6  
**Weight:** 30g/pcs  
**Color:** S.B Anodized Black



Clamping the water bottle cage





## ADP-TRI-AL10 ADP-TRI-AL15

Many riders like to use high angle tri-bar, because high angle wedge more comfort when riding. New angle cushion block is compatible with many models of bike.

**Material:** AL7075-T651

**Screw (C-C):** 15-30mm (with special washer for M5 & M6)  
Aero bar pads screw (C-C): 15, 30mm

**Angle:** 10° & 15°

**Weight:** 70g/set

**Color:** S.B Anodized Black



## ADP-TRI-HB10 ADP-TRI-HB15

Many riders like to use high angle tri-bar, because high angle wedge more comfort when riding. For GIANT® Trinity aerodrive rest bar, adjustable your armrest pad angle.

**Material:** AL6061-T6

**Angle:** 10° & 15°

**Weight:** 43g/set

**Color:** S.B Anodized Black



## ADP-TRI-PLM10 ADP-TRI-PLM15

Many riders like to use high angle tri-bar, because high angle wedge more comfort when riding. For SCOTT PLASMA® rest bar, adjustable your armrest pad angle.

**Material:** AL6061-T6

**Angle:** 10° & 15°

**Weight:** 48g/set

**Color:** S.B Anodized Black



## ADP-TRI-BD10 ADP-TRI-BD15

Many riders like to use high angle tri-bar, because high angle wedge more comfort when riding. For GIANT® Trinity aerodrive rest bar, adjustable your extension Bar & Pad.

**Material:** AL6061-T6

**Angle:** 10° & 15°

**Weight:** 117g/set

**Color:** S.B Anodized Black



## WBC-TT003

For GIANT® 2016 Trinity aerodrive rest bar bridge. increase rigidity when use a higher rest bar

**Material:** AL7075-T651

**Width:** 120 / 142mm

**Weight:** 30g/pcs


**Color:** S.B Anodized Black



Increase rigidity when use a higher rest bar

***Ride a moment,  
share a memory.***





## BP-S004-G30

Bicycle anti-slip handlebar tape color changing bar wrap. New polyurethane foam material provide better slip-resisting effect and comfortable handling, not only for all weather conditions but also for an excellent handling experience.

**Material:** PU  
**Spec:** 3 x 210cm  
**Thickness:** 3.0mm  
**Weight:** 100g/set (include plugs)



## BP-S005-DC30

Excellent shock absorption and reliable non-slip surface. New pattern and dural color design is stunning and special, you could create your own bike style with this stunning bar tape.

**Material:** PU  
**Spec:** 3 x 210cm  
**Thickness:** 3.0mm  
**Weight:** 92g/set (include plugs)  
**Color:** Black with Red logo, Blue Logo, Purple logo, White logo, Yellow logo, Black logo



## BP-S003-Q

The new surface of round dot pattern and the evolution of new polyurethane foam material provide better slip-resisting effect and comfortable handling, not only for all weather conditions but also for an excellent handling experience.

**Material:** PU  
**Spec:** 3 x 210cm  
**Thickness:** 3.0mm  
**Weight:** 87g/set (include plugs)  
**Color:** Black, Red, Dark Blue, White



## BP-S002-W

Bar tape with the latest design PU material for better and more comfortable grip in any weather condition.

**Material:** PU  
**Spec:** 3 x 210cm  
**Thickness:** 3.0mm  
**Weight:** 85g/set (include plugs)  
**Color:** Black, Red, Blue, Apple Green, Pink, White, Yellow, Tiffany Green, Light Blue, Fluorescent Pink



## GP-S001

Ultra comfortable silicone material provides the rider with uncompromising grip. Relieve hand tension and remain in control. The dimpled surface provides a cooling space as your hands begin to sweat.

**Material:** Silicone rubber foam  
**Spec:** Ø30 x 130mm / Ø32 x 130mm  
**Color:** Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow



## AC-PGN03-MB

Screw on plugs for handlebar cap, gives a secure hold to all tapes and grips.

**For handlebar ID:** Ø17-21mm  
**2 pieces a set.**

**Material:** Plastic plug with alloy bolts  
**Weight:** 24g/set  
**Color:** Nylon Black



## AC-PG001-RC

Handlebar plugs to tightly secure the bar tape and grip.

**For handlebar ID:** Ø17-21mm.  
**Comes in 2 pieces a set.**

**Material:** Plastic plug with alloy bolts  
**Weight:** 20g/set  
**Color:** Nylon Black





## WBC-BE004-P

Bottle incorporates Jet Valve, a revolutionary self-sealing valve, into a spill and splatter free bottle.

Material: PP

Range: 600cc

Weight: 54g/pcs

Color: Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Sky Blue, Tiffany Green, Purple, Transparent Black



## WBC-BE006-CA

Bottle incorporates Jet Valve, a revolutionary self-sealing valve, into a spill and splatter free bottle.

Material: PP

Range: 600cc

Weight: 48g/pcs

Color: Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Sky Blue, Tiffany Green, Purple, Transparent Black



## WBC-BE005-E

Normal Valve version.

Material: PP

Range: 600cc

Weight: 56g/pcs

Color: Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow, Sky Blue, Tiffany Green, Purple, Transparent Black



## WBC-S001

Special designed aero dynamic water bottle cage.

Cages includes the water bottle. L size can hold up to 600cc and S size 300cc of water.

Material: Carbon UD cage + Plastic water bottle

Volume: (L) 600cc (S) 300cc

Weight: (L) 82.5g/pcs

(S) 62.5g/pcs

(CAGE) 26g/pcs



## WBC-DX004-C

Advanced carbon fiber injection technology forms beautiful lines at a competitive price. Stiff carbon arms keep your bottle locked in place.

Material: Carbon with Nylon

Weight: 29.5g/pcs

Color: UD with white sticker, UD with white/red sticker



WBC-DX004-C500

WBC-DX004-C120

## WBC-S004

Molded plastic arms provide smooth entry and exit of your bottles, while keeping them locked in place.

Material: Plastic

Weight: 46g/pcs

Color: Black, Red



## SCL-S005-CA

Seatclamp with a rubber dust cover to protect your frame from dust creeping into your seat tube. Chamfered edge & oval clamping mechanism to protect carbon frames & seatpost.

**Material:** AL6061-T6 clamp with NBR cover

**Spec:** Ø31.8mm / Ø34.9mm

**Height:** 16mm

**Weight:** 25g (Ø31.8mm) / 28g (Ø34.9mm)

**Color:** Clamp: S.B Anodized Black

Cover: Black, Red, Blue, Appne Green, Orange, Pink, White, Yellow



## SCL-S006-CA

Extra security to prevent your seatpost from slipping past your seatclamp. Keeps your seat height consistent, and the dust out of your seat tube. Can be used with any seatclamp.

**Material:** AL6061-T6 clamp with NBR cover

**Spec:** Ø27.2, Ø30.9, Ø31.6mm

**Height:** 8.5g-11g/set

**Color:** Clamp: S.B Anodized Black

Cover: Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow



## SCL-S001

Double M5 bolt. Chamfer edge & oval hole design to protect carbon frames & seatposts. Rubber cover helps prevent dust and water from getting into the seat tube.

**Material:** AL6066-T6

**Spec:** Ø31.8, Ø34.9mm

**Height:** 17.5mm

**Weight:** 24g/set (Ø31.8mm)

27g/set (Ø34.9mm)

**Color:** Anodized Black, Silver,

Red, Gold, Gray



## SCL-QX002

Seat clamp with ultra-lightweight and sleek quick release. Chamfer edge & oval hole design to protect carbon.

**Material:** AL6061-T6

**Spec:** Ø31.8, Ø34.9mm

**Height:** 16mm

**Weight:** 26g/set (Ø31.8mm)

29g/set (Ø34.9mm)

**Color:** Anodized Black, Silver,

Red, Gold, Gray



## SCL-S007

Enlarge bore seatpost clamp for different type of bike and special bike frame.

**Material:** AL6061-T6

**Spec:** Ø37, Ø38.1, Ø38.6mm

**Height:** 13.5mm

**Weight:** 26g

**Color:** S.B Anodized Black



## SCL-DN001

Special nut design allows screw to automatically adjust its angle to prevent deformation from the seat clamp over-tightening.

**Material:** AL6061-T6

**Spec:** Ø31.8, Ø34.9mm

**Height:** 14mm

**Weight:** 17.5g/set (Ø31.8mm)

18.5g/set (Ø34.9mm)

**Color:** Anodized Black



## SCL-E001

Special nut design allows screw to automatically adjust its angle to prevent deformation from the seat clamp over-tightening.

**Material:** AL6061-T6

**Spec:** Ø31.8, Ø34.9mm

**Height:** 11mm

**Weight:** 22.5g/set (Ø31.8mm)

23.5g/set (Ø34.9mm)

**Color:** Anodized Black, Silver



## SCL-QE001

Special seat clamp with a screw that can't be disassembled for the security of your seat post installation.

**Material:** AL6061-T6

**Spec:** Ø31.8, Ø34.9mm

**Height:** 13.5mm

**Weight:** 110g/set (Ø31.8mm)

113g/set (Ø34.9mm)

**Color:** S.B Anodized Black, Silver



## HA-S005

For Ø28.6 carbon fork inner tube expander. Protect carbon fork tube from over tightening.

**Material:** AL6061-T6 with Alloy top cap  
**Spec:** Fit ID Ø22.0 - Ø25.0 fork  
**Length:** 50mm  
**Weight:** 62g/set  
**Top Cap Color:** Anodized Black, Silver, Red, Gray, Gold



## HA-S007

Comes with long screw, top cap and spacers.

**Material:** AL6061-T6 body, Top cap, Spacer  
**Length:** 50mm (Adjust height 47.5mm - 65.5mm)  
90mm (Adjust height 47.5mm - 105.5mm)  
120mm (Adjust height 47.5mm - 135.5mm)  
**Weight:** 154g-230g/set



## HA-S008

Integrated headset system.  
Angle contact seal bearing.

**Material:** Top cover AL6061-T6  
**Spec:** Integrated 1-1/8" Upper/1.5" Bottom  
(UP) Ø28.6 x Ø41.8mm / (DOWN) Ø39.5 x Ø51.8mm  
**Cone Spacer Height:** 15mm  
**Bearing:** (UPPER) 41.8 x 45° x 8  
(LOWER) 51.8 x 45° x 8  
**Weight:** 78g/set  
**Color:** S.B Anodized Black



## HA-S008-H8

Integrated headset system.  
Angle contact seal bearing.

**Material:** Top cover AL6061-T6  
**Spec:** Integrated 1-1/8" Upper/1.5" Bottom  
(UP) Ø28.6 x Ø41.8mm / (DOWN) Ø39.5 x Ø51.8mm  
**Cone Spacer Height:** 8mm  
**Bearing:** (UPPER) 41.8 x 45° x 8  
(LOWER) 51.8 x 45° x 8  
**Weight:** 74g/set  
**Color:** S.B Anodized Black



## SR-S001

Set of 4 spacers: 3, 5, 10mm, Taper Spacer.

**Material:** Carbon 3K & AL6061-T6 (Taper Spacer)  
**Diameter:** ID Ø28.6 x OD Ø34mm  
**Weight:** 11g/set



## SR-S002

Ultra lightweight spacer.  
Set of 4 spacers: 3, 5, 10mm, Taper Spacer.

**Material:** Carbon 3K & AL6061-T6 (Taper Spacer)  
**Diameter:** ID Ø28.6 x OD Ø34mm  
**Weight:** 9g/set



## SR-E001

Set of 4 spacers: 3, 5, 10mm, Taper Spacer.

**Material:** AL6061-T6  
**Diameter:** ID Ø28.6 x OD Ø36mm  
**Weight:** 16g/set  
**Color:** Anodized Black, Silver, Red, Gold, Gray



## SR-E002

Ultra lightweight spacer.  
Set of 4 spacers: 3, 5, 10mm, Taper Spacer.

**Material:** AL6061-T6  
**Diameter:** ID Ø28.6 x OD Ø36mm  
**Weight:** 11g/set  
**Color:** Anodized Black, Silver, Red, Gold, Gray





## TC-DX018 / TC-DX018-OD2

Material: AL6061-T6 top cap / AL7075-T651 bolts  
 Spec: Fit 1-1/8 or 1-1/4 fork  
 Weight: 7g/pcs  
 Color: (Body) Digital printing  
 (Screw) ED Black



A011



A012



A013




A031



A041



A061



A121

## TC-DX012

Material: AL6061-T6 / Stainless bolts  
 Spec: Fit 1-1/8 fork  
 Weight: 15g/pcs  
 Color: Ti-Coating



## TC-S001

Material: AL6061-T6 / Stainless bolts  
 Spec: Fit 1-1 / 8 fork  
 Weight: 23g/pcs  
 Color: Anodized Black



## TC-S002

Material: Carbon / Stainless bolts  
 Spec: Fit 1-1 / 8 fork  
 Weight: 12g/pcs  
 Color: 3K



## TC-E001

Material: AL6061-T6 / Stainless bolts  
 Spec: Fit 1-1/8 fork  
 Weight: 15g/pcs  
 Color: Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



## TC-S004 / TC-S005 / TC-S006 / TC-S007

Material: AL6061-T6 / Stainless bolts  
 Spec: Fit 1-1/8 fork  
 Weight: 15g/pcs



TC-S004



TC-S005



TC-S006



TC-S007

## ADP-HB701-AS

Carbon fiber and nylon, in-board extensions for your grip. Ergonomically designed to give relief by an additional hand position for long days behind the handlebars. Your fingers have greater mobility and are free to work the brakes.

**Material:** Carbon fiber with special nylon  
**Spec:** Diameter Ø22.2mm  
**Weight:** 17.8g/set



## ADP-WCO

CO2 mount for water bottle cage hole.

**Material:** AL6061 full CNC made  
**Weight:** 19g  
**Color:** S.B Anodized Black



## AC-S007

A lightweight seatpost shim to fit your seatpost in an oversized seat tube.

**Material:** AL6061-T6  
**Spe:** Ø31.6 x Ø30.9mm  
Ø31.6 x Ø27.2mm  
Ø30.9 x Ø27.2mm  
**Length:** 90mm  
**Weight:** 9g/pcs (Ø31.6 x Ø30.9mm)  
46g/pcs (Ø31.6 x Ø27.2mm)  
38g/pcs (Ø30.9 x Ø27.2mm)  
**Color:** Anodized Black, Silver



## ADP-BOC-C500

Lamp peg & Rear derailleur protector.  
For Front & Rear Wheel.

**Material:** Carbon 3K Body & AL6061 Cap  
**Spec:** M5 x 0.8mm  
**Weight:** 25g/pcs



## ADP-BOT-A011

Lamp peg for front wheel.

**Material:** AL6061-T6  
**Spec:** M5 x 0.8mm  
**Weight:** 36g/pcs  
**Color:** S.B Anodize Black



## AC-S002

Adapter for bar bore, available in 3 sizes. Carbon fiber has damping capacity to reduce vibration during riding.

**Material:** Carbon UD  
**Spec:** Ø35 x Ø31.8mm, Ø31.8 x Ø26mm, Ø31.8 x Ø25.4mm  
**Width:** 60mm  
**Weight:** 24g/set (Ø31.8 x Ø25.4mm)



## AC-S001

Adapter for the fork tube Ø31.8mm to Ø28.6mm.

**Material:** Carbon UD  
**Spec:** Ø31.8 x Ø28.6mm  
**Length:** 38mm  
**Weight:** 10g/pcs



## AC-A002

Adapter for bar bore Ø35mm to Ø31.8mm.

**Material:** AL6061  
**Spec:** Ø35 x Ø31.8mm  
**Width:** 45mm  
**Weight:** 20g/set  
**Color:** S.B Anodized Black



## AC-A001

Adapter for the fork tube Ø31.8mm to Ø28.6mm.

**Material:** AL6061  
**Spec:** Ø31.8 x Ø28.6mm  
**Length:** 38mm  
**Weight:** 15g/pcs  
**Color:** S.B Anodized Black



## VL-HVOP

Tubeless presta valve for Road bike jointly with LEGION. The patent of increasing flow of center makes easy for inpouring patching fluid.

**Material:** AL6061-T6 / Nylon cap  
**Spec:** Presta  
**Length:** 40, 50, 65mm  
**Weight:** 12g/pair (65mm)  
**Color:** Anodized Black



## VL-HVV

Tubeless presta valve for MTB jointly with LEGION. The patent of increasing flow of center makes easy for inpouring patching fluid.

**Material:** AL6061-T6 / Nylon cap  
**Spec:** Presta  
**Rim Depth:**  
 38mm (Rim Depth: 13.5-21.5mm)  
 45mm (Rim Depth: 21.5-29.5mm)  
 65mm (Rim Depth: 29.5-37.5mm)  
**Weight:** 16g/pair (38)  
**Color:** Anodized Black



## VL-HVC

Tubeless presta valve cap for road bike jointly with LEGION. It could replace the original valve cap on the wheel make easy for inpouring patching fluid.

**Material:** AL6061-T6 / Nylon cap  
**Spec:** Presta  
**Weight:** 4g/pair  
**Color:** Anodized Black



## VL-PE008-N

Tubeless valve (removable type) extender, can easily fixed by outer thread & nut. 1 set = 2pcs.

**Material:** AL6061-T6  
**Length:** 40, 60mm  
**Weight:** 8g/set (60mm)  
**Color:** Anodized Black



## VL-TUS-F

Tubeless valve. Comes with valve core, cap and tool.

**Material:** AL6061-T6 / Nylon cap and tool  
**Spec:** Presta  
**Length:** 40, 60mm  
**Weight:** 9g/set (40mm)  
**Color:** Anodized Black



## VL-AMTUS-F

Tubeless valve. Comes with valve core, cap and tool.

**Material:** AL6061-T6  
**Spec:** USA  
**Length:** 40mm  
**Weight:** 13g/set  
**Color:** Anodized Black



## VL-PE001

Presta valve extender CNC Machined, 1set = 2pcs.

**Material:** AL6061-T6  
**Length:** 25, 38, 50, 60, 70, 80, 90, 100mm  
**Weight:** 8g/set (60mm)  
**Color:** Anodized Black, Silver



## VL-PE002

Presta valve extender, 1set = 2pcs.

**Material:** AL6061-T6  
**Length:** 20, 30, 40, 50, 60, 70, 80, 90, 100mm  
**Weight:** 7.5g/set (60mm)  
**Color:** Anodized Black, Silver



## VL-PE007

Tire Valve Extensions: Simple, air-tight installation without tape or threadseal, while reducing noise and vibration on the road. 1 set = 2pcs.

Material: AL6061-T6 Body, Nylon Ring  
Length: 38, 50, 60, 70, 80, 90, 100mm  
Weight: 6.5g/set (60mm)  
Color: Anodized Black



## VL-PE003

Presta valve extender. Only for VITTORIA® tubular tire, 1 set = 2pcs.


Material: AL6061-T6  
Length: 30, 40, 50, 60, 70mm  
Weight: 9g/set (60mm)  
Color: Anodized Black, Silver



## VL-PE005

Disc wheel 90 degree adapter.  
Fix Presta valve rim tire.

Material: AL6061-T6 CNC made  
Weight: 9.6g/pcs  
Color: Anodized Black



## VL-PE004

1 set = 2pcs

Material: AL6061-T6  
Spec: Presta valve  
Weight: 3g/set  
Color: Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange



## VL-PE009

1 set = 2pcs.

Material: AL6061-T6  
Spec: Presta valve  
Weight: 1g/set  
Color: Anodized Black, Silver, Red, Gold, Gray



## VL-PE006

Double thread for Presta & USA valve.  
1 set = 2pcs.

Material: AL6061-T6  
Spec: Presta valve & USA valve  
Weight: 7g/set  
Color: Anodized Black, Silver, Red, Gold, Gray



## VL-US003

1 set = 2pcs.

Material: AL6061-T6  
Spec: Presta change to USA valve  
Weight: 2.3g/set  
Color: Anodized Black, Silver, Red, Gold, Gray



## VL-US001

1 set = 2pcs.

Material: AL6061-T6  
Spec: USA valve  
Weight: 18.7g/set  
Color: Anodized Black, Silver, Red, Gold, Gray



## VL-US002

1 set = 2pcs.

Material: AL6061-T6  
Spec: USA valve  
Weight: 13g/set  
Color: Anodized Black, Silver, Red, Gold, Gray



## AC-MG004-CF

Front mudguard to keep your fork and your face free from dirt and debris.

Customizable cut lines on the under side of the guard.  
We use eco-friendly and recyclable PP (polypropylene) material.

Material: Polypropylene (PP)  
Thickness: 1.2mm  
Weight: 37g/pcs



AC-MG004-CF101

AC-MG004-CF202

## AC-MG004-F

Front mudguard to keep your fork and your face free from dirt and debris.

Customizable cut lines on the under side of the guard.  
We use eco-friendly and recyclable PP (polypropylene) material.

Material: Polypropylene (PP)  
Thickness: 1.2mm  
Weight: 37g/pcs  
Color: Black



## AC-MG005-CR

Assemble on saddle rail.

We use eco-friendly and recyclable PP (polypropylene) material.

Smart-Fix construction for quick removal.

Material: Polypropylene (PP)  
Thickness: 1.2mm  
Weight: 30g/pcs



AC-MG005-CR101

AC-MG005-CR202

## AC-MG005-R

Assemble on saddle rail.

We use eco-friendly and recyclable PP (polypropylene) material.

Smart-Fix construction for quick removal.

Material: Polypropylene (PP)  
Thickness: 1.2mm  
Weight: 30g/pcs  
Color: Black



## AC-NAME-CF

Number card for racing use. Your number could be easily seen in the front. Remove and install easy.

Material: Polypropylene (PP)  
Thickness: 1.2mm  
Weight: 35g/pcs



AC-NAME-CF101

AC-NAME-CF202

## AC-NAME-AERO

Number card for racing use. Your number could be easily seen in the front. Remove and install easy. Removable support arm could support different type of seatpost.

Material: Nylon  
Weight: 12g  
Color: Black  
Not available in Japan








## AC-S009

The function of protector is to provide the best Friction resistance and protection for the frame, it keeps your frame new and clean.

**Material:** PVC

**Spec:** Top tube protection x 1  
Down tube protection x 1  
Chainstay protection x 2  
Frame or other protection x 6

**Weight:** 31g



## AC-S005

Anti-puncture frame protector roll.

**Material:** PU

**Spec:** W100 x L1500mm (AC-S005-100)


**Weight:** 110.5g/pcs (AC-S005-100)  
8g/pcs (AC-S005-002)  
15g/pcs (AC-S005-012)



AC-S005-100



AC-S005-002



AC-S005-012

## AC-S006

Puncture protection tape.

**Material:** PU

**Spec:** W20 x L2090mm (Road)

W31 x L2350mm (MTB)  
**Weight:** 37.5g/pcs (Road)  
71.5g/pcs (MTB)



## BN-M003

1 set = 2pcs

**Material:** AL7075-T651

**Spec:** M5 x 0.8mm

**Length:** 17mm

**Weight:** 2.6g/set

**Color:** Anodized Black, Sliver, Red, Gold,  
Gray, Blue, Apple Green, Orange,  
Purple, Green



## BN-M002

1 set = 2pcs

**Material:** AL7075-T651

**Spec:** M5 x 0.8mm

**Length:** 10mm

**Weight:** 2.6g/set

**Color:** Anodized Black, Sliver, Red, Gold,  
Gray, Blue, Apple Green, Orange,  
Purple, Green



## BN-M001

1 set = 5 pair

**Material:** AL7075-T651

**Spec:** M8 x 0.75mm

**Length:** 5mm, 7mm

**Tool:** Allen wrench 5mm

**Weight:** 10g/set

**Color:** Anodized Black, Sliver, Red, Gold,  
Gray, Blue, Apple Green, Orange,  
Purple, Green



## ADP-HOLDER

Bike holder.

**Material:** AL6061-T6  
**Spec:** QR type, Ø12\*100 axle, Ø15\*100 axle, Ø15\*110 axle  
**Weight:** 162g/set (without nut)  
**Color:** Anodized Black  
Include 4 types cap



## AC-PGN04-TL

Combined with the tools and tire strips carried by bike, easily concealing into the handlebar.

**Material:** Stainless tools/ Plastic cage  
**Spec:** (Left) tyre spoon, snap on tool, storage space (not include snap on), valve cap remover  
(Right) Tyre mending fork, Patches x5, Hex key wrench 3/4/5/6/T25/ cross  
**Weight:** 162g/ set



## TL-TIE01

Carry on tool set. Can use plastic strap to fix on frame.


**Two options:**  
\*PH1, T25, hex key wrench 3/4/5/6, reaming drill, tyre mending fork, patches.  
\*Snap on remover, tyre spoon, valve cap remover



## AC-DX004-A12-C AC-DX004-A12-FC

Compatible with SRAM® Eagle XX1 / X01 / GX 12 speed.


**Material:** AL7075-T651 body, AL6061-T6 cap  
**Bearing:** Steel Cone With Ceramic Bearing, Full Ceramic Bearing  
**Teeth:** 12T+14T  
**Weight:** 25g/set  
**Color:** Anodized Black, Sliver, Red, Gold, Gray



## AC-DX004-A11-C AC-DX004-A11-FC

Compatible with SRAM® XX1 / X01 / X1 / GX 11 speed, Rival 1 / Force 1.


**Material:** AL7075-T651 body, AL6061-T6 cap  
**Bearing:** Steel Cone With Ceramic Bearing, Full Ceramic Bearing  
**Teeth:** 12T+12T  
**Weight:** 25g/set  
**Color:** Anodized Black, Sliver, Red, Gold, Gray



## AC-DX004-E11-C AC-DX004-E11-FC

Compatible with SRAM® E-Tap AXS 12 speed.


**Material:** AL7075-T651 body, AL6061-T6 cap  
**Bearing:** Steel Cone With Ceramic Bearing, Full Ceramic Bearing  
**Teeth:** 12T+12T, 12T+14T  
**Weight:** 25g/set  
**Color:** Anodized Black, Sliver, Red, Gold, Gray



## AC-DX001-C / AC-DX001-FC

Fits SHIMANO® 8, 9, 10, 11 speed.  
CAMPAGNOLO® 9, 10, 11 speed.

**Material:** AL7075-T651 body, AL6061-T6 cap  
**Bearing:** Steel Cone With Ceramic Bearing, Full Ceramic Bearing  
**Teeth:** 11T  
**Weight:** 21g/set  
**Color:** Anodized Black, Sliver, Red, Gold, Gray



## TL-ST060-17P

18 function bike tool set.

Hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm, PH2, SL4, T25.  
Spoke wrench SHIMANO® 4.3 / 4.4 / Hex4.6 / MAVIC M7.  
Bottle opener Chain breaker (9 / 10 / 11 speed) Tire lever.

**Material:** Chrome Vanadium with durable Matte  
Chrome plating tool & AL6061-T6 cage

**Weight:** 170g/set

**Color:** Frame - Black, Red, Gray, Blue,  
Apple Green, Orange, Purple, Pink



## TL-ST042-8P


8 function bike tool set.

Hex 2 / 2.5 / 3 / 4 / 5 / 6mm, PH2, T25.

**Material:** Chrome Vanadium with durable Matte  
Chrome plating tool & AL6061-T6 cage

**Weight:** 83g/set

**Color:** Black, Red, Gray, Blue, Apple Green,  
Orange, Purple, Pink



## TL-ST041-6P

6 function bike tool set.

Hex 3 / 4 / 5 / 6mm, PH2, T25.

**Material:** Chrome Vanadium with durable Matte  
Chrome plating tool & AL6061-T6 cage

**Weight:** 75g/set

**Color:** Frame - Black, Red, Gray, Blue,  
Apple Green, Orange, Purple, Pink



## TL-ST004-T

9 function bike tool set.

Trox T10, T15, T20, T25, T27, T30, T40, T45, T50.

**Material:** Heat treatment steel 6150 tool  
Nylon body

**Weight:** 345g/set

**Color:** CP



## TL-ST001

9 function bike tool set.

Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm.

**Material:** Heat treatment steel 6150 tool  
Nylon body

**Weight:** 385g/set

**Color:** CP



## TL-S001

3 function bike tool set.

Hex 4, 5, 6mm.

**Material:** Heat treatment steel 6150 tool  
Nylon body

**Length:** 65mm, 80mm

**Weight:** 70g

**Color:** Black, Red, Gray, Blue,  
Fluorescent Green



## TL-S003-1544

Lock ring tool with clean lines  
to blend in with your bike. Store  
on the water bottle braze-ons,  
or comfortably in your back  
pocket.

**Material:** Hardened stainless steel  
High polish finished

**Spec:** 15mm nut / lock ring (OD Ø42 - Ø44)

**Weight:** 80g/pcs

**Color:** Polish



PASSION  
DRIVES  
INNOVATION.



**FOURIERS**

[www.fouriers-bike.com](http://www.fouriers-bike.com)