



2017

富律業
FOURIERS

PASSION DRIVES INNOVATION.

Fouriers is a high-end bike component manufacturer based in Taiwan. Behind Fouriers is a family firm of engineers and riders with a passion for bicycles and more than 20 years experience in developing and manufacturing high-end bike components.

Fouriers was created with the aim to share our experience and passion with the rest of the world, in the hope that everybody can enjoy the sport.

Fouriers emphasizes performance, quality, safety. This is reflected in every product we manufacture and tested by numerous sponsor riders over the world.

QUALITY SAFETY PERFORMANCE.

We use the strongest and lightest materials for our components. Durable grades of aluminum, highest quality carbon fiber, and quality plastic imported from Switzerland.

Fouriers is a world class manufacturer, proving our abilities to continuously develop and fabricate top tier bicycle components.

Fouriers

For U Riders



We Ride all bike types.
We Invest in our people, machines and riders.
We Discover new ideas and improve on others.
We Engineer every product from sketch to manufacturing.
We Refine existing products from good to excellent.



FOURIERS

INDEX

- 08** | ROAD HANDLEBAR
- 10** | MTB HANDLEBAR
- 16** | INTEGRATED DI2 CABLE SYSTEM
- 17** | STEM
- 21** | SEATPOST
- 22** | BRAKE SYSTEM
- 24** | BRAKE PAD
- 25** | DISC ROTOR & ADAPTER
- 26** | CHAIN RING
- 34** | CHAIN KEEPER
- 35** | DI2 JUNCTION SPACER
- 37** | CHAIN GUIDE
- 40** | COMPUTER MOUNT
- 42** | CRANKSET
- 43** | TRIATHLON BAR
- 44** | WATER BOTTLE
- 45** | WATER BOTTLE CAGE
- 46** | QUICK RELEASE
- 47** | COG
- 48** | GRIP & BAR TAPE
- 50** | ROLLER KIT
- 52** | SEAT CLAMP
- 54** | HEADSET & SPACER
- 55** | TOP CAP
- 56** | ACCESSORIES
- 57** | MUDGUARD
- 58** | VALVE EXTENDER
- 59** | VALVE CAP & BOLT
- 60** | TOOL & PROTECTION



447.037
238.660
385.163

TECHNOLOGY

Fatigue Testing Machine

Our riders demand the lightest components which exceed safety standards.

Inspection Machine

Our lightweight carbon-fiber made products are of the finest quality. To assure this quality, we test our carbon-fiber products from top to bottom with the inspection machine.

Microcomputer Attenuation Tester

We are pioneers in product quality and know that carbon-fiber is an ambiguous material. Therefore we also check our carbon-fiber made products' strength by our Microcomputer Attenuation Test. The test puts them under 150kg of pure force, two times, for 30 seconds. The result, a safe and reliable product that every rider can trust.

Hardness Testing Machine

To assure the intensity and safe structure of our products to meet the international standards, we carry out discreet sample inspection to pass the hardness test. It is important to us that we deliver consistency in our product quality.

Coordinate Measuring Machine

The coordinate measuring machine is key to reach our goal of high product standards. We only want to provide our customers the best and most excellent quality. Therefore we use 2.5D CMM techniques to test all our products.

EFBE, Testing Center in Germany

After EN testing at Cycling & Health Industry R&D Center (in Taiwan) we send our products for further inspections to EFBE in Germany, so that we can assure our high expectations and meet the international standard.

EFBE
| | | | PRÜFTECHNIK

HB-RA001-N2 CARBON


Unique lightweight handlebar with one piece monocoque construction. Bar top has a fluid design for increased aero dynamic qualities and grip. Rugged bar bore coating for extra clamp grip. Anatomic lower bar design for sprint position.

Material	Carbon fiber
Spec	Ø31.8 mm x W400, 420, 440 mm (c-c)
Drop	130 mm
Reach	80 mm
Bar type	Anatomic bend
Weight	225g (W420 mm)

Pass EFBE test

EFBE
PRÜFTECHNIK

P1206089 / P1206090 / P1206091



Anatomic bend



HB-RA002-N2 CARBON


Unique lightweight handlebar with one piece monocoque construction. Bar top has a fluid design for increased aero dynamic qualities and grip. Rugged bar bore coating for extra clamp grip. Compact lower bar design for multiple sprint positions.

Material	Carbon fiber
Spec	Ø31.8 mm x W400, 420, 440 mm (c-c)
Drop	130 mm
Reach	80 mm
Bar type	Compact bend
Weight	225g (W420 mm)

Pass EFBE test

EFBE
PRÜFTECHNIK

P1206089 / P1206090 / P1206091



Compact bend



HB-RA003-N2 CARBON


Over-sized bar bore for greater reliability. Lightweight one piece monocoque construction. Bar top has a special fluid design for optimal aero dynamic qualities and finer grip. Rugged bar bore coating for extra clamp grip. Compact lower bar design for multiple sprint positions.

Material	Carbon fiber
Spec	Ø35 mm x W400, 420, 440 mm (c-c)
Drop	128 mm
Reach	78 mm
Bar type	Compact bend
Weight	240g (W420 mm)

Pass EFBE test

EFBE
PRÜFTECHNIK

P1206086 / P1206087 / P1206088



Compact bend




HB-RA004 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø35mm bar bore for enhanced rigidity and strength. Anatomic lower bar design for sprint position.

Material	AL7050-T73
Spec	Ø35 mm x W380, 400, 420, 440 mm
Reach	80 mm
Drop	145 mm
Bar type	Anatomic bend
Weight	265g (W420 mm)
Color	S.B Anodized Black





HB-RA005 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø35mm bar bore for enhanced rigidity and strength. Compact lower bar design for multiple sprint positions.

Material	AL7050-T73
Spec	Ø35 mm x W380, 400, 420, 440 mm
Reach	80 mm
Drop	145 mm
Bar type	Compact bend
Weight	265g (W420 mm)
Color	S.B Anodized Black



HB-RA006 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø31.8mm bar bore to fit any stem. Anatomic lower bar design for sprint position.

Material	AL7050-T73
Spec	Ø31.8 mm x W380, 400, 420, 440 mm
Reach	85 mm
Drop	130 mm
Bar type	Anatomic bend
Weight	275g (W420 mm)
Color	S.B Anodized Black



HB-RA007 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Ø31.8mm bar bore to fit any stem. Compact lower bar design for multiple sprint positions.

Material	AL7050-T73
Spec	Ø31.8 mm x W380, 400, 420, 440 mm
Reach	85 mm
Drop	130 mm
Bar type	Compact bend
Weight	275g (W420 mm)
Color	S.B Anodized Black



HB-RA008 ALLOY AL7050-T73

Made from high quality aluminum 7050-T73 for optimal reliability and lightweight. Bar top has a special fluid design for optimal aero dynamic qualities and finer grip. Compact lower bar design for multiple sprint positions.

Material	AL7050-T73
Spec	Ø31.8 mm x W380, 400, 420, 440 mm
Reach	80 mm
Drop	130 mm
Bar type	Compact bend
Weight	285g (W420 mm)
Color	S.B Anodized Black



HB-MB001-N2 CARBON

Lightweight carbon riser handlebar with one piece monocoque construction. Ø35 bar bore for extra strength. Rugged bar bore coating for extra clamp grip. Made extra strong to safely endure 600kg impact.

Material	Carbon fiber
Spec	Ø35 mm x W800 mm
Rise	20 mm
Back sweep	9°
Up sweep	5°
Weight	295g

Pass EFBE test

EFBE
PRÜFTECHNIK

P1306487 / P1306488 / P1306489



HB-MB002-N2 CARBON

Lightweight carbon riser handlebar with one piece monocoque construction. Rugged bar bore coating for extra clamp grip. Made extra strong to safely endure 600kg impact. Extra wide for increased stability control.

Material	Carbon fiber
Spec	Ø31.8 mm x W800 mm
Rise	20 mm
Back sweep	9°
Up sweep	5°
Weight	280g

Pass EFBE test

EFBE
PRÜFTECHNIK

P1306490 / P1306491 / P1306492



HB-MB008 CARBON

Lightweight carbon flat handlebar. Eccentric design allows height adjustment of +/- 5mm by flipping the handlebar. Rugged bar bore coating for extra clamp grip. Great choice to shave weight off your bike.

Material	Carbon fiber
Spec	Ø31.8 mm x W750 mm
Eccentric	5 mm
Back sweep	9°
Weight	170g



HB-MB003-N2 ALLOY 6066-T6

An extremely strong riser handlebar made from double butted AL6066. Ø35 bar bore is extra strong to endure a 600kg impact. Freeride and DH riders will appreciate the full 780mm width, for better high speed stability and control.

Material	AL6066-T6
Spec	Ø35 mm x W780 mm
Rise	20 mm
Back sweep	9°
Up sweep	5°
Weight	428g
Color	S.B Anodized Black, Silver, Red, Gold, Gray

Pass EFBE test

EFBE
PRÜFTECHNIK

P1206028 / P1206029 / P1206030



HB-MB004-N2 ALLOY 6066-T6

An extremely strong riser handlebar made from double butted 6066-AL. Featuring a Ø31.8mm bar bore, this bar still can endure a 600kg impact. Freeride and DH riders will appreciate the full 780mm width, for better high speed stability and control.

Material	AL6066-T6
Spec	Ø31.8 mm x W780 mm
Rise	20 mm
Back sweep	9°
Up sweep	5°
Weight	382g
Color	S.B Anodized Black, Silver, Red, Gold, Gray

Pass EFBE test

EFBE
PRÜFTECHNIK

P1306490 / P1306491 / P1306492



HB-MB007 ALLOY 7050-T73

Lightweight aluminum flatbar made from double butted aluminum 7050 for increased strength and lighter weight. Eccentric design allows height adjustment of +/- 5mm by flipping the handlebar. Hydroformed material for additional anti-corrosion.

Material	AL7050-T73 double butted tube
Spec	Ø31.8 mm x W720 mm
Eccentric	5 mm
Back sweep	9°
Weight	235g
Color	S.B Anodized Black, Red, Gray



HB-MB007-A6 ALLOY 6061-T6

Lightweight aluminum flatbar made from double butted aluminum 6061 for increased strength and lighter weight. Eccentric design allows height adjustment of +/- 5mm by flipping the handlebar. Hydroformed material for additional anti-corrosion. Adjustable width indicators of 660-740mm.

Material	AL6061-T6 double butted tube
Spec	Ø31.8 mm x W740 mm
Eccentric	5 mm
Back sweep	9°
Weight	365g
Color	S.B Anodized Black, Red, Gray





HB-MB009-N2 ALLOY 6061-T6

Material	AL6061-T6
Spec	Ø31.8 mm x 680 mm
Back sweep	5°
Weight	210g
Color	S.B Anodized Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue

STATIC LOAD
450
KG



HB-MB010-N2-H ALLOY 7050-T73

Material	AL7050-T73
Spec	Ø31.8 mm x W720 mm
Back sweep	5°
Overload	800kgs
Weight	275g
Color	S.B Anodized Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue

STATIC LOAD
800
KG



HB-MB011-N2 ALLOY 6061-T6


Material	AL6061-T6
Spec	Ø31.8 mm x W720, 780 mm
Back sweep	9°
Up sweep	5°
Rise	20 mm / 25 mm / 30 mm
Weight	345g-375g
Color	S.B Anodized Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Ocean Blue

STATIC LOAD
450
KG



Technology | BUTTED CONSTRUCTION

Fouriers butted handlebars are specially constructed to increase durability and reliability. Tapering our wall thickness allows the subjecting force to centralize on the strongest and thickest section in the bar bore.



HB-MB010-N2 ALLOY 7050-T73

Material	AL7050-T73
Spec	Ø31.8 mm x W680 mm
Back sweep	5°
Weight	210g
Color	S.B Anodized Black



HB-MB012-N2 ALLOY 7050-T73

Material	AL7050-T73
Spec	Ø31.8 mm x W780 mm
Back sweep	9°
Up sweep	5°
Rise	20 mm / 25 mm / 30 mm
Weight	375g
Color	S.B Anodized Black




Technology | CONTROL CURVE BEND

HB-MB016-CC

Triple butted eccentric handlebar with Fouriers Control Curve Technology (CC) for absolute control and ergonomic comfort. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions, creating confident control. Flip over to adjust by +/- 5mm.

Material	AL7050-T73
Spec	Ø31.8 mm x W680, 760 mm
Back Sweep	9°
Eccentric	5 mm
Weight	215g (W680 mm)
Color	Body: S.B Anodized Black / Sticker: Red, Gray, Apple green

W/ Control curve bend




HB-MB017-M HB-MB017-A6-M

Aluminum utilitarian trekking handlebar with Fouriers Control Curve Technology (CC) for absolute control and ergonomic comfort. Featuring a comfortable sweep for enduring rides, while giving additional leverage and more control. The control curve bend at the hand grip area functions as an arch support for the hands. Riders benefit from less hand fatigue and great comfort in all riding positions. Best suited for long-distance off road riding.

Material	AL7050-T73, AL6061-T6
Spec	Ø31.8 mm x W720 mm
Back Sweep	58°
Rise	20 mm
Weight	380g
Color	Body: S.B Anodized Black / Sticker: Red, Gray, Apple green

W/ Control curve bend



HB-MB018-LR

Low riser handlebar, with a negative -40mm/-60mm rise. adjust the stem height for great ranger. This special bending design allows absolute Control.

Material	AL6061-T6
Spec	Ø31.8 mm x W740 mm
Back sweep	9°
Up sweep	5°
Rise	-40 mm / -60 mm
Weight	325g
Color	S.B Anodized Black



STASHKING INTEGRATED DI2 CABLE SYSTEM

COMPATIBLE SHIMANO® DI2 SYSTEM



HB-SC002-DI2 CARBON

Unique DI2 compatible carbon flat handlebar.

Material	Carbon fiber
Spec	Ø31.8 mm x W780 mm
Eccentric	5 mm
Back sweep	9°
Weight	169g
Color	UD



HB-SA001-DI2 AL6061-T6

Unique DI2 compatible flat handlebar.

Material	AL6061-T6
Spec	Ø31.8 mm x W720 mm
Eccentric	5 mm
Back sweep	7°
Weight	235g
Color	S.B Anodized Black



SM-MB108-DI2

Unique stem for SHIMANO® MTB DI2 system. Features an integrated cable system inside the stem for a clean looking bike.

Material	AL6061-T6
Bar-bore	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	40 mm
Angle	-6°
Length	80-120 mm
Weight	215g (120 mm)
Color	Anodized Black



STEM



SM-RA003

3D forged stem with unique RIB technology. Precision CNC cuts are made inside the stem body in the shape of a rib cage to decrease weight and retain rigidity. For MTB and Road.

Material	AL6066-T6 3D forged + CNC made
Handlebar clamp	Ø31.8 mm
Steerer tube	Ø28.6 mm
Fork stack height	40 mm
Angle	±6°
Length	70 - 120 mm
Weight	145g (100 mm)
Color	Anodized Black

Comes with top cap



SM-RA009-SD

Extreme lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar clamp	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	40 mm
Angle	±17°
Length	80 - 120 mm
Weight	153g (100 mm)
Color	Anodized Black

Comes with top cap



SM-RA001

Extreme lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Ø35 System improves stiffness.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar clamp	Ø35 mm
Fork tube	Ø31.8 mm
Fork stack height	40 mm
Angle	±8°
Length	80 - 140 mm
Weight	145g (100 mm)
Color	Anodized Black

Comes with alloy steerer shim - Convert Ø31.8 steerer tube to Ø28.6 alloy handlebar shim - Convert Ø31.8 bar bore to Ø35, top cap

Pass EFBE test



P1306487 / P1306488 / P1306489



SM-RA002

Extreme lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar clamp	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	40 mm
Angle	±6°
Length	80 - 140 mm
Weight	133g (100 mm)
Color	Anodized Black

Comes with top cap

Pass EFBE test



P1306490 / P1306491 / P1306492



SM-CA001

Aluminum stem manufactured with great detail for good rigidity and maximum shock absorption. Finished with 3K or UD carbon wrap to perfectly fit a full carbon bike.

Material	AL6066-T6 & Carbon coating
Handlebar clamp	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	44 mm
Angle	±17°
Length	70 - 140 mm
Weight	153g (100 mm)
Color	3K, UD

Comes with top cap



SM-RA009

Advanced lightweight full CNC made stem. Cut out of one aluminum 6066 block to improve overall strength and anti-corrosion. Stem has ±17 degree angle.

Material	AL6066-T6 full CNC made / Titanium bolts
Handlebar clamp	Ø31.8 mm
Fork tube	Ø31.8 mm
Fork stack height	40 mm
Angle	±17°
Length	80 - 140 mm
Weight	153g (100 mm)
Color	Anodized Black

With Top Cap & alloy shim for Ø28.6



SM-MB111-G17

A stunning MTB stem designed to be stiff and unique shape. 17 degree low rise, and length start from 60-130mm.

Material	AL6061-T6full CNC made
Handlebar clamp	Ø31.8
Fork tube	Ø28.6
Angle	-17°
Length	60 - 130 mm
Weight	150g (80 mm)
Color	Anodized Black

Comes with top cap



SM-MB113-G0

Light weight and gradation looking design offers stability and durability.

Built for freeride / Enduro / Trail

Material	AL6061-T6 Full CNC made
Handlebar clamp	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	34.5 mm
Angle	0°
Length	35 mm
Weight	103g
color	S.B. Anodized Black

Comes with top cap



SM-MB109-G7

3D forged stem with ±7 degree angle. Flip over to change stem angle by ±7 degree, available in 5 sizes between 70~110mm. For Road bike & MTB.

Material	AL6061-T6 3D forged
Handlebar clamp	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	40mm
Angle	±7°
Length	70 - 110 mm
Weight	150g (100 mm)
Color	S.B. Anodized Black

Comes with top cap



SM-MB110-G0

3D forged stem with 0 degree angle. Available in 4 sizes between 35~65 mm. For MTB.

Material	AL6061-T6 3D forged
Handlebar clamp	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	40mm
Angle	±0°
Length	35, 45, 55, 65 mm
Weight	118g (45 mm)
Color	S.B. Anodized Black

Comes with top cap



SM-RA010

3D forged stem with ±17 degree angle. Flip over to change stem angle by ±17degrees. Available in 6 sizes between 70-120 mm. For Road.

Material	AL6061-T6 3D forged
Handlebar clamp	Ø31.8 mm
Fork tube	Ø28.6 mm
Fork stack height	40 mm
Angle	±7°, ±17°
Length	70 - 120 mm
Weight	152g (100 mm)
Color	S.B. Anodized Black

Comes with top cap



SM-RA008

3D forged stem with Ø35 system for increased strength and control. Great choice for riders looking for durable, reliable and high performing components. Available in different colors. 7 different sizes between 60-120 mm. For MTB and Road.

Material	AL6061-T6 3D forged
Handlebar clamp	Ø35 mm
Fork tube	Ø31.8 mm
Fork stack height	40 mm
Angle	±6°
Length	60 - 120 mm
Weight	145g (100 mm)
Color	S.B. Anodized Black

Comes with alloy steerer shim (AC-S001) - Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim (AC-S002) - Convert Ø31.8 bar bore to Ø35, top cap



SM-MB112-G6

Unique shape and aero looking design stem, available in 4 sizes between 60~105 mm.

Material	AL6061-T6
Handlebar clamp	Ø31.8
Fork tube	Ø28.6
Fork stack height	40 mm
Length	60, 75, 90, 105 mm
Angle	±6°
Weight	191g / set (105mm)
Color	Anodized Black



SM-MB002

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø35 mm
Fork tube	Ø31.8 mm
Fork stack height	40 mm
Angle	0°
Length	40 mm
Weight	140g / set
Color	Anodized Black

Comes with alloy steerer shim
 - Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35, top cap



SM-MB001

Material	AL6066-T6 full CNC made
Handlebar clamp	Ø35 mm
Fork tube	Ø31.8 mm
Fork stack height	40 mm
Angle	0°
Length	50 mm
Weight	205g
Color	Anodized Black, Gray

Comes with alloy steerer shim
 - Convert Ø31.8 steerer tube to Ø28.6, alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35, top cap



SM-MB007

Material	AL6066-T6 full CNC made
Handlebar Clamp	Ø31.8 mm
Fork Tube	Ø28.6 mm
Fork Stack Height	40 mm
Angle	0°
Length	45 mm
Weight	144g
Color	Anodized Black, Gray



SM-DH001

Material	AL6066 full CNC made
Direct mount	Boxxer
Handlebar clamp	Ø35 mm offset height 17.3 mm
Height	17.3 mm
Weight	92g
Color	S.B Anodized Black, Gray

Comes with alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35



SM-MB003

Material	AL6066-T6 full CNC made
Offset height	25 mm
Handlebar clamp	Ø35 mm
Weight	171g
Color	Anodized Black, Gray

Comes with alloy handlebar shim
 - Convert Ø31.8 bar bore to Ø35



SP-S001 SP-S001-DI2 CARBON

Extreme lightweight carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. It's the best choice to reduce road vibrations. Double bolt clamp design for easy angle adjustment. 20mm offset, best used for Road.

Material	UD Carbon fiber
Spec	Ø27.2, Ø30.9, Ø31.6
Length	350, 400 mm
Offset	20 mm
Weight	200g (Ø31.6 / 350 mm)
Color	UD

Pass EFBE test

EFBE
PRÜFTECHNIK



P1206092 / P1206093
Pass overload 300 kg



SP-S003 SP-S003-DI2 CARBON

Extreme lightweight full carbon seatpost with one piece monocoque construction. Includes our carbon top clamp design. Best choice to shave off weight. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

Material	Carbon tube Carbon clamp
Spec	Ø27.2, Ø30.9, Ø31.6
Length	350, 400 mm
Offset	0 mm
Weight	190g (Ø31.6 / 350 mm)
Color	UD



Please follow instructions on the warning sticker for tightening carbon clamp



SP-DX001 ALLOY

Extreme lightweight full CNC aluminum seatpost. Great aesthetics and unique design. Double bolt clamp design for easy angle adjustment. Has no offset, best used for MTB.

Material	AL6066-T6 full CNC made
Spec	Ø27.2, Ø31.6
Length	400 mm
Offset	0 mm
Weight	318g (Ø27.2 / 400 mm)
Color	Anodized Black



SP-AG12 ALLOY

Durable, strong, and good looking 3D forged seatpost. Double bolt clamp design for easy angle adjustment. 12mm offset,

Material	3D forged one-piece 6061-T6 shaft
Spec	Ø27.2, Ø30.9, Ø31.6
Length	400 mm
Offset	12 mm
Weight	290g (Ø27.2 / 350 mm)
Color	Anodized Black



AC-S007 ALLOY

A lightweight seatpost shim to fit your seatpost in an oversized seat tube.

Material	AL6061-T6
Spec	OD Ø31.6 mm x ID Ø30.9 mm (Length: 90 mm) OD Ø31.6 mm x ID Ø27.2 mm (Length: 90 mm) OD Ø30.9 mm x ID Ø27.2 mm (Length: 90 mm)
Weight	9g - 41g
Color	Anodized Black, Silver



Technology | BRAKE

Fouriers cooperates with one of the best bicycle teams in the world to create unique and high performance brakes with great care in the aesthetics and details. We finish our high-end brakes with SWISS STOP® brake shoes to ensure quality performance.

BR-DX005 is our renowned aero V-brake used for Propel bikes. It was made at request of top tier athletes and used with great success.



Marcel Kittel's yellow Giant® Propel Bike



BR-DX005



Full CNC aero V-brake. Used by one of the best bicycle teams in the world for its lightweight and aerodynamic qualities. It features a quick width switch for different rim width and can fit 25mm tires. Finished with SWISS STOP® brake shoes.

Material AL6061-T6 full CNC made
Weight 270g / Bike
Color Anodized Black

Fits GIANT® PROPEL
 Direct mount aero V brake/Liner spring adjustment system
 Quick width switch for different rim width **with SWISS STOP® brake shoes**

BR-S005

Forged propel aero V-brake. Used by one of the best bicycle teams in the world for its lightweight and aerodynamic qualities. It features a quick width switch for different rim width and can fit 25mm tires.

Material AL6061-T6 3D forged
Weight 270g / Bike
Color S.B Anodized Black

Fits GIANT® PROPEL
 Direct mount aero V brake/Liner spring adjustment system
 Quick width switch for different rim width



BR-DX001



Extreme lightweight full CNC caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion. The brake is finished **with a titanium bolt and SWISS STOP® brake shoe. For Road.**

Material AL6066-T6
Brake shoes CNC cassette
Bolt Main bolt ti-64
Dimension c-c 39-51 mm
Weight **210g / Bike**
Color Anodized Black, Silver, Red, Gold, Gray

BR-S003

Extreme lightweight forged caliper brake. The use of leverage allows this brake to use a single-axis design for reduced weight and balanced braking power. The aluminum 6066 also enhances the overall strength and anti-corrosion. For Road.

Material AL6066-T6 forged made
Brake shoes Forged cassette
Bolt Main bolt Cr-mo
Dimension c-c 39-51 mm
Weight 230g / Bike
Color Anodized Black, Silver, Red, Gold, Gray

BRAKE SYSTEM



BR-DX006



We know that one of the most key parts of bike is brake system. Therefore, we produce BR-DX006 brake with professional knowledge and high technical manufacture skill for world top professional team. Because the reliable control and braking system to win the professional team riders believe and use FOURIERS brake to get the champion. Use Swiss Stop brake pad for alloy wheel.

Material AL6066-T6 Full CNC made
Weight 275g / Bike
Color Anodized Black
 Fits GIANT® NEW TRINITY
 Direct mount aero v brake
 Liner spring adjustment system



BR-S001

Full CNC made canti-brake. Has an unique shape and very light weight. Spring power is adjustable for more balanced braking power. For cyclo-cross.

Material AL6061-T6
Weight 205g / Bike
Color S.B Anodized Black, Silver, Red



BR-S002

Full CNC made canti-brake. Has an unique shape and very light weight. Spring power is adjustable for more balanced braking power. For cyclo-cross.

Ultra 6 cross: Recommended for use on front wheel.
 Ultra 7 cross: Recommended for use on rear wheel.

Material AL6061-T6
Weight 210g / Bike
Color S.B Anodized Black, Silver, Red



BRAKE SYSTEM



BR-E001

Full CNC made with titanium bolt. Special brake pads for carbon rims. Adjustable angle with curve washer.

Material AL6066-T6
Weight 59g / bike
Color Anodized Black, Silver, Red
Compatible with SHIMANO® caliper system



BR-E007

Forged with CNC finish. Stainless steel bolts and special brake pads for alloy rims. Adjustable angle with curve washer. For caliper brake.

Material AL6066-T6
Weight 70g / bike
Color Anodized Black, Silver, Red
Compatible with SHIMANO® caliper system



BR-E006

Forged with CNC finish. Stainless steel bolts and special brake pads for alloy rims. Adjustable angle with curve washer.

Material AL6066-T6
Weight 71g / bike
Color Anodized Black, Silver, Red
Compatible with SHIMANO® caliper system



BR-E008

Replacement pad cartridges. Great performance in all conditions, rain or shine. Aluminum rim compound.

Fits SHIMANO® & SRAM® / Campagnolo®
Rims Aluminum, Carbon
Weight 13g / wheel
Color Black, Dark Red



BR-S006

Route your existing brake cable and housing from your current drop levers through these ergonomic lever. Allows you to control your speed from multiple hand positions. Can use independently. Split clamp for easy installation. Adjustable reach and return spring

Material AL6061-T6 forged.
For Ø31.8 handlebar
Weight 128g / pair
Color S.B Anodized, Silver
Canti or caliper compatibility. With Ø24mm shim
Design by TOKYO SAN-ESU



BR-DX003

Full CNC machined. Light weight design V-brake lever. Fits SHIMANO® standard brake cable.

Material AL6066-T6
Weight 70g / pair
Color Anodized Black, Red
For Ø24 handlebar with Ø22.2 shim



BR-DX004

Full CNC machined. Light weight design brake lever. For Caliper-brake lever, Cantibrake lever, Mini V-brake lever fits SHIMANO® standard brake cable.


Material AL6066-T6
Weight 85g / pair
Color Anodized Black, Red
Canti or caliper compatibility
For Ø24 handlebar with Ø22.2 shim

DISC ROTOR & ADAPTOR

BR-DSK001

Disc brake rotor. Two piece design, stainless steel disc with aluminum center piece. Compatible with the international standard 6 hole (IS mount).

Material	Stainless steel disc AL6061 CNC made body
OD Size	Ø140 mm, Ø160 mm, Ø180 mm, Ø203 mm
Weight	136g (Ø180 mm)
Thickness	1.7 mm
Color	(Body) S.B Anodize Red, Ti-coating (Ring) Stainless, Ti-coating



ADP-PM001

Adapter to mount larger disc brake rotor.
Fits 74mm post mount caliper and post mount fork.

Material	AL6061-T6: CNC made
Post Mount	74mm
Spec	140 mm to 160 mm 160 mm to 180 mm
Weight	11g / pcs
Color	S.B. Anodized Black, Red, Gray



ADP-PM002

Adapter to mount larger disc brake rotor.
Fits 74mm post mount caliper and post mount fork.

Material	AL6061-T6: CNC made
Post Mount	74 mm
Spec	160 mm to 203 mm
Weight	23g / pcs
Color	S.B. Anodized Black, Red, Gray




MAGE SKX3

Add a lower gear range to your SHIMANO® Road Cassette and reach the top of any hill you thought impossible. Fouriers breaks the rules and makes bigger sprocket options that help you save power and energy to the top, for the long road ahead!



23T & 25T & 28T Take away



Remove the rear cassette from your bike and take out the 23T / 25T / 28T sprocket.
Add the SKX3 after the largest sprocket.



CR-DX008-SKX3

Material	26T Cr-mo 4130 heat treated 30T Cr-mo 4130 heat treated 36T AL 7075 T651
sprocket Finish	26T & 30T N.E.N finish
sprocket Size	26T 30T 36T
Spec	Fit with SHIMANO® 11 speed 11-28T Cassette sprocket (CS-6800 & CS-5800) Compatible with RD-6800-GS & RD-5800-GS rear derailleur.
Weight	139g

CR-DX008-SK32 CR-DX008-SK36

Remove the rear cassette from your bike and take out the 13T or 14T sprocket.
Fix SHIMANO® 11 speed - Ultegra RD-6800-GS & 105 RD-5800-GS.
(CR-DX008-SK32) Compatible with 11-28T cassette sprocket.
(CR-DX008-SK36) Compatible with 11-32T cassette sprocket.

Material	Sprocket - AL7075-T651 Body - AL6066-T6
Spec	32T or 36T
Color	Sprocket - S.B Anonized Red, Gold, Blue, Apple Green, Orange Body - S.B Anonized Black



Riders need to have options for the drivetrain evolution. 1X and 2X drivetrains will benefit from the re-designed MageSK3 cassette expansion cogs. Better energy transmission, shifting, and stiffness in this new generation. Challenge the steepest climbs with a 40 or 42 tooth Mage SK3. Includes a longer B-tension screw.

CR-DX008-SKIII

Non-stop evolution of high-tech product leads ahead like a bike fanatic would to the top of his potential. The new designed SK3, not only provides better transmission, but also has the same stiffness and performance as last generation.

Material	Sprocket AL7075-T651 (a) AL6066-T6: CNC made body (b) CR-S005-16 (16T): forged Cr-mo ASM4130 heat treated
Spec	40T or 42T
Color	(a) Body: S.B Anonized Black, Sprocket: S.B Anonized Red, Gold, Blue, Apple Green, Orange (b) CR-S005-16 (16T): N.E.N finish
Weight	100g (40T) / 110g (42T)

CR-DX008-SKII


The evolution of 40/42T rear sprocket. A two piece design made for a stable and durable drivetrain. The teeth is made from very strong Cr-mo heat treated steel and body from AL6066 for its stiff- and lightness.

Material	Sprocket Cr-mo ASM4130 heat treated (a) AL6066-T6: CNC made body (b) CR-S005-16(16T): forged Cr-mo ASM4130 heat treated
Spec	40T or 42T
Color	(a) Body: S.B Anonized Black, Red, Gold, Blue, Apple Green, Orange (b) CR-S005-16 (16T): N.E.N finish
Weight	110g (40T) / 115g (42T)

CR-DX008-SR42


Non-stop evolution of high-tech product leads ahead like a bike fanatic would to the top of his potential. The new designed SR42. Challenge steep climbs and modify your SRAM® cassette with the SR 42T sprocket. Recommended for 1x and 2x drivetrain systems. Comes with longer B-tension screw and redesigned 16T sprocket (CR-S005-16) for smoother shifting and tooth ratio.

Material	(a)Sprocket: AL7075-T651 (b)Body: AL6066-T6 (c)16T: Forged Cr-mo ASM4130 heat treated
Spec	42T
Color	(a)Sprocket: S.B Anonized Red, Gold, Blue, Apple Green, Orange (b)Body: S.B Anonized Black (c)16T: N.E.N finish
Weight	110g (42T)




Wave Technology

Wave shape profile on the chain side for snug fit.




Full CNC made narrow wide chainring for 1x system. Narrow wide teeth together with our snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut holes for mud clearance.



CR-DX8000

Narrow Wide chainrings for XT M8000 11 speed With Narrow wide teeth, Teardrop holes, Wave Technology design.

Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T
Weight	46g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX8000 **E1**

Narrow Wide chainrings for XT M8000 11 speed With Narrow wide teeth.


Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	76g (38T)
Color	S.B Anodized Black, Red, Blue



CR-DX9000

Narrow Wide chainrings for XTR M9000/M9020 11 speed crank with custom made crank cover caps. With Narrow wide teeth, Teardrop holes, Wave Technology design.

Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T
Weight	46g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX9000 **E1**

Narrow Wide chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps. With Narrow wide teeth.

Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	76g (38T)
Color	S.B Anodized Black, Red, Blue


CHAIN RING



HIGH QUALITY-REASONABLE PRICE




For crank spec please check



CR-DX8000-OV

Narrow Wide Oval chainrings for XT M8000 11 speed crank. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.


Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	34T, 36T
Weight	83g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX8000-OV

Narrow Wide Oval chainrings for XT M8000 11 speed crank. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth.


Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	93g (34T)
Color	S.B Anodized Black, Red, Blue



CR-DX9000-OV

Narrow Wide Oval chainrings for XTR M9000/M9020 11 speed crank with custom made crank cover caps. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth, Teardrop holes, Wave Technology design.



Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	34T, 36T
Weight	83g (34T)
Color	S.B Black, Red, Blue



CR-E1-DX9000-OV

Narrow Wide Oval chainrings for XTR M9000 / M9020 11 speed crank with custom made crank cover caps. Oval shape design make the spincycle a lot smoother and is easier on legs while climbing. Adjust the oval in 3 position to increase its effect. With Narrow wide teeth.

Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	93g (34T)
Color	S.B Anodized Black, Red, Blue



CR-DX5800-110



Narrow Wide chainrings for SHIMANO® FC5800 105 crank set, Full CNC made AL7075-T651 material. with our snug fit wave design have extreme chain retention qualities. Each tooth has CNC cut hole for mud clearance. For 1X system P.C.D Ø110mm 4arm standard. Included CNC cover cap to fit the SHIMANO® crank set.

Material	AL-7075-T651 full CNC made
P.C.D	Ø110 mm
Spec	40T, 42T, 44T, 46T, 48T
Weight	82g (40T)
Color	S.B Anodized Black, Red, Blue

CR-DX6800-110

Narrow Wide chainrings for SHIMANO® FC6800 ULTEGRA crank set, Full CNC made AL7075-T651 material with our snug fit wave design have extreme chain retention qualities. Each tooth has CNC cut hole for mud clearance. For 1X system P.C.D Ø110mm 4arm standard. Included CNC cover cap to fit the SHIMANO® crank set.

Material	AL-7075-T651 full CNC made
P.C.D	Ø110 mm
Spec	40T, 42T, 44T, 46T, 48T
Weight	82g (40T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX5800-110

Narrow Wide chainrings for SHIMANO® FC5800 105 crank set, Full CNC made AL7075-T651 material. For 1X system P.C.D Ø110mm 4arm standard. Included CNC cover cap to fit the SHIMANO® crank set.


Material	AL-7075-T651 full CNC made
P.C.D	Ø110 mm
Spec	40T, 42T, 44T, 46T, 48T
Weight	92g (40T)
Color	S.B Anodized Black, Red, Blue

CR-E1-DX6800-110

Narrow Wide chainrings for SHIMANO® FC6800 ULTEGRA crank set. Full CNC made AL7075-T651 material. For 1X system P.C.D Ø110mm 4arm standard. Included CNC cover cap to fit the SHIMANO® crank set.

Material	AL-7075-T651 full CNC made
P.C.D	Ø110 mm
Spec	40T, 42T, 44T, 46T, 48T
Weight	92g (40T)
Color	S.B Anodized Black, Red, Blue


CHAIN RING



CR-E1-GX94 E1

Narrow Wide chainrings for SRAM GX CRANK SET, Full CNC made AL7075T-651 material for 1X system P.C.D Ø94mm 4arm standard.

Material	AL-7075-T651 full CNC made
P.C.D	Ø94 mm
Spec	32T, 34T, 36T
Weight	71g (36T)
Color	Anodized Black, Red, Blue



CR-DX003-X1

With Narrow wide teeth, Teardrop holes, Wave Technology design. For SRAM® XX1 system

Material	AL-7075-T651 full CNC made
P.C.D	Ø76 mm
Teeth	30T, 32T, 34T, 36T
Weight	57g (34T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-GXP01

One piece full CNC machined GXP chainring, Narrow wide teeth with our snug fit wave design and CNC cut holes for mud clearance. Compatible with SRAM® XX1 / X0 / X9 and GXP cranks.


Material	AL-7075-T651 full CNC made
Teeth	30T, 32T, 34T, 36T, 38T
Weight	105g (34T)
Color	S.B Black, Red, Blue



ADP-GXP104

Full CNC made spider adapter for P.C.D Ø104 chainring compatible with SRAM® XX1 / X0 / X9 and GXP cranks.


Material	AL-7075-T651 full CNC made
Weight	55.5g
Color	S.B Anodized Black, Red, Blue



CR-DX006-130

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross


Material	AL-7075-T651 full CNC made
P.C.D	Ø130 mm
Teeth	38T, 40T, 42T
Weight	81g (38T)
Color	S.B. Anodized Black, Red, Blue



CR-DX005-110

With Narrow wide teeth, Teardrop holes, Wave Technology design. For cyclo-cross


Material	AL-7075-T651 full CNC made
P.C.D	Ø110 mm
Teeth	38T, 40T, 42T
Weight	81g (38T)
Color	S.B. Anodized Black, Red, Blue



CR-DX010-96

Full CNC made narrow wide chainring for 1x system. Narrow wide teeth together with our snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut teardrop holes for mud clearance. Special made for P.C.D 96mm x 4 arms standard.


Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	32T, 34T, 36T, 38T
Weight	52g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-96S E1

Full CNC made narrow wide chainring for 1x system. For P.C.D 96mm x 4 arms standard.


Material	AL-7075-T651 full CNC made
P.C.D	Ø96 mm
Teeth	32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	52g (34T)
Color	S.B Anodized Black, Red, Blue



CR-DX009-CM

The evolution of narrow-wide single front chainrings. Made by Cr-mo heat treated steel for long lasting durability with pin point CNC finish. This ring can bear a life-time of riding and will never drop with its narrow-wide tooth and Fouriers' snug fit wave design. Additionally each tooth has CNC cut teardrop holes for mud clearance.

Material	Cr-mo heat treated steel
P.C.D	Ø104 mm
Teeth	32T, 34T, 36T, 38T
Weight	125g (34T)
Color	Ti-coating




CR-E1-120S E1

Full CNC made narrow wide chainring for 1x system. With Narrow wide teeth design.

Material	AL-7075-T651 full CNC made
P.C.D	Ø120 mm
Teeth	36T, 38T, 40T
Weight	85g (38T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange


CHAIN RING



CR-DX007-OV

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect. N/W tooth design with our snug wave design have extreme chain retention qualities, CNC cut holes for mud clearance.


Material	AL-7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	34T, 36T
Weight	79g (34T)
Color	S.B Anodized Black, Red, Blue



CR-E1-DX007-OV **E1**

Oval shape design make the spin cycle a lot smoother and easier on the legs while climbing. Adjust the oval ring in 3 position to increase it's effect. Full CNC made narrow wide chainring for 1x system.


Material	AL-7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	79g (34T)
Color	S.B Anodized Black, Red, Blue



CR-DX003-AH

Full CNC made narrow wide chainring for 1x system. Narrow wide teeth together with our snug fit wave design have extreme chain retention qualities. Additionally each tooth has CNC cut holes for mud clearance. For P.C.D 104mm x 4 arms standard.

Material	AL-7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T
Weight	57g (34T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CR-E1-104S **E1**

Full CNC made narrow wide chainring for 1x system. For P.C.D 104mm x 4 arms standard.

Material	AL-7075-T651 full CNC made
P.C.D	Ø104 mm
Teeth	30T, 32T, 34T, 36T, 38T, 40T, 42T, 44T, 46T, 48T
Weight	107g (46T)
Color	S.B Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



CK-SHM-110

We are advance in designing lightweight, simple, and rigidity crank set. It features hallow blow molding plus carbon axel is the best choice of high strength and torque crank set.

Material	Arm Carbon fiber Axle Carbon fiber Chainring AL7075-T651 full CNC made
Axle	Carbon fiber 24mm.
Length	165 mm / 167.5 mm / 170 mm / 172.5 mm / 175 mm / 177.5 mm
Chainring	double speed: 34-50T/ 36-52T/ 39-53T single speed: 40T 42T 44T 46T 48T
Color	UD Carbon
Weight	418g (Without chainring)



CK-GXP11



The G. Impact is 100% CNC machined from 6066 series aluminum material. Crank arms are beautifully machined to be ultra light and super strong. Use any chainring (P.C.D: Ø104 mm) can mounting with our adapters, and your will optimize the Narrow Wide chain control with this crankset. Designed to take repeated impacts and abuse, you will transfer power efficiently and flawlessly.


Built For	DOWNHILL / XC Racing / Enduro
Material	AL6066-T6
Length	170 mm & 175 mm
Spindle Size	30 mm
BB options	BSA external BB & Pressfit 89.5 & 92
Color	Anodized Black, Gray



Tool



Fix SRAM® GXP spider & GXP chainring.



CG-DX002

Full CNC light weight bash guard. Protect your chainring with minimal material. For MTB.

Material	AL6061-T6 full CNC made
P.C.D	Ø104 mm
Size	30T - 32T (OD: 147 mm) 34T - 36T (OD: 160 mm) 38T - 40T (OD: 180 mm)
Weight	85g (34T)
Color	Anodized Black, Red, Blue



BB-S001



Fit PressFit 30 frame (Ø46 mm x 68 / 73 mm) to BB30 crankset (30mm axle). Enduro® bearings inside for top class quality.

Material	Plastic bearing cup, alloy side cover
Spacer	2.5 mm spacer x 2, 0.5 mm spacer x 3
Weight	83g / set

Product name	Product diameter		Frame	bottom bracket diameter	
BB-S001-010	Ø46	+0.13	Ø46	+0.1	
		+0.11		+0.06	
BB-S001-005	Ø46	+0.08	Ø46	+0.05	
		+0.06		+0.01	
BB-S001-001	Ø46	+0.06	Ø46	+0.0	(Standard)
		+0.02		-0.05	

DI2 JUNCTION SPACER


C-C length \ stem length	80 mm	90 mm	100 mm	110 mm	120 mm	130 mm	140 mm
32 mm	○						
42 mm	○						
45 mm		○	○				
50 mm			○	○			
55 mm					○	○	
60 mm						○	○



HA-S018-DIOD2

SHIMANO® Di2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a cleaner and professional look. Choose out of 2 different angles.


Material AL6061-T6 CNC made
For Giant OD2 system (Ø31.8 Fork)
Angle 6° & 17°
C-C Length 45 / 55 mm
Color Black, Red, Gray
 Compatible with SHIMANO® Di2 Junction



HA-S018-DI2

SHIMANO® Di2 Junction adapter made by CNC. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a cleaner and professional look.


Material AL6061-T6: CNC made
For Ø28.6 Fork
Angle 6° & 17°
C-C Length 42 / 45 / 50 / 55 / 60
Weight 6.5g
Color Black, Red, Gray
 Compatible with SHIMANO® Di2 Junction



HA-S016-D12

SHIMANO® Di2 Junction adapter. Securely install your Di2 Junction underneath your stem without any zip-ties. A simple spacer installation for a cleaner and professional look.

Material Nylon body, AL6061-T6 spacer
For Ø28.6 fork
Angle 6° & 17°
C-C Length 32 / 44
Weight 7g / pcs
Color Black
 Compatible with SHIMANO® Di2 Junction





CT-FD003-L

Full CNC chain guard for MTB 1x9 / 1x10 / 1x11 drive train.
Prevents the chain from dropping off.
Fit direct mount frame system, strong enclosed plastic top chain guide,
Easy to adjust from 32T to 38T, Includes spacer to adjust chainline.

Material	AL6061-T6
Spec	Direct mount type guard 32-40T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard
Weight	64g
Color	S.B Anodized Black, Black Plastic



CT-FD004-S

Full CNC chain guard for MTB 1x9 / 1x10 / 1x11 drive train.
Prevents the chain from dropping off.
Fit direct mount frame system, strong mini size enclosed plastic top
chain guide, Easy to adjust from 30T to 38T, Includes spacer to adjust
chainline.

Material	AL6061-T6
Spec	Direct mount type guard 30-40T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard
Weight	49.5g
Color	S.B Anodized Black, Black Plastic



CT-FD002

Seat tube clamp chain guide, prevents the chain from dropping off the
upper side.

Material	AL6061-T6
Spec	Ø34.9 mm, Ø31.8 mm
Weight	76g
Color	S.B Anodized Black, Black Plastic




CT-FD005

Full CNC chain guard for MTB 1x9 / 1x10 / 1x11 drive train. Prevents
the chain from dropping off.
Fit round seat tube Ø34.9 / Ø31.8 mm frame system, strong mini size
enclosed plastic top chain guide, Easy to adjust from 30T to 40T.


Material	AL6061-T6
Spec	Round seat tube frame 30-40T, Suitable for 1x9 1x10 1x11 system speed drive train With plastic upper guard and Ø34.9 / Ø31.8mm adapter shim
Weight	72g
Color	S.B Anodized Black, Black Plastic



ISCG 05



ISCG



CT-DX006

Lightweight chain guide and bash guard. Dual guide for 2X system / direct mount bash guard integrated to protect your drivetrain. Plastic roller design.

Material AL6061-T6
Spec ISCG or ISCG-05
Range 28T - 40T
Weight 142g
Color S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-DX009

Lightweight enclosed chain guide with bash guard. Perfect for 1x system. The redesigned bash guard effectively protects the chainring and easily glides over rocks and obstacles.

Material AL6061-T6
Spec ISCG or ISCG-05
Thickness 5 mm
Range 32T - 38T
Weight 116g (With out adapter)
Color S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-DX011

Designed for MTB 1x system drive train. Special design for 28t~32t chainrings to avoid chain drops during heavy use. Simple but effective!

Material ALOY 6061T6 CNC made
Spec ISCG / ISCG 05
Size 28T - 32T
Thickness 5 mm
Weight 52g
Color S.B Anodized Black, Red, Blue

Bottom bracket (BB) adapter included for e type BB mount



ISCG

ISCG-05

ADP-N001

Adapter for ISCG or ISCG05 to E-type

Material AL6061-T6
Spec Ø59.2 mm (ISCG) / Ø73 mm (ISCG-05)
Color S.B Anodized Black

Bottom bracket (BB) adapter included for e type BB mount

CHAIN GUIDE



CT-DX001

Lightweight chain guide with fully incased cage so there is no need for a bash plate. Has an aluminum back plate with strong-hardened plastic material for the top and bottom guides. For 1x system.

Material AL6061-T6
Spec ISCG or ISCG-05
Range 32T - 40T
Weight 142g (without adapter)
Color S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-E1-DX001

Fully incased cage so there is no need for a bash plate. Has an aluminum back plate with strong-hardened plastic material for the top and bottom guides. For 1x system.

Material AL6061-T6
Spec ISCG or ISCG-05
Range 32T - 40T
Weight 152g
Color S.B Anodized Black, Red



CT-DX002

Super lightweight chain guide with half caged upper arm guide design. Recommended to use with bash guard. Has an aluminum back plate with strong hardened plastic material for the top and bottom guides.

Material AL6061-T6
Spec ISCG or ISCG-05
Range 32T - 40T
Weight 141.5g (without adapter)
Color S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-E1-DX002

Half caged upper arm guide design. Recommended to use with bash guard. Has an aluminum back plate with strong hardened plastic material for the top and bottom guides.

Material AL6061-T6
Spec ISCG or ISCG-05
Range 32T - 40T
Weight 169g
Color S.B Anodized Black, Red



CT-DX005

Lightweight enclosed chain guide and bash guard for 1x system. Includes plastic roller. Bash guard made by strong plastic material from Switzerland.

Material AL6061-T6
Spec ISCG or ISCG-05
Range 32T - 38T
Weight 210g
Color S.B Anodized Black, Red

Bottom bracket (BB) adapter included for e type BB mount



CT-E1-DX005

Chain guide and bash guard for 1x system. Includes plastic roller. Bash guard made by strong plastic material from Switzerland.

Material AL6061-T6
Spec ISCG or ISCG-05
Range 32T - 38T
Weight 220g
Color S.B Anodized Black, Red



HA-WM001

Special mount for sport watch.
Attach it to restbars and keep a close eye on your performance.

Material AL6061-T6
Clamp Ø22.2 mm
Weight 60g
Color S.B. Anodized Black



HA-WA002

Special mount for sport watch.
Attach it to handlebars and keep a close eye on your performance.

Material AL6061-T6
Spec Ø31.8 mm
Weight 82g
Color S.B. Anodized Black



HA-S015-SRM8

Compatible with SRM® Power Control 8.
For Triathlon arm rest Ø22.2 tube.

Material AL6061-T6
Spce Ø31.8 mm
Weight 38.5g
Color S.B. Anodized Black



HA-S015

Compatible with SRM® Power Control 7
For Triathlon arm rest Ø22.2 tube

Material AL6061-T6
Spce Ø22.2 mm
Weight 22g
Color S.B. Anodized Black



HA-S020-GMSP

Sport camera GoPro® mount on seatpost.
Record exciting ride video behind you.

Material AL6061-T6
Spce Ø31.6 mm W/ SHIM Ø27.2 mm
Weight 39g
Color S.B. Anodized Black




HA-S019-GM001

Special designed for Giant® Contact SLR Aero Integrated
Handlebar & Stem.
Compatible with Garmin® models up to Edge 1000 versions.

Material AL6061-T6 body & Plastic mount
Weight 26g
Color S.B. Anodized Black

COMPUTER MOUNT



HA-S014

For stem front cap (Screw center distance: 9 - 33 mm)
Compatible with GARMIN Edge® & MIO® & GoPro® & Bryton® 100 / 310 / 330 / 530. Fits all Fouriers stems

Material AL6061-T6
Weight 40g
Color S.B. Anodized Black, Red, Gray



HA-S017

Compatible with GARMIN Edge® 1000 & MIO® & Bryton® 100 / 310 / 330 / 530. For Ø31.8 handle bar. Arm length adjustable.
With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2


Material AL6061-T6 body, plastic adapter
Weight 41g
Color S.B. Anodized Black



HA-S011

Compatible with GARMIN Edge® & MIO® & Bryton® 100 / 310 / 330 / 530.
For Triathlon arm rest Ø22.2 tube

Material AL6061-T6 body, plastic adapter
Weight 42.5g
Color S.B. Anodized Black, Red, Gray
body
Black Plastic Adapter



HA-GAMPR01

Compatible with GARMIN Edge® 1000 & MIO® & GoPro® & Bryton® 100 / 310 / 330 / 530. For Ø31.8 handle bar. Arm length adjustable.
With Ø31.8 x Ø25.4 shim & Ø31.8 x Ø22.2

Material AL6061-T6 body, plastic adapter
Weight 71g
Color S.B. Anodized Black



HA-S002 CARBON

For Ø31.8mm, Ø35mm handlebar
Ø26 Carbon tube for computer mounting

Material AL6061-T6
Spec Ø31.8, Ø35
Weight 34g



**PREVENT
CHAIN DROPPING
AND PROTECT
THE FRAME INTACT.**

AC-DX002-TM

Use this aluminum chain catcher to protect your bottom bracket from chain suck during high speed riding. Very light design with magnet for SRM® powermeter.

Material	AL6061-T6 full CNC made
Range	39T - 53T, 34T - 50T
Weight	6.5g (without bolt)
Color	Black, Red, Gold, Gray, Blue, Apple Green, Orange



AC-DX002-16

Use this aluminum chain catcher to protect your bottom bracket from chain suck during high speed riding. Very light design.

Material	AL6061-T6 full CNC made
Range	39T - 53T, 34T - 50T
Weight	5.5g (without bolt)
Color	Black, Red, Gold, Gray, Blue, Apple Green, Orange



AC-S003

Use this chain catcher to protect your bottom bracket from chain suck during high speed riding. Special design with carbon wrapping.

Material	AL6061-T6 Carbon coating
Range	39T - 53T, 34T - 50T
Weight	7.5g (without bolt)
Color	Carbon 3K



TRIATHLON BAR

HB-TR003

Fixed arm pads. Arm rest height adjustable with 20-60 mm adapter.

Material AL6061-T6
Weight 470g/set

Triathlon arm rest
For Ø31.8 handlebar
Option: Carbon - S tubes, J1 tubes, J2 tubes, I tubes
Alloy - S tubes, J1 tubes, J2 tubes, JS tubes



Comes with an adapters to change the height



HB-TR003-101

With Alloy S tube
Angle 17° / 340 mm
(Only order Alloy S tube: HB-TUB-101)



HB-TR003-201

With Alloy J1 tube
Angle 17° / 310 mm
(Only order Alloy J1 tube: HB-TUB-201)



HB-TR003-301

With Alloy J2 tube
Angle 50° / 300 mm
(Only order Alloy J2 tube: HB-TUB-301)



HB-TR003-401

With Alloy JS tube
Angle 17° / 180 mm
(Only order Alloy JS tube: HB-TUB-401)



HB-TR003-101C

With Carbon fiber S tube
Angle 17° / 340 mm
(Only order Carbon S tube: HB-TUB-101C)



HB-TR003-201C

With Carbon fiber J1 tube
Angle 17° / 310 mm
(Only order Carbon J1 tube: HB-TUB-201C)



HB-TR003-301C

With Carbon fiber J2 tube
Angle 50° / 300 mm
(Only order Carbon J2 tube: HB-TUB-301C)



HB-TR003-401C

With Carbon fiber I tube
Angle 0° / 300 mm
(Only order Carbon I tube: HB-TUB-401C)



HB-TR002

Triathlon tri-bar bridge. Has an adjustable width to a maximum of 105 mm. Also features a Ø26 mm computer mount bar for your convenience.

Material Nylon
Width 85 mm - 105 mm
Weight 54g / set



For Triathlon bar bridge

WBC-DX001

Water bottle cage adapter for triathlon bar. Simple and effective.

Material AL6061-T6 full CNC made
Weight 30g / pcs
Color S.B Anodized Black



Clamping the water bottle cage
For Triathlon bar


WBC-TT003

For GIANT® 2016 Trinity aerodrive rest bar bridge. increase rigidity when use a higher rest bar

Material AL7075-T6
Width 120 mm / 142 mm
Weight 30g
Color S.B Anodized Black



Increase rigidity when use a higher rest bar



Similar to golfballs, the dimple surface adds additional airpenetration for greater aero-dynamics.

WBC-BE003-CA

The Fouriers® GOLF DIMPLE Bottle incorporates Jet Valve, a revolutionary self-sealing valve, into a spill- and splatter free bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

It also assemble a small cap to keep clean the water bottle.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle. Open/close the valve for safe travel and wide-mouth opening for easy cleaning.

Material	LDPE
Volume	600cc
Weight	60g
Color	Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow



PRESSURE VALVE CAP

Special valve design allows clean and easy drinking. Open the cap and slightly squeeze the bottle for drinking. No squeezing = no water outflow, even with an open cap.

WBC-BE002-E

The Fouriers® GOLF DIMPLE Bottle. The dimple surface has extra aerodynamic qualities and adds grip to the bottle for easy and quick consumption.

The lightweight bottle is made of TruTaste™ LDPE with HydroGuard™ and lets you taste your water, not your bottle.

Material	LDPE
Volume	600cc
Weight	60g
Color	Black, Red, Blue, Apple Green, Orange, Pink, White, Transparent, Yellow



WBC-S001 CARBON

Special designed aero dynamic water bottle cage. Cages includes the water bottle. L size can hold up to 600cc and S size 300cc of water.

Material Carbon UD cage+ Plastic water bottle
Volume (L) 600cc, (S) 300cc
Weight (L) 82.5g, (S) 62.5g, (CAGE) 26g



Easy for holding



WBC-DX002 CARBON

Featherlight carbon fiber water bottle cage with arc design for smooth bottle removal.

Material Carbon fiber
Weight 31g
Color UD



WBC-S003 NYLON

Basic water bottle cage. Two arm design with a plastic connector. The flexibility smoothens bottle storage.

Material Nylon
Weight 37g
Color Black



QUICK RELEASE




QR-S006

Heavy duty use quick release for thru-axle system. Full CNC machined aluminum lever can be repositioned by simple lift and lock.

Material AL7075 axle / AL6061 lever
Spec Ø12 mm axle / 135 mm, 142 mm, 148 mm, 150 mm HUB
 Ø15 mm axle with nut
Weight 75g - 86g
Color Black, Red
 Max force to 150kgf-cm

HUB	AXLE	SPEC
100	146	M14 x 1.5
135	168	M12 x 1.75
142 (SHIMANO®)	171	M12 x 1.5
148 (SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75



QR-S003

Aluminum full CNC machined axle and lever quick release for thru-axle system.

Material AL7075 axle / AL7075 lever
Spec Ø12 mm axle / 135 mm, 142 mm, 148 mm, 150 mm HUB
 Ø15 mm axle with nut
Option M12 x 1.0 mm / M12 x 1.75 mm with nut
Weight 76g / pcs (150 mm)
Color Black, Red

HUB	AXLE	SPEC
135	168	M12 x 1.75
142 (SHIMANO®)	171	M12 x 1.5
148 (SHIMANO®)	177	M12 x 1.5
150	183	M12 x 1.75



QR-DX001

Material Alloy with carbon fiber lever
 Cap washer and nut anodized finish
 Titanium axle ED black finish
 (F)100 mm (R)130 mm, 135 mm
Weight 43g / set (ROAD BIKE) / 46g / set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB



QR-S001

Material Alloy full CNC machined lever
 Cap washer and nut anodized finish
 Titanium axle ED black finish
 (F)100 mm (R)130 mm, 135 mm
Weight 45g / set (ROAD BIKE) / 47g / set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB



QR-E001

Material Alloy lever made anodized finish
 / 10B21 axle
 (F)100 mm (R)130 mm, 135 mm
Weight 112g / set (ROAD BIKE) / 115g / set (MTB)
Color S.B Anodized Black, Silver
For ROAD BIKE or MTB



QR-S002

Material Alloy full CNC machined lever
 Cap washer and nut anodized finish
 Titanium axle ED black finish
 (F)100 mm (R)130 mm, 135 mm
Weight 53.0g / set (ROAD BIKE) / 56.0g / set (MTB)
Color Black, Silver, Red, Gold, Gray
For ROAD BIKE or MTB

CR-S002

Design to mount onto a 6 bolt disc-hub. This converts your bike into a fixed gear using the special adapter to fix on SHIMANO® cassette style hubs. The adapter is made from a lightweight alloy 6061-T6 disc. The cog is made from hardened cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Comes with 6 stainless bolts.

Material	Cold forged Cr-mo heat treated steel (ASM4140) and AL6061-T6 for the adapter N.E.N finished cog/Red anodize adapter
Spec	Use for disc HUB 6 hole and cassette HUB
Teeth	16T - 23T
Weight	56g / set - 103g / set



CR-S001

Design for a cassette hub to convert your bike into a single speed. Cog is made by harden cold forged Cr-mo steel (ASM4140) to make it super strong and to give it a long life. Different sizes are available to cover most riders needs.

Material	Cold forged Cr-mo heat treated steel (ASM4140) N.E.N finished
Teeth	12T - 23T
For cassette HUB	
With lock ring x 1pcs & 10 mm x1, 5 mm x2, 3 mm x3 Spacer	



AC-DX003 (SPACO)


Unique cassette spacer for downhill riders. Professional downhill riders don't need bigger sprockets in their rear cassette. Riders use max 7 speed. Spaco replaces these bigger and heavier sprockets and adds more flare to your bike.

Material	AL6061-T6
Spec	Max 19T Compatible with SHIMANO® CS-6700 Max 24T Compatible with SHIMANO® CS-M771-10
Weight	20g
Color	Anodized Black, Red, Gold, Gray, Blue, Apple Green, Orange



GRIP & BAR TAPE

**THE IRREGULAR
LINES SURFACE OF
GRIP IS THE BEST
ANTISKID DESIGN
FOR GIVING YOU THE
BEST CONTROL FEELING.**



GP-S001

Ultra comfortable silicone material provides the rider with uncompromising grip. Relieve hand tension and remain in control. The dimpled surface provides a cooling space as your hands begin to sweat.

Material Silicone Rubber foam
Spec OD Ø30 x 130 mm
Color Black, Red, Blue, Apple Green, Orange, Pink, White, Yellow



GP-S002-V

A flexible and comfortable lock-on grip for those who need the extra grip security. A lock-on grip that also works with our Control Curve Feature, providing the rider with the ultimate Fouriers Control. Easy to install and exceptional handlebar feel.

Material Rubber foam
Spec OD Ø30 x 130 mm
Color Black, Red, Gray, Blue, Apple Green, Orange, Pink, White



AC-PGN03-MB

Screw on plugs for handlebar cap, gives a secure hold to all tapes and grips. For handlebar ID:Φ17m/m-Φ21m/m
2 pieces a set.

Material Plastic plug with alloy bolts.
weight 24g / set



AC-PG02-MB

Screw on plugs for handlebar cap, gives a secure hold to all tapes and grips. For handlebar ID:Φ17m/m-Φ21m/m
2 pieces a set.

Material Alloy cap with stainless bolts.
weight 41g / set


Our Polyurethane Bar Tape gives the rider supreme comfort and added style points. Cooling perforations in the tape are appreciated when the riding heats up. Great color choices available for any theme.



BP-S001-DC30

Double colored bar tape with the latest design PU material for better and more comfortable grip in any weather condition.

Material	PU
Spec	3 cm x 200 cm
Thickness	3.0 mm
Color	Black - Apple Green, Black - Pink, Black - White, Black - Yellow, Red - Blue, Red - White, Apple Green - Pink



BP-S001 BP-S001-HF

Bar tape with the latest design PU material for better and more comfortable grip in any weather condition.

Spec	3 cm x 200 cm
Thickness	3.0 mm
Color	Pink, Green, Red, Blue, Yellow, Tiffany Green, Black, White



AC-PG001-RC

Handlebar plugs to tightly secure the bar tape and grip. For handlebar ID:Φ17 m/m-Φ21 m/m Comes in 2 pieces a set.

Material	Plastic plug with stainless alloy bolts.
weight	20g / set

ROLLER KIT



CT-DX007-HCA1216

Oversize derailleur cage with 12T upper and 16T lower pulley.
Carbon big cage plate and alloy small cage to reduce weight,
Pulley are full CNC made from aluminum 7075-t651 with **full ceramic bearing**
Oversize pulleys decrease drivetrain friction for high performance.
Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

Material	Carbon / AL6061-T6 cage and AL7075 -T651 pulley
Weight	63g / set
Color	S.B Black Anodize & Carbon Cage Black Anodize pulley / Red Anodize pulley
Spec	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870



CT-DX007-H1115

Oversize derailleur cage with 11t upper and 15t lower pulley.
Pulley are full CNC made from aluminum 7075-t651 with **full ceramic bearing**
Oversize pulleys decrease drivetrain friction for high performance.
Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

Material	AL6061-T6 Cage, AL7050-T651 pulley
Weight	72g / set
Color	S.B Black Anodize Cage Black Anodize pulley / Red Anodize pulley
Spec	Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870





STAINLESS CONE WITH CERAMIC BEARING



FULL CERAMIC BEARING

PRODUCT SPECS

ITEM	Dura ace RD-9000	Dura ace(DI2) RD-9000	Ultegra RD-6800 SS	Ultegra RD-6800 GS
CT-DX007	MAX 32T	MAX 28T	MAX 32T	MAX 36T
CT-DX007-HCA1216	MAX 32T	MAX 28T	MAX 32T	MAX 36T
CT-DX007-H115	MAX 32T	MAX 28T	MAX 32T	MAX 36T
CT-DX007-D15	MAX 28T	MAX 28T	MAX 28T	MAX 36T
CT-DX007-H1515	MAX 28T	MAX 28T	MAX 32T	MAX 36T

CT-DX007

Oversize derailleur cage with 11T upper and 15T lower pulley. Pulleys are full CNC made from aluminum 7075. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

- Material** AL6061-T6 Cage & AL7075-T651 Pulley
- Weight** 70g / set
- Color** S.B Black Anodize Cage
Black Anodize pulley / Red Anodize pulley
- Spec** For SHIMANO® RD 9000 / 9070 / 6800 / 6870



CT-DX007-D15

Oversize derailleur cage with 15T upper and 15T lower pulley. Pulley are full CNC made from aluminum AL7075-T651. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

- Material** AL6061-T6 cage and AL7075 -T651 pulley
- Weight** 75g / set
- Color** S.B Black Anodize Cage
Black Anodize pulley / Red Anodize pulley
- Spec** Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870



CT-DX007-H1515

Oversize derailleur cage with 15T upper and 15T lower pulley. Pulley are full CNC made from aluminum 7075-T651 with **full ceramic bearing**. Oversize pulleys decrease drivetrain friction for high performance. Compatible with SHIMANO® RD 9000 / 9070 / 6800 / 6870.

- Material** AL6061-T6 Cage, AL7050-T651 pulley
- Weight** 72g / set
- Color** S.B Black Anodize Cage
Black Anodize pulley / Red Anodize pulley
- Spec** Fit SHIMANO® RD 9000 / 9070 / 6800 / 6870



SEAT CLAMP



SCL-S005-CA

Extend the rubber cover, to prevent dust permeate in to seat tube. Chamfer edge & oval hole design to protect carbon frames & seatpost.

Material AL6061-T6 clamp with NBR cover
Spec Ø31.8 (Ø27.2 seat post), Ø34.9 (Ø31.6 seat post) 17.5 mm
Height 16 mm
Color Clamp: S.B Anodized Black
 Cover: Black, Red, Blue, Appne Green, Orange, Pink, White, Yellow

SCL-S001

Double M5 bolt. Chamfer edge & oval hole design to protect carbon frames & seatposts. Rubber cover helps prevent dust and water from getting into the seat tube.

Material AL6066-T6
Spec Ø31.8 mm (Fix Ø27.2 Seatpost) / Ø34.9 (Fix Ø31.6 Seatpost)
Height 17.5 mm
Weight (Ø31.8) 24g / (Ø34.9) 27g
Color Black, Silver, Red, Gray



Oval Hole For Carbon

SCL-DN001

Special double nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

Material AL6061-T6
Spec Ø31.8 mm, Ø34.9 mm
Height 14 mm
Weight (Ø31.8) 17.5g / (Ø34.9) 18.5g
Color Black



SCL-E001

Special nut design allows screw to automatically adjust its angle to prevent deformation caused by tightening the seat clamp too much.

Material AL6061-T6
Spec Ø31.8 mm, Ø34.9 mm
Height 11 mm
Weight (Ø31.8) 22.5g / (Ø34.9) 23.2g
Color Black, Silver





SCL-S006-CA

To prevent the drop caused by the tolerance between seat post & seat clamp & seat tub.
Also can be height marker. With rubber cover to prevent dust. Can fix any type of clamp.

Material	AL6061-T6 clamp with NBR cover
Spec	Ø27.2, Ø30.9, Ø31.6
Weight	8.5g~11g
Color	Clamp: S.B Anodized Black Cover: Black, Red, Blue, Appne Green, Orange, Pink, White, Yellow

SCL-QX001

Seat clamp with ultra-lightweight and rounded quick release. Chamfer edge & oval hole design to protect carbon frames.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	16 mm
Weight	(Ø31.8) 28g / (Ø34.9) 30.5g
Color	Black, Silver, Red, Gold, Gray




Oval Hole For Carbon

SCL-QE001 (P.A.T)

Special seat clamp with a screw that can't be disassembled for the security of your seat post installation.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	13.5 mm
Weight	(Ø31.8) 110g / (Ø34.9) 113g
Color	Black, Silver



Use machine to break screw, so the screw can't draw out.

SCL-QX002

Seat clamp with ultra-lightweight and sleek quick release. Chamfer edge & oval hole design to protect carbon.

Material	AL6061-T6
Spec	Ø31.8 mm, Ø34.9 mm
Height	16 mm
Weight	(Ø31.8) 26g / (Ø34.9) 29g
Color	Black, Silver, Red, Gold, Gray



Oval Hole For Carbon



SR-S001 CARBON

Set of 4 spacers: 3, 5, 10 mm, Taper Spacer

Diameter ID: Ø28.6 mm / OD: Ø34 mm
Material Carbon 3K / AL6061-T6 (Taper Spacer)
Weight 10.5g / set



SR-S002 CARBON

Set of 4 spacers: 3 mm, 5 mm, 10 mm, Taper Spacer

Diameter ID: Ø28.6 mm / OD: Ø34 mm
Material Carbon 3K / AL6061-T6 (Taper Spacer)
Weight 8.3g / set



SR-S003

Set of 3 spacers: 5 mm x 2pcs, 10 mm x 1pcs.

Diameter ID: Ø28.6 mm / OD: Ø36 mm
Material Transparent Nylon
Weight 7.2g / set.
Color White, Blue, Orange, Light Orange, Green, Transparent, Light Pink, Purple, Yellow



SR-E001

Set of 4 spacers: 3 mm, 5 mm, 10 mm, Taper Spacer

Diameter ID: Ø28.6 mm / OD: Ø36 mm
Material AL6061-T6
Weight 15.5g / set
Color Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange



SR-E002

Set of 4 spacers: 3 mm, 5 mm, 10 mm, Taper Spacer


Diameter ID: Ø28.6 mm / OD: Ø36 mm
Material AL6061-T6
Weight 10.5g / set
Color Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange



SR-E003

Set of 4 spacers

Diameter ID: Ø28.6 mm / OD: Ø34 mm
Material AL6061-T6 CNC Made
Weight 12g / set
Height 5 mm
Color Anodized Black, Silver, Red, Gold, Gray, Blue, Apple Green, Orange



HA-S008

Material Top cover AL6061-T6
Spec Integrated 1-1/8" Upper/1.5" Bottom (UP) Ø28.6 x Ø41.8 / (DOWN) Ø51.8 x Ø39.5
Bearing (UPPER) 41.8 x 45° x 8 (LOWER) 51.8 x 45° x 8
Weight 78g / set
Color Black



HA-S005

Material	AL6061-T6 with Alloy top cap
Spec	Fit ID Ø22.0 - Ø25.0 fork
Length	50 mm
Weight	62g / set
Top Cap Color	Anodized Black, Sliver, Red, Gray, Gold



TC-S001

With stainless steel screws bolt

Material	AL6061-T6 CNC finished
Spec	Fit 1-1/8 fork
Weight	23g (without star nut)
Color	Anodized Black, Silver



TC-S002 CARBON

With stainless steel screws bolt

Material	AL6061-T6 CNC finished
Spec	Fit 1-1/8 fork
Weight	23g (without star nut)
Color	UD



TC-S003 TITANIUM

With Titanium bolt

Material	Titanium-64
Spec	Fit 1-1/8 fork
Weight	9.5g (without star nut)



TC-S004

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1/8"
Weight	15g (with bolt)
Color	Anodized Black



TC-S005

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1/8"
Weight	15g (with bolt)
Color	Anodized Red



TC-S006

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1/8"
Weight	15g (with bolt)
Color	Anodized Red



TC-S007

With stainless steel screws bolt

Material	AL6061-T6 CNC made
Spec	1-1/8"
Weight	15g (with bolt)
Color	Anodized Black



TC-E001

With stainless steel screws bolt

Material	AL6061-T6
Spec	Fit 1-1/8 fork
Weight	14.5g (without star nut)
Color	Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green




TC-E002

With stainless steel screws bolt

Material	AL6061-T6
Spec	Fit 1-1/8 fork
Weight	14.5g (without star nut)
Color	Anodized Black

ACCESSORY



X	Y	Z
50	47.5	65.5
90	47.5	105.5
120	47.5	135.5

HA-S007

Comes with long screw, top cap and spacers.

Material AL6061-T6 body, Top cap, Spacer
Length 50 mm (Adjust height 47.5 mm - 65.5 mm)
 90 mm (Adjust height 47.5 mm - 105.5 mm)
 120 mm (Adjust height 47.5 mm - 135.5 mm)
Weight 154g - 230g
Color S.B Anodized Black



HA-S001 CARBON

Canti Brake cable hanger.
 Carbon spacer can reduce brake noise.
 For Ø28.6 fork tube

Material Carbon 3K
Height 4 mm
Weight 29g / set



AC-S002 CARBON

Adapter for bar bore, available in 3 sizes. Carbon fiber has damping capacity to reduce vibration during riding.

Material Carbon UD
Spec OD Ø35 mm to ID Ø31.8 mm,
 OD Ø31.8 mm to ID Ø26 mm,
 OD Ø31.8 mm to ID Ø25.4 mm
Width 60 mm
Weight 14g / set - 24g / set



AC-S001 CARBON

Adapter for the fork tube Ø31.8 mm to Ø28.6 mm.

Material Carbon UD
Spec OD Ø31.8 mm to ID Ø28.6 mm
Length 38 mm, 48 mm, 58 mm
Weight 10g / set - 16g / set



AC-A002

Adapter for bar bore Ø35 mm to Ø31.8 mm

Material Alloy 6061
Spec OD Ø35 mm to ID Ø31.8 mm
Width 60 mm
Weight 20g



AC-A001

Adapter for the fork tube Ø31.8 mm to Ø28.6 mm.

Material Alloy 6061
Spec OD Ø31.8 mm to ID Ø28.6 mm
Length 38 mm
Weight 15g



AC-DX001-N2

Fits SHIMANO® 8 ,9 ,10 ,11 speed
 CAMPAGNOLO® 9 ,10, 11 speed

Material AL7075-T651 body, AL6061-T6 cap
Bearing CR-steel seal bearing, Ceramics bearing
Teeth 11T
Weight 21g / set
Color Anodized Black, Sliver, Red, Gold, Gray






AC-S004

SHIMANO® center lock disc hub adaptor. Change center lock disc hub to the international 6 bolt standard disc rotor.

Material AL6061-T6 body and lock ring/
 Stainless steel washer
Weight 41g / set
Body color S.B Anodized Black, Sliver


MUDGUARD



AC-MG001-N2

Assemble on MTB suspension fork
Not available in Europe

Material Polypropylene (PP)
Thickness 0.8 mm
Weight 28g
Color Black, Apple Green, Orange, Pink, White, Yellow



AC-MG003-N2

Front fork mudguard can efficiently prevent mud splashes. This smart design has special cut lines on the belly side for customization. We use eco-friendly and recyclable PP (polypropylene) material. Choose out of six striking colors.

Material Polypropylene (PP)
Thickness 0.8 mm
Weight 28g
Color Black, Apple Green, Orange, Pink, White, Yellow



AC-MG002

Assemble on saddle rail
Not available in U.S.A

Material Polypropylene (PP)
Thickness 0.8 mm
Weight 19g
Color Black, Apple Green, Orange, Pink, White, Yellow



VALVE EXTENDER

VL-PE008-N

Tubeless valve (removable type) extender, can easily fixed by outer thread & nut.
1set = 2pcs

Material AL6061-T6
Length 40 ,60 (mm)
Weight 6g / set - 8g / set
Color Anodized Black



VL-PE007

Tire Valve Extensions: Simple, air-tight installation without tape or threadseal, while reducing noise and vibration on the road. 1set = 2pcs

Material AL6061-T6 Body, Nylon Ring
Length 38, 50, 60, 70, 80, 90, 100(mm)
Weight 2.2g / set - 16g / set
Color Anodized Black



VL-PE001

Presta valve extender CNC Machined, 1set = 2pcs

Material AL6061-T6
Length 25, 38, 50, 60, 70, 80, 90, 100 (mm)
Weight 2.2g / set - 16g / set
Color Anodized Black, Sliver



VL-PE002

Presta valve extender, 1set = 2pcs

Material AL6061-T6
Length 20, 30, 40, 50, 60, 70, 80, 90, 100 (mm)
Weight 2.2g / set - 12g / set
Color Anodized Black, Sliver



VL-PE003

Presta valve extender
Only for Vittoria tubular tire, 1set = 2pcs

Material AL6061-T6
Length 30, 40, 50, 60, 70 (mm)
Weight 4.2g / set - 10.2g / set
Color Anodized Black, Sliver



VALVE CAP & BOLT



VL-US001

1 set = 2pcs

Material AL6061-T6 CNC made
Spec USA valve
Weight 18.7g / set
Color Anodized Black, Sliver, Red, Gold, Gray



VL-PE009

1 set = 2pcs

Material AL6061-T6
Spec Presta valve
Weight 2g / set
Color Anodized Black, Sliver, Red, Gold, Gray



VL-PE006

1 set = 2pcs

Material AL6061-T6 CNC made
Spec Both USA & Presta valve
Weight 7.0g / set
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange



VL-US002

1 set = 2pcs

Material AL6061-T6 CNC made
Spec USA valve
Weight 13.0g / set
Color Anodized Black, Sliver, Red, Gold, Gray



VL-PE004

1 set = 2pcs

Material AL6061-T6, anodize finished
Spec Presta valve
Weight 2.9g / set
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange



BN-M003

1 set = 2 pcs

Material AL7075-T6 full CNC made
Spec M5 x 0.8
Length 17 mm
Weight 1.3g / pcs
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



VL-US003

1 set = 2pcs

Material AL6061-T6 CNC made
Spec Presta change to USA valve
Weight 2.3g / set
Color Anodized Black, Sliver, Red, Gold, Gray



BN-M001-SUS

1 set = 5 pair

Material Stainless
Spec M8 x 0.75
Width 4mm
Tool Allen wrench 5 mm
Weight 4g / pair



BN-M001

1 set = 5 pair

Material AL7075-T6 full CNC made
Spec M8 x 0.75
Width 7 mm
Tool 5 mm
Weight 2.0g / pair (7 mm)
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green



VL-PE005

Disc wheel 90 degree adapter
 Fix Presta valve rim tire

Material AL6061-T6 CNC made
Weight 9.6g
Color Anodized Black, Sliver



ADP-S001

All CNC made, CO2 adapter. Fits presta & USA valve without adapter. The simple threaded valve allows easy use.


Material AL6061-T6 full CNC made
Weight 17g
Color Anodized Black, Sliver



BN-M002

1 set = 2 pcs

Material AL7075-T6 full CNC made
Spec M5 x 0.8
Length 10 mm
Weight 1.3g / pcs
Color Anodized Black, Sliver, Red, Gold, Gray, Blue, Apple Green, Orange, Purple, Green






⊙ HEX ⊕ PH ⊖ SL ⊛ T



TL-ST041-6P

6 function bike tool set
Hex 3 / 4 / 5 / 6 mm, PH2, T25

Inner tool of Material Chrome Vanadium with durable Matte Chrome plating
Frame All CNC 6061-T6 made . one-piece
Weight 76.5g
Color Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



TL-ST042-8P

8 function bike tool set
Hex 2 / 2.5 / 3 / 4 / 5 / 6 mm, PH2, T25


Inner tool of Material Chrome Vanadium with durable Matte Chrome plating
Frame All CNC 6061-T6 made . one-piece
Weight 79g
Color Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



TL-ST060-18P

18 function bike tool set
Hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm, PH2, SL4, T25
Spoke wrench SHIMANO® 4.3 / 4.4 / Hex4.6 / MAVIC M7.bottle opener
Chain breaker (9 / 10 / 11 speed)
Co2 inflator
Tire lever

Inner tool of Material Chrome Vanadium with durable Matte Chrome plating
Frame All CNC 6061-T6 made.
Weight 190g
Color Frame / Black, Red, Gray, Blue, Apple Green, Orange, Purple, Pink



TL-ST003-M

Material Spec Heat treatment steel 6150 tool / Alloy body
Allen wrench 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, Torx T25, Slot, Philips
Weight 145g / set
Color ED



TL-S003-1544

Lock ring tooling features with aesthetic shape and functional design. You also can lock the wrench on the position where to lock water bottle cage to easily storage the wrench on your bike.

Material Hardened stainless steel / High polish finished
spec 15mm nut / lockring (OD Ø42 ~ Ø44)
Weight 80g



TOOLS & PROTECTION



TL-ST001

Material	Heat treatment steel 6150 tool / Nylon body
Allen Wrench	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm
Weight	385g / set
Color	CP



TL-S001

Material	Heat treatment steel 6150 tool / Nylon body
Spec	4mm, 5mm, 6mm
Length	65mm, 80mm
Color	Body- Black, Blue, Red, Apple Green, Gray Ring- Yellow 6mm, Orange 5mm, Purple 4mm
Head type	Ball or Hex wrench



TL-ST002-T

Material	Heat treatment steel 6150 tool / Nylon body
Allen Wrench	T10, T15, T20, T25, T27, T30, T40, T45, T50mm
Weight	268g / set
Color	ED



AC-S005-100

Anti-puncture frame protector roll

Material	Polyurethane (PU)
Spec	(W) 100mm x (L) 1500mm
Weight	110.5g



AC-005-002

Anti-puncture frame protector

Material	Polyurethane (PU)
Weight	8g



AC-S006-001


Puncture protection tape
Type: Road bike (700C)

Material	Polyurethane (PU)
Spec	(W) 20mm x (L) 2090mm
Weight	37.5g

AC-S006-129

Puncture protection tape
Type: MTB wheels

Material	Polyurethane (PU)
Spec	(W) 31mm x (L) 2350mm
Weight	71.5g



AC-S005-012

Anti-puncture frame protector

Material	Polyurethane (PU)
Weight	15g

FOURIERS POWER





UP





www.fouriers-bike.com